




440-439-1616 // FAX: 440-439-1792
23901 Aurora Rd // Cleveland, OH 44146
www.halexco.com
A SCOTT FETZER COMPANY



© 2008, HALEX, A SCOTT FETZER COMPANY / PRINTED IN THE USA (2008)
HALEX is a registered trademark of Halex/Scott Fetzer Company. Trade names and corporate references herein are for identification purposes only and are not intended for promotion purposes. All product or specification information is subject to change without notice.





TABLE OF CONTENTS

INTRODUCTION/NEW PRODUCTS	3
EMT – Electrical Metallic Tubing.....	4-21
FLEX – Flexible Metallic Conduit, Metal Clad and Armored Cable.....	22-31
NM – Non-Metallic Sheathed Cable.....	32-38
LQD – Liquid-Tight Conduit.....	39-44
RGD – Rigid and Intermediate Metallic Conduit.....	45-64
SE – Service Entrance Cable.....	65-71
GND – Ground Fittings.....	72-76
ACC – Accessories.....	77-85
PRODUCT SPECS.....	86-126
INDEX.....	127-133



PS

IN



THE HALEX COMPANY

Welcome to the Halex Brand:
Since being established in 1947 as an electrical fittings manufacturer, Halex is a company that has always strived to be much more than that. The success of the Halex brand is grounded in our commitment to quality – quality products and quality service.

Quality Products.

- Our products exceed the highest standards set by UL and CSA
- Our quality system is ISO certified
- Plus, we are ranked #1 in quality among major fitting manufacturers

Quality Service.

- Best-in-class order fill rates
- Best-in-class order cycle times
- Efficient supply chain

To us, our reputation is everything...

- We're anything but static
- We believe inferiority is a four-letter word
- We never rest on our recognition – and we never will
- We are more than fittings
- We're beyond the current



EMT



ELECTRICAL METALLIC TUBING FITTINGS

Applications

- For indoor and outdoor use
- Not for use for underground application
- Use set-screw fittings for indoor use
- Use compression connectors for rain-tight applications
- Use compression couplings for rain-tight applications

NOTE: ALL PRODUCT SPECS ARE IN THE BACK OF THE CATALOG.





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

COMPRESSION CONNECTORS (ZINC DIE CAST)

1/2"	02105B	BULK	50/500	4.4/44.6	CARTON
3/4"	02107B	BULK	25/250	3.3/33.5	CARTON
1"	02110	TRAY BOX	15	3	PRODUCT
1"	02110B	BULK	20/200	4.1/41.5	NA
1 1/4"	02112	TRAY BOX	8	2.6	PRODUCT
1 1/4"	02112B	BULK	25/100	8.2/34	NA
1 1/2"	02115	TRAY BOX	5	2.6	PRODUCT
1 1/2"	02115B	BULK	15/60	7.8/35	NA
2"	02120	TRAY BOX	4	3	PRODUCT
2"	02120B	BULK	10/40	7.6/30.5	NA
2 1/2"	02125	TRAY BOX	12	12.8	PRODUCT
2 1/2"	02125B	BULK	12	12.5	NA
3"	02130B	BULK	12	16.4	NA
3 1/2"	02135B	BULK	10	17	NA
4"	02140B	BULK	6	12	NA

BAGGED ITEMS

1/2"	90211	1/BAG	50 BAGS	5	BAG
1/2"	20210	5/BAG	20 BAGS	13	BAG
3/4"	90212	1/BAG	30 BAGS	4.2	BAG
3/4"	20212	5/BAG	10 BAGS	7	BAG

WITH INSULATED THROAT

1/2"	82105B	BULK	50/500	5/50	CARTON
3/4"	82107B	BULK	25/250	3.5/35	CARTON
1"	82110	TRAY BOX	15	3	PRODUCT
1"	82110B	BULK	20/200	4/40	NA
1 1/4"	82112	TRAY BOX	8	2.4	PRODUCT
1 1/4"	82112B	BULK	25/100	9.3/37	NA
1 1/2"	82115	TRAY BOX	5	2.6	PRODUCT
1 1/2"	82115B	BULK	15/60	8.3/33	NA
2"	82120	TRAY BOX	4	3.1	PRODUCT
2"	82120B	BULK	10/40	8.1/32.4	NA
2 1/2"	82125B	BULK	12	12.8	NA
3"	82130B	BULK	12	16.4	NA
3 1/2"	82135B	BULK	10	17.6	NA
4"	82140B	BULK	6	12.4	NA

BAGGED ITEMS

1/2"	28211	3/BAG	15 BAGS	4	BAG
3/4"	28212	3/BAG	10 BAGS	4	BAG

☒ APPLICATION: INDOORS – Use to connect EMT conduit to steel outlet box, load center, or other metal enclosure.

☒ MATERIAL: Zinc Die Cast.

☒ FEATURES: Concrete-Tight.

☒ CERTIFICATIONS: UL, CSA.

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

COMPRESSION COUPLINGS (ZINC DIE CAST)

1/2"	02205B	BULK	50/500	5.9/59	BOX
3/4"	02207B	BULK	25/250	4.4/44.5	BOX
1"	02210	TRAY BOX	10	2.7	PRODUCT
1"	02210B	BULK	20/200	5.4/54	NA
1 1/4"	02212	TRAY BOX	6	2.5	PRODUCT
1 1/4"	02212B	BULK	25/100	10.2/41.5	NA
1 1/2"	02215	TRAY BOX	5	3.4	PRODUCT
1 1/2"	02215B	BULK	15/60	10.2/41	NA
2"	02220	TRAY BOX	4	3.6	PRODUCT
2"	02220B	BULK	10/40	8.9/36	NA
2 1/2"	02225	TRAY BOX	12	16.2	PRODUCT
2 1/2"	02225B	BULK	12	15.5	NA
3"	02230	TRAY BOX	12	16.2	PRODUCT
3"	02230B	BULK	12	20.6	NA
3 1/2"	02235B	BULK	10	20.5	NA
4"	02240B	BULK	6	15	NA

BAGGED ITEMS

1/2"	90221	1/BAG	50 BAGS	6	BAG
1/2"	20221	5/BAG	15 BAGS	9	BAG
3/4"	90222	1/BAG	30 BAGS	5.7	BAG
3/4"	20222	5/BAG	5 BAGS	4.4	BAG


☒ APPLICATION: INDOORS – Use to join two lengths of EMT conduit together.

☒ MATERIAL: Zinc Die Cast.

☒ FEATURES: Concrete-Tight.

☒ CERTIFICATIONS: UL, CSA.





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

COMPRESSION CONNECTORS (STEEL)

1/2"	62305B	BULK	25/250	2.8/28	NA
3/4"	62307B	BULK	25/250	4.8/49.2	NA
1"	62310B	BULK	10/100	2.8/28.5	NA
1"	62310	TRAY BOX	5	1.4	UPC
1 1/4"	62312B	BULK	25	12.8	NA
1 1/4"	62312	TRAY BOX	3	1.54	UPC
1 1/2"	62315B	BULK	20	11.3	NA
1 1/2"	62315	TRAY BOX	2	1.13	UPC
2"	62320B	BULK	15	10.8	NA
2"	62320	TRAY BOX	2	1.45	UPC
2 1/2"	62325B	BULK	12	21.4	NA
3"	62330B	BULK	12	26.4	NA
3"	62330	TRAY BOX	5	11.0	UPC
3 1/2"	62335B	BULK	6	15.4	NA
4"	62340B	BULK	6	17.9	NA

BAGGED ITEMS

1/2"	26230	5/BAG	15 BAGS	8.40	UPC ON BAG
3/4"	26232	5/BAG	5 BAGS	4.80	UPC ON BAG

WITH INSULATED THROAT

1/2"	82305B	BULK	25/250	2.8/28	NA
3/4"	82307B	BULK	25/250	4.8/49.2	NA
1"	82310B	BULK	10/100	2.8/28.5	NA
1"	82310	TRAY BOX	15	4.2	UPC
1 1/4"	82312B	BULK	25	12.8	NA
1 1/4"	82312	TRAY BOX	4	2.1	UPC
1 1/2"	82315B	BULK	20	11.3	NA
1 1/2"	82315	TRAY BOX	5	2.83	UPC
2"	82320B	BULK	15	10.8	NA
2"	82320	TRAY BOX	4	2.88	UPC
2 1/2"	82325B	BULK	12	21.4	NA
3"	82330B	BULK	12	26.4	NA
3 1/2"	82335B	BULK	6	15.4	NA
4"	82340B	BULK	6	17.9	NA

BAGGED ITEMS

1/2"	28231	3/BAG	15 BAGS	5.10	UPC ON BAG
3/4"	28232	3/BAG	10 BAGS	5.80	UPC ON BAG

- ☒ APPLICATION: INDOORS – Use to connect EMT conduit to steel outlet box, load center, or other metal enclosure.
- ☒ MATERIAL: Steel, Zinc Electro-Plate.
- ☒ FEATURES: Concrete-Tight.
- ☒ CERTIFICATIONS: UL/CSA.

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------


COMPRESSION COUPLINGS (STEEL)


1/2"	62405B	BULK	25/250	3.1/31.5	NA
3/4"	62407B	BULK	25/250	5.3/54.2	NA
1"	62410B	BULK	10/100	2.9/29	NA
1"	62410	TRAY BOX	4	1.20	UPC
1 1/4"	62412B	BULK	25	12.3	NA
1 1/4"	62412	TRAY BOX	2	1.00	UPC
1 1/2"	62415B	BULK	20	11.3	NA
1 1/2"	62415	TRAY BOX	2	1.15	UPC
2"	62420B	BULK	15	10.5	NA
2"	62420	TRAY BOX	2	1.40	UPC
2 1/2"	62425B	BULK	12	26	NA
3"	62430B	BULK	6	16.5	NA
3"	62430	TRAY BOX	6	16.5	UPC
3 1/2"	62435B	BULK	6	19.2	NA
4"	62440B	BULK	6	22.7	NA

BAGGED ITEMS

1/2"	26241	5/BAG	6 BAGS	3.80	UPC ON BAG
3/4"	26242	5/BAG	3 BAGS	3.20	UPC ON BAG

- ☒ APPLICATION: INDOORS – Use to join two lengths of EMT conduit together.
- ☒ MATERIAL: Steel, Zinc Electro-Plate.
- ☒ FEATURES: Concrete-Tight.
- ☒ CERTIFICATIONS: UL/CSA.





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

RAINTIGHT COMPRESSION CONNECTORS (STEEL)

1/2"	62505B	BULK	50/250	5.9/29.5	NA
3/4"	62507B	BULK	25/125	4.3/21.5	NA
1"	62510B	BULK	15/75	3.5/17.5	NA
1"	62511	TRAY BOX	5	1.20	UPC
1 1/4"	62512B	BULK	20	8.20	NA
1 1/4"	62512	TRAY BOX	3	1.30	UPC
1 1/2"	62515B	BULK	10	5.00	NA
1 1/2"	62515	TRAY BOX	2	1.00	UPC
2"	62520B	BULK	10	6.80	NA
2"	62520	TRAY BOX	2	1.40	UPC
2 1/2"	62525B	BULK	6	10.7	NA
3"	62530B	BULK	6	13.2	NA
3 1/2"	62535B	BULK	6	15.4	NA
4"	62540B	BULK	6	17.9	NA

WITH INSULATED THROAT

1/2"	92505B	BULK	50/250	5.9/29.5	NA
3/4"	92507B	BULK	25/250	4.3/21.5	NA
1"	92510B	BULK	15/75	3.5/17.5	NA
1"	92510	TRAY BOX	15	3.50	UPC
1 1/4"	92512B	BULK	20	8.20	NA
1 1/4"	92512	TRAY BOX	4	1.70	UPC
1 1/2"	92515B	BULK	10	5.00	NA
1 1/2"	92515	TRAY BOX	5	2.50	UPC
2"	92520B	BULK	10	6.80	NA
2"	92520	TRAY BOX	4	2.70	UPC ON PRODUCT
2 1/2"	92525B	BULK	6	10.7	NA
3"	92530B	BULK	6	13.2	NA
3 1/2"	92535B	BULK	6	15.4	NA
4"	92540B	BULK	6	17.9	NA

BAGGED ITEMS


1/2"	26250	5/BAG	15 BAGS	9.70	UPC ON BAG
1/2"	29251	3/BAG	15 BAGS	5.40	UPC ON BAG
3/4"	26252	5/BAG	5 BAGS	4.30	UPC ON BAG
3/4"	29252	3/BAG	10 BAGS	5.20	UPC ON BAG

☒ APPLICATION: OUTDOORS – Use to connect EMT conduit to steel outlet box, load center, or other metal enclosure. IN A WET LOCATION.

☒ MATERIAL: Steel, Zinc Electro-Plate.

☒ FEATURES: Concrete-Tight and Raintight.

☒ CERTIFICATIONS: UL/CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

RAINTIGHT COMPRESSION COUPLINGS (STEEL)

1/2"	62605B	BULK	50/250	7.2/36	NA
3/4"	62607B	BULK	25/125	5.5/27.5	NA
1"	62610B	BULK	15/75	4.5/22.5	NA
1"	62610	TRAY BOX	4	1.20	UPC
1 1/4"	62612B	BULK	20	10.8	NA
1 1/4"	62612	TRAY BOX	2	1.20	UPC
1 1/2"	62615B	BULK	10	6.00	NA
1 1/2"	62615	TRAY BOX	2	1.30	UPC
2"	62620B	BULK	10	8.00	NA
2"	62620	TRAY BOX	2	1.60	UPC
2 1/2"	62625B	BULK	6	16.0	NA
3"	62630B	BULK	6	19.8	NA
3 1/2"	62635B	BULK	6	23.1	NA
4"	62640B	BULK	6	26.8	NA

BAGGED ITEMS

1/2"	26261	5/BAG	6 BAGS	4.90	UPC ON BAG
3/4"	26262	5/BAG	3 BAGS	3.40	UPC ON BAG

☒ APPLICATION: OUTDOORS – Use to connect two lengths of EMT conduit together in wet location.

☒ MATERIAL: Steel, Zinc Electro-Plate.

☒ FEATURES: Concrete-Tight and Raintight.

☒ CERTIFICATIONS: UL/CSA.



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

SET-SCREW CONNECTORS (ZINC DIE CAST)

1/2"	12105B	BULK	50/500	2.9/29	CARTON
3/4"	12107B	BULK	25/250	2.5/25	CARTON
1"	12110	TRAY BOX	15	2.2	PRODUCT
1"	12110B	BULK	20/200	3/30	NA
1 1/4"	12112	TRAY BOX	8	2.1	PRODUCT
1 1/4"	12112B	BULK	25/100	6.4/26.5	NA
1 1/2"	12115	TRAY BOX	5	1.7	PRODUCT
1 1/2"	12115B	BULK	15/60	6/24	NA
2"	12120	TRAY BOX	4	1.9	PRODUCT
2"	12120B	BULK	10/40	5.4/18.5	NA
2 1/2"	12125	TRAY BOX	12	10	PRODUCT
2 1/2"	12125B	BULK	12	10	NA
3"	12130	TRAY BOX	12	12	PRODUCT
3"	12130B	BULK	12	12.5	NA
3 1/2"	12135B	BULK	10	12	NA
4"	12140B	BULK	6	9	NA

BAGGED ITEMS

1/2"	91211	1/BAG	50 BAGS	3.5	BAG
1/2"	21210	5/BAG	30 BAGS	8.8	BAG
1/2"	21211	10/BAG	40 BAGS	28	BAG
3/4"	91212	1/BAG	40 BAGS	4	BAG
3/4"	21212	5/BAG	10 BAGS	4.56	BAG

WITH INSULATED THROAT

1/2"	92105B	BULK	50/500	3.5/35	CARTON
1/2"	29211	3/BAG	20 BAGS	3.60	UPC ON BAG
3/4"	92107B	BULK	25/250	2.5/25	CARTON
3/4"	29212	3/BAG	15 BAGS	4.20	UPC ON BAG
1"	92110	TRAY BOX	15	4.2	PRODUCT
1"	92110B	BULK	20/200	3/30	NA
1 1/4"	92112	TRAY BOX	8	2.2	PRODUCT
1 1/4"	92112B	BULK	25/100	7.3/29	NA
1 1/2"	92115	TRAY BOX	5	1.8	PRODUCT
1 1/2"	92115B	BULK	15/60	6/24	NA
2"	92120	TRAY BOX	4	2.2	PRODUCT
2"	92120B	BULK	10/40	5.4/21.6	NA
2 1/2"	92125B	BULK	12	10	NA
3"	92130B	BULK	12	12	NA
3 1/2"	92135B	BULK	10	12.8	NA
4"	92140B	BULK	6	9.4	NA

☒ APPLICATION: INDOORS ONLY – Use to connect EMT conduit to steel outlet box, load center, or other metal enclosure.

☒ MATERIAL: Zinc Die Cast.

☒ FEATURES: Concrete-Tight 1/2"-3/4", Concrete-Tight When Taped 1"-4".

☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

SET-SCREW COUPLINGS (ZINC DIE CAST)

1/2"	12205B	BULK	50/500	3.5/32	CARTON
3/4"	12207B	BULK	25/250	2.5/25.5	CARTON
1"	12210	TRAY BOX	20	2.8	PRODUCT
1"	12210B	BULK	20/200	2.8/28.5	NA
1 1/4"	12212	TRAY BOX	10	2.5	PRODUCT
1 1/4"	12212B	BULK	25/100	7.3/26	NA
1 1/2"	12215	TRAY BOX	5	1.8	PRODUCT
1 1/2"	12215B	BULK	15/60	5.9/21	NA
2"	12220	TRAY BOX	4	2	PRODUCT
2"	12220B	BULK	5/20	2.9/11.4	NA
2 1/2"	12225	TRAY BOX	12	9.1	PRODUCT
2 1/2"	12225B	BULK	12	9.9	NA
3"	12230	TRAY BOX	12	12.4	PRODUCT
3"	12230B	BULK	12	12.4	NA
3 1/2"	12235B	BULK	10	12	NA
4"	12240B	BULK	6	10	NA

BAGGED ITEMS



1/2"	91221	1/BAG	50 BAGS	3.5	BAG
1/2"	21221	10/BAG	30 BAGS	21	BAG
1/2"	21220	5/BAG	25 BAGS	7.7	BAG
3/4"	91222	1/BAG	35 BAGS	3.5	BAG
3/4"	21222	5/BAG	10 BAGS	4.5	BAG

☒ APPLICATION: INDOORS ONLY – Use to join two lengths of EMT conduit together.

☒ MATERIAL: Zinc Die Cast.

☒ FEATURES: Concrete-Tight 1/2"-1", Concrete-Tight When Taped 1 1/4"-4".

☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

SET-SCREW CONNECTORS (STEEL)

1/2"	62705B	BULK	50/500	4.0/40.4	NA
3/4"	62707B	BULK	25/250	4.0/35.9	NA
1"	62710B	BULK	20/200	4.2/42.9	NA
1"	62710	TRAY BOX	10	2.3	NA
1 1/4"	62712B	BULK	25	8.5	NA
1 1/4"	62712	TRAY BOX	3	1.1	NA
1 1/2"	62715B	BULK	25	12	NA
1 1/2"	62715	TRAY BOX	2	1.0	NA
2"	62720B	BULK	20	12	NA
2"	62720	TRAY BOX	2	1.2	NA
2 1/2"	62725B	BULK	12	15	NA
3"	62730B	BULK	12	21	NA
3 1/2"	62735B	BULK	6	13	NA
4"	62740B	BULK	6	15	NA

BAGGED ITEMS

1/2"	96271	1/BAG	25 BAGS	2.3	BAG
1/2"	26271	10/BAG	5 BAGS	4	BAG
1/2"	26270	5/BAG	15 BAGS	4	BAG
3/4"	96272	1/BAG	20 BAGS	2.6	BAG
3/4"	26272	5/BAG	10 BAGS	3.2	BAG

WITH INSULATED THROAT

1/2"	82705B	BULK	50/500	4.0/40.4	NA
3/4"	82707B	BULK	25/250	4.0/35.9	NA
1"	82710B	BULK	20/200	4.2/42.9	NA
1"	82710	TRAY BOX	12	2.5	NA
1 1/4"	82712B	BULK	25	8.5	NA
1 1/4"	82712	TRAY BOX	3	1.1	NA
1 1/2"	82715B	BULK	25	12	NA
1 1/2"	82715	TRAY BOX	3	1.4	NA
2"	82720B	BULK	20	12	NA
2"	82720	TRAY BOX	3	1.8	NA
2 1/2"	82725B	BULK	12	15	NA
3"	82730B	BULK	12	21	NA
3 1/2"	82735B	BULK	6	13	NA
4"	82740B	BULK	6	15	NA

BAGGED ITEMS

1/2"	28271	3/BAG	15 BAGS	3.80	UPC ON BAG
3/4"	28272	3/BAG	6 BAGS	2.50	UPC ON BAG

- ☒ APPLICATION: INDOORS ONLY – Use to connect EMT conduit to steel outlet box, load center, or other metal enclosure.
- ☒ MATERIAL: Steel, Zinc Electro-Plate, Hardened Screws, Heavy Duty Locknuts.
- ☒ FEATURES: Concrete-Tight When Taped.
- ☒ CERTIFICATIONS: UL/CSA.

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

SET-SCREW COUPLINGS (STEEL)

1/2"	62805B	BULK	50/500	4.2/42.9	NA
3/4"	62807B	BULK	25/250	3.2/32.9	NA
1"	62810B	BULK	10/100	2.5/25	NA
1"	62810	TRAY BOX	12	3.0	NA
1 1/4"	62812B	BULK	25	10.5	NA
1 1/4"	62812	TRAY BOX	5	2.3	NA
1 1/2"	62815B	BULK	25	13.6	NA
1 1/2"	62815	TRAY BOX	3	1.7	NA
2"	62820B	BULK	20	13.2	NA
2"	62820	TRAY BOX	3	2.0	NA
2 1/2"	62825B	BULK	12	17.5	NA
3"	62830B	BULK	12	25	NA
3"	62830	TRAY BOX	3	6.3	NA
3 1/2"	62835B	BULK	6	14	NA
4"	62840B	BULK	6	17	NA
4"	62840	TRAY BOX	3	8.5	NA

BAGGED ITEMS

1/2"	96281	1/BAG	20 BAGS	1.8	BAG
1/2"	26281	10/BAG	5 BAGS	4.3	BAG
1/2"	26280	3/BAG	5 BAGS	4.3	BAG
3/4"	96282	1/BAG	15 BAGS	2	BAG
3/4"	26282	5/BAG	5 BAGS	2.3	BAG

- ☒ APPLICATION: INDOORS ONLY – Use to join two lengths of EMT conduit together.
- ☒ MATERIAL: Steel, Zinc Electro-Plate, Hardened Screws.
- ☒ FEATURES: Concrete-Tight When Taped.
- ☒ CERTIFICATIONS: UL/CSA.



EMT TO BOX OFFSET CONNECTORS (ZINC DIE CAST) SET SCREW TYPE

1/2"	03705B	BULK	10/100	1/10	NA
3/4"	03707B	BULK	10/100	1.9/19	NA

BAGGED ITEMS

1/2"	90371	1/BAG	20 BAGS	2	BAG
3/4"	90372	1/BAG	10 BAGS	1.7	BAG

- ☒ APPLICATION: INDOORS ONLY – Use to connect EMT conduit to a metal outlet box or enclosure where an offset is desired.
- ☒ MATERIAL: Zinc Die Cast.
- ☒ FEATURES: Concrete-Tight.
- ☒ CERTIFICATIONS: UL, CSA.



EMT TO BOX OFFSET CONNECTORS (ZINC DIE CAST) COMPRESSION TYPE

1/2"	03905	TRAY BOX	20	2.3	PRODUCT
3/4"	03907	TRAY BOX	10	2.1	PRODUCT

- ☒ APPLICATION: INDOORS OR OUTDOORS – Use to connect EMT conduit to a metal outlet box or enclosure where an offset is desired.
- ☒ MATERIAL: Zinc Die Cast.
- ☒ FEATURES: Concrete-Tight.
- ☒ CERTIFICATIONS: UL, CSA.





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

90° ELBOW (STEEL)

1/2"	64405	TRAY BOX	20	5.4	PRODUCT
1/2"	64405B	BULK	50	13.5	NA
3/4"	64407	TRAY BOX	10	4.7	PRODUCT
3/4"	64407B	BULK	50	23.5	NA
1"	64410	TRAY BOX	10	8.7	PRODUCT
1"	64410B	BULK	25	21	NA
1 1/4"	64412	TRAY BOX	5	7.5	PRODUCT
1 1/4"	64412B	BULK	20	31.4	NA
1 1/2"	64415	TRAY BOX	4	8.0	PRODUCT
1 1/2"	64415B	BULK	15	32.3	NA
2"	64420	TRAY BOX	2	6.5	PRODUCT
2"	64420B	BULK	10	29.9	NA
2 1/2"	64425	NO CTN	1	5	PRODUCT
3"	64430	NO CTN	1	7.5	PRODUCT
3 1/2"	64435	NO CTN	1	10.1	PRODUCT
4"	64440	NO CTN	1	13	PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS – To connect EMT conduit together to allow for 90° bends.

☒ MATERIAL: Galvanized Steel.

☒ CERTIFICATIONS: UL, CSA.



45° ELBOW (STEEL)

1/2"	64505	TRAY BOX	10	2.4	PRODUCT
3/4"	64507	TRAY BOX	10	3.3	PRODUCT
1"	64510	TRAY BOX	25	14.3	PRODUCT
1 1/4"	64512	NO CTN	20	20	PRODUCT
1 1/2"	64515	NO CTN	15	22.1	PRODUCT
2"	64520	NO CTN	10	21	PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS – To connect EMT conduit together to allow for 45° bends.

☒ MATERIAL: Galvanized Steel.

☒ CERTIFICATIONS: UL, CSA.



90° COMPRESSION ELBOWS (ZINC DIE CAST) SHORT RADIUS

1/2"	02905B	BULK	25/250	4.7/47	NA
3/4"	02907B	BULK	20/200	5.6/56	NA
1"	02910	TRAY BOX	5	2.2	PRODUCT

BAGGED ITEMS

1/2"	90291	1/BAG	15 BAGS	3	BAG
3/4"	90292	1/BAG	10 BAGS	3	BAG

☒ APPLICATION: INDOORS OR OUTDOORS – Use to connect EMT conduit to a steel outlet box or enclosure where a close radius is desired.

☒ MATERIAL: Zinc Die Cast.

☒ FEATURES: Concrete-Tight.

☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

90° COMPRESSION ELBOWS (ZINC DIE CAST) LARGE RADIUS

1/2"	02805B	BULK	20/200	2.6/26	NA
3/4"	02807B	BULK	10/100	2.0/20	NA

BAGGED ITEMS

1/2"	90281	1/BAG	15 BAGS	1.95	UPC ON BAG
3/4"	90282	1/BAG	10 BAGS	1.99	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS – Use to connect EMT conduit to a steel outlet box or enclosure where a large radius is desired.

☒ MATERIAL: Zinc Die Cast.

☒ FEATURES: Concrete-Tight, Exceptional Wire Pulling Capability.

☒ CERTIFICATIONS: UL/CSA.



90° SET-SCREW ELBOWS (ZINC DIE CAST) LARGE RADIUS

1/2"	02705B	BULK	20/200	2.2/22	NA
3/4"	02707B	BULK	10/100	1.7/17	NA

☒ APPLICATION: INDOOR USE ONLY. – Use to connect EMT conduit to a steel outlet box or enclosure where a large radius 90° bend is desired.

☒ MATERIAL: Zinc Die Cast.

☒ FEATURES: Exceptional Wire Pulling Capability.

☒ CERTIFICATIONS: UL/CSA.



ONE-HOLE STRAPS (STEEL)

1/2"	61505B	BULK	100/1000	3/25	CARTON
3/4"	61507B	BULK	100/1000	4/38	CARTON
1"	61510B	BULK	50/500	3/31.5	NA
1 1/4"	61512B	BULK	50/500	4/40	NA
1 1/2"	61515B	BULK	25/250	3/36.5	NA
2"	61520B	BULK	20/200	4.5/45	NA
2 1/2"	61125	TRAY BOX	10	4.3	PRODUCT
3"	61130	TRAY BOX	10	5	PRODUCT
3 1/2"	61135B	BULK	25	17.5	NA
4"	61140B	BULK	20	15.6	PRODUCT

BAGGED ITEMS

1/2"	96151	4/BAG	25 BAGS	2.6	BAG
1/2"	26151	25/BAG	20 BAGS	12.2	BAG
3/4"	96152	4/BAG	15 BAGS	2.4	BAG
3/4"	26152	20/BAG	15 BAGS	11	BAG
1"	26153	4/BAG	20 BAGS	5	BAG
1"	96153	1/BAG	35 BAGS	2.1	BAG
1 1/4"	26154	4/BAG	10 BAGS	4.1	BAG
1 1/2"	26155	2/BAG	10 BAGS	2.3	BAG
2"	26156	2/BAG	5 BAGS	2.4	BAG

* NOT UL/CSA CERTIFIED.


☒ APPLICATION: INDOORS OR OUTDOORS – To support EMT conduit where greater load bearing is required.

☒ MATERIAL: Steel, Zinc Electro-Plate.

☒ TYPE: Snap-On Style.

☒ CERTIFICATIONS: UL, CSA.





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

TWO-HOLE STRAPS (STEEL)

1/2"	61605B	BULK	100/1000	2/18	CARTON
3/4"	61607B	BULK	100/1000	2/25.5	CARTON
1"	61610B	BULK	50/500	1.5/15.5	NA
1 1/4"	61612B	BULK	25/250	1.5/14	NA
1 1/2"	61615B	BULK	25/250	2/20	NA
2"	61620B	BULK	50/200	7/28	NA
2 1/2"	61225	TRAY BOX	7	1.2	PRODUCT
2 1/2"	61225B	BULK	25	4.3	NA
3"	61230	TRAY BOX	10	2.5	PRODUCT
3 1/2"	61235B	BULK	25	6.5	NA
4"	61240B	BULK	20	6.6	NA

BAGGED ITEMS

1/2"	96161	4/BAG	15 BAGS	1.2	BAG
1/2"	26161	25/BAG	15 BAGS	6.2	BAG
3/4"	96162	4/BAG	10 BAGS	1	BAG
3/4"	26162	20/BAG	10 BAGS	5	BAG
1"	96163	1/BAG	35 BAGS	1.1	BAG
1"	26163	4/BAG	15 BAGS	1.9	BAG
1 1/4"	26164	4/BAG	10 BAGS	2.3	BAG
1 1/2"	26165	2/BAG	15 BAGS	2.4	BAG
2"	26166	2/BAG	15 BAGS	4	BAG

☒ APPLICATION: INDOORS OR OUTDOORS – To support EMT conduit where greater load bearing is required.

☒ MATERIAL: Steel, Zinc Electro-Plate.

☒ TYPE: Snap-On Style.

☒ CERTIFICATIONS: UL, CSA.



DRIVE STRAPS (STEEL)

1/2"	61405B	BULK	100/1000	1.4/14	CARTON
3/4"	61407B	BULK	100/1000	1.6/16	CARTON
1"	61410B	BULK	100/1000	2.4/24	CARTON

BAGGED ITEMS


1/2"	96141	4/BAG	75 BAGS	1.1	BAG
1/2"	26141	25/BAG	20 BAGS	9	BAG
3/4"	96142	4/BAG	75 BAGS	7.2	BAG
3/4"	26142	25/BAG	15 BAGS	10	BAG

☒ APPLICATION: INDOORS OR OUTDOORS – To secure EMT conduit to a wood or masonry surface.

☒ MATERIAL: Steel, Zinc Plate.

☒ TYPE: Flat Style.

☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

EMT-TO-EMT PULL ELBOWS (ZINC DIE CAST)

WITHOUT GASKET

1/2"	14405	TRAY BOX	15	2.8	PRODUCT
3/4"	14407	TRAY BOX	10	3.7	PRODUCT

WITH NEOPRENE GASKET

1/2"	94405	TRAY BOX	10	2.4	PRODUCT
3/4"	94407	TRAY BOX	5	1.9	PRODUCT
1"	94410	TRAY BOX	5	3.4	PRODUCT

☒ APPLICATION: DRY LOCATIONS – Use to connect EMT conduit together at a 90° bend.

☒ MATERIAL: Zinc Die Cast.

☒ TYPE: Set-Screw.

☒ FEATURES: Removable aluminum cover facilitates wire pulling.

☒ CERTIFICATIONS: UL, CSA.

EMT-TO-BOX PULL ELBOWS (ZINC DIE CAST)

WITHOUT GASKET

1/2"	14305	TRAY BOX	10	2.2	PRODUCT
3/4"	14307	TRAY BOX	5	1.8	PRODUCT

☒ APPLICATION: DRY LOCATIONS – Use to connect EMT conduit to a metal box or enclosure to form a 90° bend.

☒ MATERIAL: Zinc Die Cast.

☒ TYPE: Set-Screw.

☒ FEATURES: Removable aluminum cover facilitates wire pulling. Die cast locknut provided.

☒ CERTIFICATIONS: UL, CSA.



EMT/RIGID-TO-EMT/RIGID COMBO ELBOWS (ZINC DIE CAST)

BAGGED ITEMS

1/2"	94505	1/BAG	10 BAGS	2.0	UPC ON BAG
3/4"	94507	1/BAG	10 BAGS	3.0	UPC ON BAG
1"	94510	TRAY BOX	5	2.9	UPC ON PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS. Use as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of EMT or threaded Rigid or IMC conduit. Removable cover provides easy access to facilitate wire pulling. Not listed for wet locations.

☒ MATERIAL: Zinc Die Cast.

☒ CERTIFICATIONS: UL, CSA.



EMT/RIGID-TO-BOX COMBO ELBOW (ZINC DIE CAST)

BAGGED ITEMS

1/2"	94705	1/BAG	10 BAGS	1.90	UPC ON BAG
3/4"	94707	1/BAG	5 BAGS	1.50	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect a run of EMT or threaded Rigid or IMC conduit to an outlet box, or other metal enclosure. Removable cover provides easy access to facilitate wire pulling. Not listed for wet locations.

☒ MATERIAL: Zinc Die Cast.

☒ CERTIFICATIONS: UL, CSA.





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

EMT-TO-EMT INSIDE-CORNER PULL ELBOWS (ZINC DIE CAST)

WITHOUT GASKET

1/2"	14605	TRAY BOX	15	2.7	PRODUCT
3/4"	14607	TRAY BOX	8	1.9	PRODUCT

- ☒ APPLICATION: INDOORS ONLY – Use to connect EMT conduit together on a 90° inside corner.
- ☒ MATERIAL: Zinc Die Cast.
- ☒ TYPE: Set-Screw.
- ☒ FEATURES: Removable cover facilitates wire pulling.
- ☒ CERTIFICATIONS: UL, CSA.



EMT-TO-FLEX COMBINATION COUPLINGS (ZINC DIE CAST)

COMPRESSION TO SCREW-IN TYPE

1/2"-1/2"	04905B	BULK	50/500	4/40	NA
3/4"-3/4"	04907B	BULK	25/250	2.8/27.5	NA
1"-1"	04910	TRAY BOX	10	1.7	PRODUCT

BAGGED ITEMS

1/2"	20491	2/BAG	10 BAGS	1.7	BAG
3/4"	20492	2/BAG	8 BAGS	1.9	BAG

- ☒ APPLICATION: INDOORS ONLY – Use to join EMT conduit to flexible metallic conduit.
- ☒ MATERIAL: Zinc Die Cast.
- ☒ TYPE: Compression To Screw-In.
- ☒ SUITABLE FOR: 1/2" steel, steel reduced wall, and aluminum flexible metal conduit to EMT, 3/4"-1" flexible metal conduit to EMT.
- ☒ CERTIFICATIONS: UL, CSA.



EMT-TO-FLEX COMBINATION COUPLINGS (ZINC DIE CAST)

SET-SCREW TYPE

1/2"-1/2"	15305B	BULK	25/250	2.5/25	NA
3/4"-3/4"	15307B	BULK	25/250	3.6/36	NA

BAGGED ITEMS

1/2"-1/2"	91531	1/BAG	15 BAGS	1.5	BAG
-----------	-------	-------	---------	-----	-----

- ☒ APPLICATION: INDOORS ONLY – Use to join EMT conduit to flexible metal conduit.
- ☒ MATERIAL: Zinc Die Cast.
- ☒ TYPE: Set Screw.
- ☒ CERTIFICATIONS: UL, CSA.



EMT-TO-NON-METALLIC COMBINATION COUPLINGS (ZINC DIE CAST)

1/2"-NM	15303B	BULK	50/500	4/40	NA
---------	--------	------	--------	------	----

BAGGED ITEMS

1/2"-NM	91530	1/BAG	15 BAGS	1.2	BAG
---------	-------	-------	---------	-----	-----

- ☒ APPLICATION: INDOORS ONLY – Use to join EMT conduit to nonmetallic sheathed cable. #14/2, #12/3, or 2 #14/2.
- ☒ MATERIAL: Zinc Die Cast.
- ☒ TYPE: Set-Screw.
- ☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

EMT INSULATING BUSHINGS (POLYETHYLENE)

1/2"	75005B	BULK	100/1000	0.4/4.0	NA
3/4"	75007B	BULK	75/750	0.35/3.5	NA

BAGGED ITEMS

1/2"	27501	4/BAG	20 BAGS	0.08	BAG
3/4"	27502	4/BAG	15 BAGS	0.07	BAG

- ☒ APPLICATION: INDOORS ONLY – Use to protect cables from abrasion from edge of EMT.
- ☒ MATERIAL: Polyethylene.
- ☒ FEATURES: Holds firmly in place while pulling various cables, i.e. power, cable TV, telephone/modem, alarm/security systems. Meets 2005 NEC code requirements for 300.16 (B) protection.

EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

TYPE LL

1/2"	56305	TRAY BOX	10	2.7	PRODUCT
3/4"	56307	TRAY BOX	6	1.62	PRODUCT

- ☒ APPLICATION: INDOORS OR OUTDOORS – Use to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance.
- Not listed for wet locations
- ☒ MATERIAL: Copper-Free Aluminum Die Cast.
- ☒ FEATURES: Use with EMT or Rigid conduit.
- ☒ CERTIFICATIONS: UL, CSA.



EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

TYPE C

1/2"	56405	TRAY BOX	10	2.5	PRODUCT
3/4"	56407	TRAY BOX	6	2.5	PRODUCT

- ☒ APPLICATION: INDOORS OR OUTDOORS – Use to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance.
- Not listed for wet locations
- ☒ MATERIAL: Copper-Free Aluminum Die Cast.
- ☒ FEATURES: Use with EMT or Rigid conduit.
- ☒ CERTIFICATIONS: UL, CSA.



EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED


TYPE LB

1/2"	56605	TRAY BOX	10	2.7	PRODUCT
3/4"	56607	TRAY BOX	10	3.8	PRODUCT

- ☒ APPLICATION: INDOORS OR OUTDOORS – Use to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance.
- Not listed for wet locations
- ☒ MATERIAL: Copper-Free Aluminum Die Cast.
- ☒ FEATURES: Use with EMT or Rigid conduit.
- ☒ CERTIFICATIONS: UL, CSA.



EMT



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

TYPE T

1/2"	56805	TRAY BOX	10	3.2	PRODUCT
3/4"	56807	TRAY BOX	5	1.6	PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS – Use to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance.

Not listed for wet locations

☒ MATERIAL: Copper-Free Aluminum Die Cast.

☒ FEATURES: Use with EMT or Rigid conduit.

☒ CERTIFICATIONS: UL, CSA.



EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

TYPE LR

1/2"	56905	TRAY BOX	10	3	PRODUCT
3/4"	56907	TRAY BOX	6	3	PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS – Use to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance.

Not listed for wet locations.

☒ MATERIAL: Copper-Free Aluminum Die Cast.

☒ FEATURES: Use with EMT or Rigid conduit.

☒ CERTIFICATIONS: UL, CSA.



EMT/CONDUIT BODY-SET SCREW (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

TYPE LB

1/2"	58705	TRAY BOX	5	1.8	PRODUCT
3/4"	58707	TRAY BOX	3	1.2	PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS – Use to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance.

Not listed for wet locations.

☒ MATERIAL: Copper-Free Aluminum Die Cast.

☒ FEATURES: Use with EMT.

☒ CERTIFICATIONS: UL, CSA.

FLEX



FLEXIBLE METALLIC CONDUIT, METAL CLAD AND ARMORED CABLE FITTINGS

Definitions

- Armored Cable: AC (BX) Pre-wired at the factory
- Metal Clad cable: MC Pre-wired at the factory
- Flexible Metal Conduit: FMC Non pre-wired conduit

Applications

- For dry locations only

NOTE: ALL PRODUCT SPECS ARE IN THE BACK OF THE CATALOG.





TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

SCREW-IN CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	04403B	BULK	50/500	3/30	NA
1/2"	04405B	BULK	50/500	3/30	NA
3/4"	04407B	BULK	25/250	2.5/25	NA
1"	04410	TRAY BOX	15	2.2	PRODUCT
1"	04410B	BULK	25/250	4/40	NA
1 1/4"	04412	TRAY BOX	10	2.8	PRODUCT
1 1/4"	04412B	BULK	10/100	2.8/28	NA
1 1/2"	04415	TRAY BOX	5	1.9	PRODUCT
1 1/2"	04415B	BULK	10/40	3.8/15.2	NA
2"	04420	TRAY BOX	4	2.3	PRODUCT
2"	04420B	BULK	10/40	6.3/25.2	NA

BAGGED ITEMS

3/8"	90440	1/BAG	25 BAGS	1.4	BAG
1/2"	90441	1/BAG	50 BAGS	3	BAG
1/2"	20440	5/BAG	20 BAGS	6	BAG
1/2"	20441	10/BAG	40 BAGS	24	BAG
3/4"	90442	1/BAG	30 BAGS	3	BAG
3/4"	20442	5/BAG	10 BAGS	4.4	BAG


WITH INSULATED THROAT

3/8" (1/2 KO)	84403B	BULK	50/500	3/30	NA
1/2"	84405B	BULK	50/500	3/30	NA
3/4"	84407B	BULK	25/250	2.5/25	NA
1"	84410	TRAY BOX	15	2.3	PRODUCT
1 1/4"	84412	TRAY BOX	10	2.8	PRODUCT
1 1/2"	84415	TRAY BOX	5	1.9	PRODUCT
2"	84420	TRAY BOX	5	3.2	PRODUCT

BAGGED ITEMS

3/8"	28440	5/BAG	15 BAGS	4.5	BAG
1/2"	28441	5/BAG	30 BAGS	9	BAG
3/4"	28442	5/BAG	15 BAGS	7.5	BAG

- ☒ APPLICATION: INDOORS ONLY – Use to connect flexible metallic conduit to steel outlet box, load center or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout (ko).
- ☒ SUITABLE FOR: 1/2" - steel, steel reduced wall, and aluminum flexible metal conduit. 3/8", 3/4" to 1 1/4" and 2" flexible metal conduit. 1 1/2" - steel and steel reduced wall flexible metal conduit.
- ☒ CERTIFICATIONS: UL, CSA.



SCREW-IN CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	04403NB	BULK	50/500	1.9/19	NA
1/2"	04405NB	BULK	50/500	2/20	NA

- ☒ APPLICATION: INDOORS ONLY – Use to connect flexible metallic conduit to steel outlet box, load center or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout (ko).
- ☒ SUITABLE FOR: 3/8" flexible metal conduit. 1/2" - steel and steel reduced wall flexible metal conduit.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. No locknuts required. Meets UL ground fault requirements.
- ☒ CERTIFICATIONS: UL Canadian/US.



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

SCREW-IN COUPLINGS (ZINC DIE CAST)

1/2"	04505B	BULK	50/500	3/30	NA
3/4"	04507B	BULK	25/250	2.3/22.5	NA
1"	04510	TRAY BOX	15	3.8	PRODUCT
1 1/4"	04512	TRAY BOX	10	2.5	PRODUCT
1 1/2"	04515	TRAY BOX	5	2	PRODUCT
2"	04520	TRAY BOX	4	2.4	PRODUCT

BAGGED ITEMS

1/2"	90451	1/BAG	25 BAGS	1.5	BAG
3/4"	90452	1/BAG	15 BAGS	1.3	BAG

- ☒ APPLICATION: INDOORS ONLY - Use to join two pieces of flexible metallic conduit
- ☒ MATERIAL: Zinc Die Cast
- ☒ SUITABLE FOR: 1/2" - steel, steel reduced wall, and aluminum flexible metal conduit. 3/4" to 1 1/4" and 2" flexible metal conduit. 1 1/2" - steel and steel reduced wall flexible metal conduit.
- ☒ CERTIFICATIONS: UL, CSA.

90° CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	11003B	BULK	50/500	4.5/45	CARTON
1/2"	11005B	BULK	25/250	3.5/35	NA
3/4"	11007B	BULK	10/100	2/20	NA
1"	11010	TRAY BOX	5	1.9	PRODUCT
1"	11010B	BULK	5/50	1.9/19	NA
1 1/4"	11012	TRAY BOX	3	1.4	PRODUCT
1 1/4"	11012B	BULK	10/40	5.1/20.4	NA
1 1/2"	11015	TRAY BOX	4	4.6	PRODUCT
1 1/2"	11015B	BULK	5	5.7	NA
2"	11020B	BULK	5	6.2	NA
2 1/2"	11025B	BULK	2	6.1	NA
3"	11030B	BULK	1	4.2	NA
3 1/2"	11035B	BULK	1	5.6	NA
4"	11040B	BULK	1	7.5	NA

BAGGED ITEMS

3/8"	91100	1/BAG	25 BAGS	2.2	BAG
1/2"	91101	1/BAG	20 BAGS	2.6	BAG
3/4"	91102	1/BAG	10 BAGS	1.8	BAG

WITH INSULATED THROAT

3/8" (1/2 KO)	91003B	BULK	25/250	2.3/23	NA
1/2"	91005B	BULK	25/250	3.5/35	NA
3/4"	91007B	BULK	10/100	2/20	NA
1"	91010	TRAY BOX	5	1.9	PRODUCT
1 1/4"	91012	TRAY BOX	5	2.6	PRODUCT
1 1/2"	91015	TRAY BOX	4	4.6	PRODUCT
2"	91020	TRAY BOX	2	2.5	PRODUCT

BAGGED ITEMS

3/8"	91003	1/BAG	25 BAGS	2.3	BAG
3/8"	29100	5/BAG	15 BAGS	6.8	BAG
1/2"	29101	5/BAG	10 BAGS	7	BAG
3/4"	29102	5/BAG	5 BAGS	5	BAG

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect flexible metal conduit, aluminum and steel AC and MC cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: 3/8" - 3/4" steel and aluminum armored cable, steel and aluminum interlocked metal clad cable, flexible cord, and flexible metal conduit. 1" - 4" flexible metal conduit.
- ☒ CERTIFICATIONS: UL, CSA.





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

90° CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	11003NB	BULK	50/500	3.7/37	NA
1/2"	11005NB	BULK	25/250	2.7/27	NA

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect flexible metal conduit, aluminum and steel AC and MC cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: 3/8" - 1/2" steel and aluminum armored cable, steel and aluminum interlocked metal clad cable, flexible cord, and flexible metal conduit.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. No locknuts required. Meets UL ground fault requirements.
- ☒ CERTIFICATIONS: UL Canadian/US.



ANTI-SHORT BUSHINGS (POLYETHYLENE)

FITS CABLE RANGE: 14/2, 14/3, 12/2

0 (5/16")	75400	35/BAG	10 BAGS/35 PCS	0.6	BAG
0 (5/16")	75400BP	BULK	1000	1.7	NA

FITS CABLE RANGE: 14/4, 12/3, 6/1, 4/1

1 (3/8")	75401	35/BAG	10 BAGS/35 PCS	0.45	BAG
1 (3/8")	75401BP	BULK	1000	2.0	NA

FITS CABLE RANGE: 12/4, 10/2, 10/3, 2/1

2 (7/16")	75402	35/BAG	5 BAGS/35 PCS	0.4	BAG
2 (7/16")	75402BP	BULK	500	1.2	NA
3 (1/2")	75403	20/BAG	5 BAGS/20 PCS	0.3	BAG
3 (1/2")	75403BP	BULK	500	1.0	NA
4 (3/4")	75404	16/BAG	4 BAGS/16 PCS	0.2	BAG
4 (3/4")	75404BP	BULK	250	1.0	NA

- ☒ APPLICATION: INDOORS ONLY - Use to protect wire within flexible metallic conduit. Insert one bushing at each end of conduit.
- ☒ MATERIAL: Polyethylene.
- ☒ CERTIFICATIONS: UL, CSA.



SQUEEZE CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	04203NB	BULK	50/500	2.3/23	NA
1/2"	04205NB	BULK	25/250	1.8/18	NA

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect flexible metallic conduit and steel AC cable to a steel outlet box or other metal enclosure. The 3/8" can also be used with steel and aluminum MC cable.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: 3/8" steel flexible conduit, #14/2 wire steel armored cable, .561 steel and .538-.599 aluminum interlocked metal clad cable. 1/2" steel flexible metal conduit and #4-2 wire steel armored cable.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. No locknut required. Meets UL ground fault requirements.
- ☒ CERTIFICATIONS: UL Canadian/US.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

SQUEEZE CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	04203B	BULK	50/500	3.5/35	CARTON
1/2"	04205B	BULK	25/250	2.5/25	CARTON
3/4"	04207B	BULK	25/250	3.3/32.5	CARTON
1"	04210	TRAY BOX	10	1.7	PRODUCT
1"	04210B	BULK	10/100	2/20	NA
1 1/4"	04212	TRAY BOX	5	1.5	PRODUCT
1 1/4"	04212B	BULK	10/100	2.9/29	NA
1 1/2"	04215	TRAY BOX	10	3.6	PRODUCT
1 1/2"	04215B	BULK	5/50	2/19.5	NA
2"	04220	TRAY BOX	4	1.9	PRODUCT
2"	04220B	BULK	10/40	4.6/18.4	NA
2 1/2"	04225B	BULK	10	9	NA
3"	04230B	BULK	5	6.5	NA
3 1/2"	04235B	BULK	2	3	NA
4"	04240B	BULK	1	2	NA

BAGGED ITEMS

3/8"	90420	1/BAG	50 BAGS	3.5	BAG
3/8"	20420	3/BAG	10 BAGS	2	BAG
1/2"	90421	1/BAG	35 BAGS	3.5	BAG
1/2"	20421	3/BAG	15 BAGS	4.2	BAG
3/4"	90422	1/BAG	30 BAGS	3.9	BAG
3/4"	20422	3/BAG	5 BAGS	1.8	BAG

WITH INSULATED THROAT

1/2"	84205B	BULK	25/250	2.5/25	NA
3/4"	84207B	BULK	25/250	3.3/32.5	NA
1"	84210B	BULK	10/100	2/20	NA
1 1/4"	84212B	BULK	10/100	2.9/29	NA
1 1/2"	84215B	BULK	5/50	2/19.5	NA
2"	84220B	BULK	10/40	4.6/18.4	NA

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect flexible metallic conduit and steel AC cable to a steel outlet box, load center or other metal enclosure. The 3/8" can also be used with steel and aluminum MC cable.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: 3/8" steel flexible conduit, #14/2 wire steel armored cable, .561 steel and .538-.599 aluminum interlocked metal clad cable. 1/2" steel flexible metal conduit and #4-2 wire steel armored cable. 3/4" steel flexible metal conduit and #6-3 wire steel armored cable. 1" steel and reduced wall steel flexible metal conduit and #2-2 wire steel armored cable. 1 1/4" - 4" steel flexible metal conduit.
- ☒ CERTIFICATIONS: UL, CSA.

FLEX-TO-EMT (ZINC DIE CAST) COMBINATION COUPLINGS

COMPRESSION TO SCREW-IN TYPE

1/2"	04905B	BULK	50/500	4/40	NA
3/4"	04907B	BULK	25/250	2.8/27.5	NA
1"	04910	TRAY BOX	10	1.7	PRODUCT

BAGGED ITEMS

1/2"	20491	2/BAG	10 BAGS	1.7	BAG
3/4"	20492	2/BAG	8 BAGS	1.9	BAG

- ☒ APPLICATION: INDOORS ONLY - Use to join EMT conduit to flexible metallic conduit.
- ☒ MATERIAL: Zinc Die Cast
- ☒ TYPE: Compression to Screw-in
- ☒ SUITABLE FOR: 1/2" steel, steel reduced wall, and aluminum flexible metal conduit to EMT, 3/4"-1" flexible metal conduit to EMT.
- ☒ CERTIFICATIONS: UL, CSA.





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

FLEX-TO-EMT (ZINC DIE CAST) COMBINATION COUPLINGS

SET-SCREW TYPE

1/2"-1/2"	15305B	BULK	25/250	2.5/25	NA
3/4"-3/4"	15307B	BULK	25/250	3.6/36	NA

BAGGED ITEMS

1/2"-1/2"	91531	1/BAG	15 BAGS	1.5	BAG
-----------	-------	-------	---------	-----	-----

- ☒ APPLICATION: INDOORS ONLY - Use to join EMT conduit to flexible metal conduit.
- ☒ MATERIAL: Zinc Die Cast
- ☒ TYPE: Set-Screw Type
- ☒ CERTIFICATIONS: UL, CSA.



AC (BX) ONE-HOLE STRAPS (STEEL)

3/8"	62181B	BULK	100/1000	1/10	CARTON
------	--------	------	----------	------	--------

BAGGED ITEMS

3/8"	96213	4/BAG	75 BAGS	0.75	BAG
3/8"	26211	10/BAG	20 BAGS	2	BAG

- ☒ APPLICATION: INDOORS ONLY - Use to secure AC/BX cable to a wood, masonry or similar surface.
- ☒ MATERIAL: Steel, Zinc Electro-Plate
- ☒ CERTIFICATIONS: UL, CSA.



SET-SCREW CONNECTORS (ZINC DIE CAST)

1/2"	04805B	BULK	25/250	2.5/25	NA
3/4"	04807B	BULK	25/250	3.8/38	NA

BAGGED ITEMS

1/2"	90481	1/BAG	15 BAGS	1.4	BAG
------	-------	-------	---------	-----	-----

WITH INSULATED THROAT

1/2"	84805B	BULK	25/250	2.5/25	NA
3/4"	84807B	BULK	25/250	3.8/38	NA

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect steel or aluminum flexible metallic conduit to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

CLAMP-COMBINATION CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	05703B	BULK	100/1000	6/60	CARTON
---------------	--------	------	----------	------	--------

BAGGED ITEMS

3/8"	90570	1/BAG	100 BAGS	6	BAG
3/8"	20570	5/BAG	30 BAGS	9	BAG

- ☒ APPLICATION: INDOORS - In a dry location, use to connect flexible metallic conduit, AC, MC, or NM cable to steel outlet box or other enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14/2 thru 12/3 with ground NM sheathed cable, #14-2 wire steel armored cable, 3/8" steel flexible metal conduit, alum. cont. corrugated metal clad cable 0.365-0.519" dia., alum. smooth sheath metal clad cable 0.345-0.525" dia., alum. interlocked metal clad cable 0.455-0.575" dia., rect. alum. cont. corrugated metal clad cable 0.277" x 0.375", steel interlocked metal clad cable 0.435-0.547" dia.
- ☒ CERTIFICATIONS: UL, CSA.

CLAMP-COMBINATION CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	05703NB	BULK	100/1000	4.2/42	NA
---------------	---------	------	----------	--------	----

- ☒ APPLICATION: INDOORS - In a dry location, use to connect flexible metallic conduit, AC, MC and NM cable to steel outlet box or other enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14/2 thru 12/3 with ground NM sheathed cable, #14-2 wire steel armored cable, 3/8" steel flexible metal conduit, alum. cont. corrugated metal clad cable 0.365-0.519" dia., alum. smooth sheath metal clad cable 0.345-0.525" dia., alum. interlocked metal clad cable 0.455-0.575" dia., rect. alum. cont. corrugated metal clad cable 0.277" x 0.375", steel interlocked metal clad cable 0.435-0.547" dia.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. Meets UL ground fault requirements. No locknut required.
- ☒ CERTIFICATIONS: UL Canadian/US.





TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

DUPLEX CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	15803B	BULK	25/250	3.3/32.5	CARTON
---------------	--------	------	--------	----------	--------

BAGGED ITEMS

3/8"	91580	1/BAG	30	3.9	BAG
3/8"	21580	2/BAG	10	2.2	BAG

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect two pieces of flexible metallic conduit, AC, MC or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14-2 thru #12-3 wire with ground NM sheathed cable, #14-2 wire steel armored cable, #14-2 wire with ground thru #10-4 with ground alum. armored cable, 3/8" FMC, alum. smooth sheath metal clad cable 0.410-0.500" dia., alum. interlocked metal clad cable 0.460-0.538" dia., steel interlocked metal clad cable 0.438-0.560" dia.
- ☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

SADDLE CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	06703B	BULK	50/500	4/40	CARTON
---------------	--------	------	--------	------	--------


BAGGED ITEMS

3/8"	20670	5/BAG	10 BAGS	3.2	BAG
------	-------	-------	---------	-----	-----

INSULATED THROAT

3/8" (1/2 KO)	86703B	BULK	50/500	4/40	NA
---------------	--------	------	--------	------	----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14-2 to the largest size fittable NM sheathed cable, #14-2 with ground steel and aluminum armored cable - .470" dia., 3/8" steel flexible metal conduit, alum. cont. corrugated metal clad cable 0.510-0.620" dia., alum. smooth sheath metal clad cable 0.410-0.500" dia., alum. interlocked metal clad cable 0.462-0.548" dia., steel interlocked metal clad cable 0.442-0.552" dia.
- ☒ CERTIFICATIONS: UL, CSA.



DUPLEX CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	15803NB	BULK	25/250	2.5/25	NA
---------------	---------	------	--------	--------	----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect two pieces of flexible metallic conduit, AC, MC or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14-2 thru #12-3 wire with ground NM sheathed cable, #14-2 wire steel armored cable, #14-2 wire with ground thru #10-4 with ground alum. armored cable, 3/8" FMC, alum. smooth sheath metal clad cable 0.410-0.500" dia., alum. interlocked metal clad cable 0.460-0.538" dia., steel interlocked metal clad cable 0.438-0.560" dia.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. No locknut required. Meets UL ground fault requirements.
- ☒ CERTIFICATIONS: UL Canadian/US.

SADDLE CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	06703NB	BULK	50/500	3/30	NA
---------------	---------	------	--------	------	----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14-2 to the largest size fittable NM sheathed cable, #14-2 with ground steel and aluminum armored cable - .470" dia., 3/8" steel flexible metal conduit, alum. cont. corrugated metal clad cable 0.510-0.620" dia., alum. smooth sheath metal clad cable 0.410-0.500" dia., alum. interlocked metal clad cable 0.462-0.548" dia., steel interlocked metal clad cable 0.442-0.552" dia.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. No locknut required. Meets UL ground fault requirements.
- ☒ CERTIFICATIONS: UL Canadian/US.



AC (BX) CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	05803B	BULK	100/1000	5/50	CARTON
---------------	--------	------	----------	------	--------

BAGGED ITEMS

3/8"	90580	1/BAG	100 BAGS	5	BAG
3/8"	20581	5/BAG	30 BAGS	7.2	BAG

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect AC (BX) cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14-2 steel armored cable.
- ☒ CERTIFICATIONS: UL for AC only.





TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

AC (BX) CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	05803NB	BULK	100/1000	3.8/38	NA
---------------	---------	------	----------	--------	----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect AC (BX) cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout //
- ☒ SUITABLE FOR: #14-2 steel armored cable.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. No locknut required. Meets UL ground fault requirements.
- ☒ CERTIFICATIONS: UL for AC only.



MC "SNAP-IN" CONNECTORS (STEEL)

SNAP-IN TYPE

3/8" (1/2 KO)	65705B	BULK	50/500	4.3/43	NA
---------------	--------	------	--------	--------	----

BAGGED ITEMS

3/8"	26571	5/BAG	10 BAGS	2.4	BAG
------	-------	-------	---------	-----	-----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect aluminum or steel AC, aluminum MC, and steel flexible metal conduit.
- ☒ MATERIAL: Steel, Zinc Electro-Plate
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: Aluminum and steel armored cable with #14/2-#10/2 wire, steel flexible metal conduit, .45 dia. aluminum interlocked MC cable.
- ☒ FEATURES: Snap-In installation, no locknut, insulating bushing included.
- ☒ CERTIFICATIONS: UL Canadian/US.



SNAP-RITE MC, AC, FLEX CONNECTORS (ZINC)

3/8"	85403NB	BULK	50/500	2.6/10.4	NA
------	---------	------	--------	----------	----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect MC and AC aluminum and steel cable to metal outlet boxes, electrical enclosures and other metal enclosures.
- ☒ MATERIAL: Zinc Diecast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: For .405" - .615" dia. Aluminum and steel armored cable with #14/2-#10/2 wire, steel flexible metal conduit, aluminum and steel MC cable with 14/2 to 10/2 wire. For the above sizes, Hospital Grade HCF (Health Care Facilities), Home Run, Super Neutral and Fire Alarm.
- ☒ FEATURES: Snap-In installation, no locknut, insulating bushing included.
- ☒ CERTIFICATIONS: UL Canadian/US.



SNAP-RITE DUPLEX MC, AC, FLEX CONNECTORS (ZINC)

3/8"	95403NB	BULK	25/100	2.6/10.4	NA
------	---------	------	--------	----------	----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect MC and AC aluminum and steel cable to metal outlet boxes, electrical enclosures and other metal enclosures.
- ☒ MATERIAL: Zinc Diecast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: For 2 cables of .405" - .615" dia. Aluminum and steel armored cable with #14/2-#10/2 wire, steel flexible metal conduit, aluminum and steel MC cable with 14/2 to 10/2 wire. For the above sizes, Hospital Grade HCF (Health Care Facilities), Home Run, Super Neutral and Fire Alarm.
- ☒ FEATURES: Snap-In installation, no locknut, insulating bushing included.
- ☒ CERTIFICATIONS: UL Canadian/US.

NM



NON-METALLIC SHEATHED CABLE

Applications

- For indoor and outdoor use
- Use to connect NM sheathed cable to an outlet box
- Commonly used for home improvement
- Not for use with service entrance or embedded concrete

NOTE: ALL PRODUCT SPECS ARE IN THE BACK OF THE CATALOG.





TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

HIT LOCK® NON-METALLIC (NYLON) CABLE CONNECTORS

FITS NM CABLE: #14/2, #14/3, #12/2, #12/3, #10/2, #10/3
 3/8" (1/2 KO) 75105B BULK 100/1000 .5/5 UPC ON CARTON

BAGGED ITEMS
 3/8" 97511 1/BAG 75 BAGS 0.4 UPC ON BAG
 3/8" 27511 5/BAG 15 BAGS 0.6 UPC ON BAG

FITS NM CABLE: #14/3, #12/3, #10/3, #8/3, #6/3
 3/4" 75107B BULK 50/500 0.4/4 NA

BAGGED ITEMS
 3/4" 27512 5/BAG 10 BAGS 0.6 UPC ON BAG

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Nylon
- ☒ TYPE: Snap-In Style - No screws or locknuts required
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ FEATURES: Design allows for quick and easy two-step installation. Push into box and insert cable.
- ☒ CERTIFICATIONS: UL, CSA.




DUPLEX HIT LOCK® NON-METALLIC (NYLON) CABLE CONNECTORS

FITS NM CABLE: 2 CABLES #14/2 OR #12/2; 1 CABLE #14/2 AND 1 CABLE #12/2;
 1 CABLE #14/2 AND 1 CABLE #10/2; 1 CABLE #12/2 AND 1 CABLE #10/2
 3/8" (1/2 KO) 75803B BULK 25/250 0.4/4 NA

BAGGED ITEMS
 3/8" 27580 5/BAG 5 BAGS 0.5 UPC ON BAG

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect two non-metallic sheathed cables to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Nylon
- ☒ TYPE: Snap-In Style - No screws or locknuts required
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ FEATURES: Design allows for quick and easy two-step installation. Push into box and insert cable.
- ☒ CERTIFICATIONS: UL, CSA.



PLASTIC NON-METALLIC (POLYPROPYLENE) CABLE CONNECTORS

FITS NM CABLE: #14/2, #10/3
 1/2" 75101B BULK 50/500 1.1/11 UPC ON CARTON

FITS NM CABLE: #14/2, #8/2
 3/4" 75102B BULK 25/250 0.9/9 UPC ON CARTON

BAGGED ITEMS
 1/2" 27515 5/BAG 10 BAGS 1.1 UPC ON BAG
 3/4" 27516 5/BAG 10 BAGS 1.75 UPC ON BAG

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Polypropylene
- ☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

CLAMP CONNECTORS (ZINC DIE CAST)

FITS NM CABLE: #14/2, #12/2, #12/3, AWG OR 2 #14/2 AWG OR FLEX CORD .300 TO .560 INCHES DIA.
 3/8" (1/2 KO) 05103B BULK 100/1000 5/50 UPC ON CARTON

BAGGED ITEMS
 3/8" 90510 1/BAG 100 BAGS 5 UPC ON BAG
 3/8" 20511 5/BAG 75 BAGS 17.5 UPC ON BAG
 3/8" 20510 10/BAG 50 BAGS 25 UPC ON BAG

FITS NM CABLE: #14/2 ROUND, 12/3-8/3 AWG OR FLEX CORD .460 TO .720 INCHES DIA.
 3/4" 05107B BULK 50/500 5/50 UPC ON CARTON

BAGGED ITEMS
 3/4" 90512 1/BAG 50 BAGS 5 UPC ON BAG
 3/4" 20512 5/BAG 15 BAGS 10 UPC ON BAG

FITS NM CABLE: #14/2 TO #6/3 AWG OR 3#10/3 AWG OR FLEX CORD .450 TO .730 INCHES DIA.
 1" 05110B BULK 25/250 3.8/38 NA

BAGGED ITEMS
 1" 90513 1/BAG 15 BAGS 2.21 UPC ON BAG

FITS NM CABLE: #6/3 TO #2/3 AWG OR FLEX CORD .800 TO 1.350 INCHES DIA. OR SE CABLE 3 CONDUCTOR OR 3#1/0 MIN; 3 CONDUCTOR OR 3#2/0 MAX.
 1 1/4" 05112B BULK 10/100 2.4/24 NA

BAGGED ITEMS
 1 1/4" 90514 1/BAG 10 BAGS 2 UPC ON BAG

FITS NM CABLE: FLEX CORDS, MULTI FLEX CORDS; FITTING RANGE .835-1.520 INCHES DIA. SE CABLES 2 CONDUCTOR 4/0

1 1/2" 05115 TRAY BOX 5 1.7 UPC ON PRODUCT
 1 1/2" 05115B BULK 5/50 1.7/17 NA

FITS NM CABLE: FLEX CORDS, MULTI FLEX CORDS; FITTING RANGE 1.085-1.520 INCHES DIA.
 2" 05120 TRAY BOX 5 2 UPC ON PRODUCT
 2" 05120B BULK 10/40 4.5/18 NA

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ TYPE: Twin Screw
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ CERTIFICATIONS: UL, CSA.



CLAMP CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE
 FITS NM CABLE: #14/2, #12/2, #12/3, AWG OR 2 #14/2 AWG OR FLEX CORD .300 TO .560 INCHES DIA.

3/8" (1/2 KO) 05103NB BULK 100/1000 3.7/37 NA
 3/4" 05107NB BULK 50/500 5/50 NA

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ TYPE: Twin Screw
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. No locknut required.
- ☒ CERTIFICATIONS: UL Canadian/US.

NM

NM



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------


STAND-OFF CLIP FOR NM CABLE (POLYMER)

#14/3-#8/3 W/GROUND	27938	25/BAG	15/25	5	UPC ON BAG
------------------------	-------	--------	-------	---	------------

CABLE SIZE

- #14/3 W/GROUND
- #14/2 W/GROUND
- #12/3 W/GROUND
- #12/2 W/GROUND
- #10/3 W/GROUND
- #10/2 W/GROUND
- #8/3 W/GROUND

- ☒ APPLICATION: INDOORS ONLY - Use to hold NM cable along stud or other mounting surface and to prevent penetration of nails or screws, when installing non-metallic cables parallel to wood or metal stud framing members.
- ☒ MATERIAL: Delron Polymer
- ☒ FEATURES: Complies with NEC Article 300-4d.
- ☒ CERTIFICATIONS: UL Canadian/US.



CLAMP-COMBINATION CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	05703B	BULK	100/1000	6/60	UPC ON CARTON
---------------	--------	------	----------	------	---------------

BAGGED ITEMS

3/8"	90570	1/BAG	100 BAGS	6	UPC ON BAG
3/8"	20570	5/BAG	30 BAGS	9	UPC ON BAG

- ☒ APPLICATION: INDOORS - In a dry location, use to connect flexible metallic conduit, AC, MC, or NM cable to steel outlet box or other enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14/2 thru 12/3 with ground NM sheathed cable, #14-2 wire steel armored cable, 3/8" steel flexible metal conduit, alum. cont. corrugated metal clad cable 0.365-0.519" dia., alum. smooth sheath metal clad cable 0.345-0.525" dia., alum. interlocked metal clad cable 0.455-0.575" dia., rect. alum. cont. corrugated metal clad cable 0.277" x 0.375", steel interlocked metal clad cable 0.435-0.547" dia.
- ☒ CERTIFICATIONS: UL, CSA.



CLAMP-COMBINATION CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	05703NB	BULK	100/1000	4.2/42	NA
---------------	---------	------	----------	--------	----

- ☒ APPLICATION: INDOORS - In a dry location, use to connect flexible metallic conduit, AC, MC and NM cable to steel outlet box or other enclosure.
- ☒ MATERIAL: Zinc Die Cast Misc: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14/2 thru 12/3 with ground NM sheathed cable, #14-2 wire steel armored cable, 3/8" steel flexible metal conduit, alum. cont. corrugated metal clad cable 0.365-0.519" dia., alum. smooth sheath metal clad cable 0.345-0.525" dia., alum. interlocked metal clad cable 0.455-0.575" dia., rect. alum. cont. corrugated metal clad cable 0.277" x 0.375", steel interlocked metal clad cable 0.435-0.547" dia.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. Meets UL ground fault requirements. No locknut required.
- ☒ CERTIFICATIONS: UL Canadian/US.

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

DUPLEX CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	15803B	BULK	25/250	3.3/32.5	UPC ON CARTON
---------------	--------	------	--------	----------	---------------

BAGGED ITEMS

3/8"	91580	1/BAG	30 BAGS	3.9	UPC ON BAG
3/8"	21580	2/BAG	10 BAGS	2.2	UPC ON BAG

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect two pieces of flexible metallic conduit, AC, MC or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14-2 thru #12-3 wire with ground NM sheathed cable, #14-2 wire steel armored cable, #14-2 wire with ground thru #10-4 with ground alum. armored cable, 3/8" FMC, alum. smooth sheath metal clad cable 0.410-0.500" dia., alum. interlocked metal clad cable 0.460-0.538" dia., steel interlocked metal clad cable 0.438-0.560" dia.
- ☒ CERTIFICATIONS: UL, CSA.



DUPLEX CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	15803NB	BULK	25/250	2.5/25	NA
---------------	---------	------	--------	--------	----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect two pieces of flexible metallic conduit, AC, MC or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ SUITABLE FOR: #14-2 thru #12-3 wire with ground NM sheathed cable, #14-2 wire steel armored cable, #14-2 wire with ground thru #10-4 with ground alum. armored cable, 3/8" FMC, alum. smooth sheath metal clad cable 0.410-0.500" dia., alum. interlocked metal clad cable 0.460-0.538" dia., steel interlocked metal clad cable 0.438-0.560" dia.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. No locknut required. Meets UL ground fault requirements.
- ☒ CERTIFICATIONS: UL Canadian/US.



TWO-PIECE CLAMP CONNECTORS (STEEL)

3/8" (1/2 KO)	65103B	BULK	100/1000	5/50	UPC ON CARTON
3/4" - 1"	65110B	BULK	50/500	3.5/35	NA
1 1/4"	65112B	BULK	25/250	3.3/33.9	NA
1 1/2"	65115B	BULK	25/250	4/40.4	NA

BAGGED ITEMS

3/8"	96510	1/BAG	50 BAGS	2.5	UPC ON BAG
3/8"	26510	5/BAG	10 BAGS	2	UPC ON BAG
3/4" - 1"	26512	5/BAG	10 BAGS	2.9	UPC ON BAG
1 1/4"	26514	2/BAG	5 BAGS	1.5	UPC ON BAG
1 1/2"	26515	2/BAG	5 BAGS	1.7	UPC ON BAG

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to secure #14 - #10 non-metallic sheathed cable to a steel outlet box or other metal enclosure. No locknut is required.
- ☒ MATERIAL: Steel Zinc-Plate
- ☒ MISC: 3/8" size fits 1/2" knockout
- ☒ TYPE: Butterfly Style - does not require a locknut



NM

NM



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

WATER-TIGHT UF CONNECTORS (ZINC DIE CAST)

FITS UF CABLE ONLY: #14/2, #12/2

1/2"	06605B	BULK	25/250	4.3/42.5	NA
------	--------	------	--------	----------	----

BAGGED ITEMS

1/2"	90661	1/BAG	20 BAGS	2.1	UPC ON BAG
------	-------	-------	---------	-----	------------

FITS UF CABLE ONLY: #14/3-#12/3

3/4"	06607B	BULK	25/250	6.5/65	NA
------	--------	------	--------	--------	----

BAGGED ITEMS

3/4"	90662	1/BAG	10 BAGS	2	UPC ON BAG
------	-------	-------	---------	---	------------

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure #14 - #12 UF cable to a waterproof box with threaded hub.
- ☒ MATERIAL: Zinc Die Cast
- ☒ SUITABLE FOR: For UF cable; 2 insulating conductors, 1 bare
- ☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------


EMT-TO-NON-METALLIC (ZINC DIE CAST) COMBINATION COUPLINGS

1/2"-NM	15303B	BULK	50/500	4/40	NA
---------	--------	------	--------	------	----

BAGGED ITEMS

1/2"-NM	91530	1/BAG	15 BAGS	1.2	UPC ON BAG
---------	-------	-------	---------	-----	------------

- ☒ APPLICATION: INDOORS ONLY - Use to join EMT conduit to non-metallic sheathed cable. #14/2, #12/3, or 2 #14/2.
- ☒ MATERIAL: Zinc Die Cast
- ☒ TYPE: Set-Screw Type
- ☒ CERTIFICATIONS: UL, CSA.



SADDLE CONNECTORS (ZINC DIE CAST)

3/8" (1/2 KO)	06703B	BULK	50/500	3/30	UPC ON CARTON
---------------	--------	------	--------	------	---------------

BAGGED ITEMS

3/8"	20670	5/BAG	10 BAGS	3.2	UPC ON BAG
------	-------	-------	---------	-----	------------

INSULATED THROAT

3/8"	86703B	BULK	50/500	4/40	NA
------	--------	------	--------	------	----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ SUITABLE FOR: #14-2 to the largest size fittable NM sheathed cable, #14-2 with ground steel and aluminum armored cable -.470" dia., 3/8" steel flexible metal conduit, alum. cont. corrugated metal clad cable 0.510-0.620" dia., alum. smooth sheath metal clad cable 0.410-0.500" dia., alum. interlocked metal clad cable 0.462-0.548" dia., steel interlocked metal clad cable 0.442-0.552" dia.
- ☒ CERTIFICATIONS: UL, CSA.



ONE-HOLE STRAPS (STEEL)


FITS NM CABLE

#12/2-#14/2	62171B	BULK	100/1000	1/10	NA
-------------	--------	------	----------	------	----

BAGGED ITEMS

#12/2-#14/2	26210	10/BAG	10 BAGS	1.2	UPC ON BAG
-------------	-------	--------	---------	-----	------------

- ☒ APPLICATION: INDOORS ONLY - Use to secure non-metallic sheathed #12/2-#14/2 cable to a wood, masonry or similar surface.



SADDLE CONNECTORS (ZINC DIE CAST)

SNAP-IN TYPE

3/8" (1/2 KO)	06703NB	BULK	50/500	3/30	NA
---------------	---------	------	--------	------	----

- ☒ APPLICATION: INDOORS ONLY - In a dry location, use to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ SUITABLE FOR: #14-2 to the largest size fittable NM sheathed cable, #14-2 with ground steel and aluminum armored cable -.470" dia., 3/8" steel flexible metal conduit, alum. cont. corrugated metal clad cable 0.510-0.620" dia., alum. smooth sheath metal clad cable 0.410-0.500" dia., alum. interlocked metal clad cable 0.462-0.548" dia., steel interlocked metal clad cable 0.442-0.552" dia.
- ☒ FEATURES: New Snap-In design allows for quick and easy installation. No locknut required. Meets UL ground fault requirements.
- ☒ CERTIFICATIONS: UL Canadian/US.

LQD



LIQUID-TIGHT CONDUIT

Applications

- For indoor and outdoor use
- Joins conduit to an outlet box for the following items:
 - Pools
 - Ponds
 - Fountains
 - Sprinkler Systems
 - Air Conditioners

NOTE: ALL PRODUCT SPECS ARE IN THE BACK OF THE CATALOG.



LQD

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------


LIQUID-TIGHT CONNECTORS (ZINC DIE CAST)
ONE-PIECE

1/2"	06305B	BULK	25/100	3.5/14	NA
3/4"	06307B	BULK	10/100	2.1/21	NA
BAGGED ITEMS					
1/2"	90361	1/BAG	15 BAGS	2.1	UPC ON BAG
3/4"	90362	1/BAG	10 BAGS	2.1	UPC ON BAG

WITH INSULATED THROAT

1/2"	86305B	BULK	25/100	3.5/14	NA
3/4"	86307B	BULK	10/100	2.1/21	NA

- APPLICATION: INDOORS OR OUTDOORS. Use to connect flexible metallic or type B non-metallic liquid-tight conduit to a steel outlet box or other metal enclosure or hub.
- MATERIAL: Zinc Die Cast
- FEATURES: New one-piece design allows for quick and easy installation. Push in and twist conduit counter-clockwise until seated. Tighten screw to 35 in-lbs. and install into enclosure. It's that easy!
- CERTIFICATIONS: UL Canadian/US.



LIQUID-TIGHT CONNECTORS (ZINC DIE CAST)
MULTI-PIECE

3/8" (1/2 KO)	16203B	BULK	25/100	5/20	NA
1/2"	16205B	BULK	25/100	4.3/17	NA
3/4"	16207B	BULK	10/100	2.5/25	NA
1"	16210B	BULK	10/100	4.4/44	NA
1"	16210	1/BAG	10 BAGS	4.4	UPC ON BAG
1 1/4"	16212B	BULK	4/40	2.7/26.8	NA
1 1/2"	16215B	BULK	2/20	1.8/18.4	NA
2"	16220B	BULK	2/20	2.8/28	NA

BAGGED ITEMS

1/2"	91625	1/BAG	20 BAGS	4	UPC ON BAG
3/4"	91627	1/BAG	15 BAGS	3.4	UPC ON BAG

WITH INSULATED THROAT

3/8" (1/2 KO)	96203B	BULK	25/100	5/20	NA
1/2"	96205B	BULK	25/100	4.3/17	NA
3/4"	96207B	BULK	10/100	2.5/25	NA
1"	96210B	BULK	10/100	4.4/44	NA
1 1/4"	96212B	BULK	4/40	2.7/26.8	NA
1 1/2"	96215B	BULK	2/20	1.8/18.4	NA
2"	96220B	BULK	2/20	2.8/28	NA
2 1/2"	96225B	BULK	1	2.7	NA
3"	96230B	BULK	1	3.06	NA
3 1/2"	96235B	BULK	1	3.80	NA
4"	96240B	BULK	1	4.31	NA

- APPLICATION: INDOORS OR OUTDOORS. Use to connect flexible metallic or type B non-metallic liquid-tight conduit to a steel outlet box or other metal enclosure or hub.
- MATERIAL: Zinc Die Cast
- MISC: 3/8" size fits 1/2" knockout.
- CERTIFICATIONS: UL, CSA.





TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

90° LIQUID-TIGHT CONNECTORS (ZINC DIE CAST) ONE-PIECE

1/2"	06805B	BULK	25/100	4.6/18.4	NA
3/4"	06807B	BULK	10/100	2.8/28	NA

BAGGED ITEMS

1/2"	90681	1/BAG	15 BAGS	2.8	UPC ON BAG
3/4"	90682	1/BAG	10 BAGS	2.8	UPC ON BAG

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect flexible metallic or type B non-metallic liquid-tight conduit to a steel outlet box or other metal enclosure or hub.
- ☒ MATERIAL: Zinc Die Cast
- ☒ FEATURES: New one-piece design allows for quick and easy installation. Push in and twist conduit counter-clockwise until seated. Tighten screw to 35 in-lbs. and install into enclosure. It's that easy!
- ☒ CERTIFICATIONS: UL Canadian/US.



90° LIQUID-TIGHT CONNECTORS (ZINC DIE CAST) MULTI-PIECE

3/8" (1/2" KO)	16903B	BULK	25/100	7.5/30	NA
1/2"	16905B	BULK	25/100	6.8/27	NA
3/4"	16907B	BULK	10/100	3.9/39	NA
1"	16910B	BULK	5/50	3.3/33	NA
1"	16910	TRAY BOX	5	3.3	UPC ON PRODUCT
1 1/4"	16914B	BULK	4/40	4.2/42	NA
1 1/2"	16915B	BULK	2/20	2.6/25.8	NA
2"	16920B	BULK	2/20	3.9/39.2	NA

BAGGED ITEMS

1/2"	91695	1/BAG	15 BAGS	3	UPC ON BAG
3/4"	91697	1/BAG	10 BAG	2.8	UPC ON BAG

WITH INSULATED THROAT

3/8" (1/2" KO)	96903B	BULK	25/100	7.5/30	NA
1/2"	96905B	BULK	25/100	6.8/27	NA
3/4"	96907B	BULK	10/100	3.9/39	NA
1"	96910B	BULK	5/50	3.3/33	NA
1 1/4"	96912B	BULK	4/40	4.2/42	NA
1 1/2"	96915B	BULK	2/20	2.6/25.8	NA
2"	96920B	BULK	2/20	3.9/39.2	NA
1/2"	96925B	BULK	1	3.48	NA
3"	96930B	BULK	1	5.25	NA
3 1/2"	96935B	BULK	1	6.25	NA
4"	96940B	BULK	1	8.08	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect flexible metallic or type B non-metallic liquid-tight conduit to a steel outlet box or other metal enclosure or hub.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ CERTIFICATIONS: UL, CSA.

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

LIQUID-TIGHT CONNECTORS (STEEL/MALLEABLE IRON)

STRAIGHT

3/8"	66203B	BULK	25/100	3.85/15.5	NA
1/2"	66205B	BULK	25/100	4.4/17.7	NA
3/4"	66206B	BULK	10/100	2.9/28.8	NA
1"	66210B	BULK	5/20	2.0/8.0	NA
1 1/4"	66212B	BULK	5/20	2.8/11.0	NA
1 1/2"	66215B	BULK	2/20	1.45/14.5	NA
2"	66220B	BULK	2/20	2.0/2.0	NA

INSULATED THROAT

3/8"	86203B	BULK	25/100	3.9/15.7	NA
1/2"	86205B	BULK	25/100	4.5/18.0	NA
3/4"	86207B	BULK	10/100	2.9/29	NA
1"	86210B	BULK	5/20	2.0/8.0	NA
1 1/4"	86212B	BULK	5/20	2.8/11.2	NA
1 1/2"	86215B	BULK	2/20	1.45/14.5	NA
2"	86220B	BULK	2/20	2.0/2.0	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect flexible metallic liquid-tight conduit to a steel outlet box or other metal enclosure or hub.
- ☒ MATERIAL: Steel/Malleable Iron (1/2" - 1" Steel; 1 1/4" - 2" Malleable Iron).
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ CERTIFICATIONS: UL, CSA.



90° LIQUID-TIGHT CONNECTORS (MALLEABLE IRON)

3/8"	66903B	BULK	10/100	2.6/26.0	NA
1/2"	66905B	BULK	10/100	2.9/29.0	NA
3/4"	66907B	BULK	10/40	4.5/18.0	NA
1"	66910B	BULK	5/20	3.8/15.2	NA
1 1/4"	66912B	BULK	5/20	4.8/19.2	NA
1 1/2"	66915B	BULK	2/20	2.5/25.0	NA
2"	66920B	BULK	2/20	3.6/36.0	NA

INSULATED THROAT

3/8"	86903B	BULK	10/100	2.6/26.0	NA
1/2"	86905B	BULK	10/100	2.9/29.0	NA
3/4"	86907B	BULK	10/40	4.5/18.0	NA
1"	86910B	BULK	5/20	3.8/15.2	NA
1 1/4"	86912B	BULK	5/20	4.9/19.4	NA
1 1/2"	86915B	BULK	2/20	2.5/25.0	NA
2"	86920B	BULK	2/20	3.6/36.0	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect flexible metallic liquid-tight conduit to a steel outlet box or other metal enclosure or hub.
- ☒ MATERIAL: Malleable Iron
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

45° LIQUID-TIGHT CONNECTORS (MALLEABLE IRON)

3/8"	66503B	BULK	10/100	2.7/27.0	NA
1/2"	66505B	BULK	10/100	2.7/27.0	NA
3/4"	66507B	BULK	10/40	4.0/16.0	NA
1"	66510B	BULK	5/20	3.2/12.8	NA
1 1/4"	66512B	BULK	5/20	4.4/17.6	NA
1 1/2"	66515B	BULK	2/20	2.2/22.0	NA
2"	66520B	BULK	2/20	3.6/36.0	NA

INSULATED THROAT

3/8"	86503B	BULK	10/100	2.7/27.0	NA
1/2"	86505B	BULK	10/100	2.7/27.0	NA
3/4"	86507B	BULK	10/40	4.0/16.0	NA
1"	86510B	BULK	5/20	3.2/12.8	NA
1 1/4"	86512B	BULK	5/20	4.4/17.6	NA
1 1/2"	86515B	BULK	2/20	2.2/22.0	NA
2"	86520B	BULK	2/20	3.6/36.0	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect flexible metallic liquid-tight conduit to a steel outlet box or other metal enclosure or hub.
- ☒ MATERIAL: Malleable Iron
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

QUICK-SET® LIQUID-TIGHT CONNECTORS (NYLON)

3/8" (1/2" KO)	76203B	BULK	25/250	1.5/15	NA
1/2"	76205B	BULK	25/250	1.5/15	NA
3/4"	76207B	BULK	10/100	0.7/7	NA
1"	76210B	BULK	5/50	0.6/6	NA
1 1/4"	76212B	BULK	5/25	1.082/5.41	NA
1 1/2"	76215B	BULK	2/10	0.50/2.50	NA
2"	76220B	BULK	2/10	0.86/4.33	NA

BAGGED ITEMS

3/8" (1/2" KO)	97620	1/BAG	25 BAGS	1.5	UPC ON BAG
1/2"	97621	1/BAG	25 BAGS	1.5	UPC ON BAG
3/4"	97622	1/BAG	15 BAGS	1.05	UPC ON BAG
1"	97623	1/BAG	5 BAGS	0.6	UPC ON BAG

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect type B non-metallic liquid-tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs.
- ☒ MATERIAL: Nylon
- ☒ FEATURES: Fitting will not rust or corrode. No disassembly required, just hand-tighten nut. Reusable.
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ CERTIFICATIONS: UL Canadian/US.



PVC LIQUID-TIGHT CONNECTORS (PVC)

MULTI-PIECE

3/8" (1/2" KO)	76303B	BULK	25/250	1.5/15	NA
1/2"	76305B	BULK	25/250	1.5/15	NA
3/4"	76307B	BULK	10/100	0.7/7	NA
1"	76310B	BULK	5/50	0.6/6	NA

BAGGED ITEMS

3/8"	27620	1/BAG	25 BAGS	1.7	UPC ON BAG
1/2"	27621	1/BAG	25 BAGS	1.7	UPC ON BAG
3/4"	27622	1/BAG	15 BAGS	1.3	UPC ON BAG

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect type B non-metallic liquid-tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs.
- ☒ MATERIAL: High Impact PVC
- ☒ FEATURES: Fitting will not rust or corrode. Reusable.
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ CERTIFICATIONS: UL, CSA.



QUICK-SET® 90° LIQUID-TIGHT CONNECTORS (NYLON)

3/8" (1/2" KO)	76903B	BULK	25/250	1.8/17.5	NA
1/2"	76905B	BULK	25/250	1.8/17.5	NA
3/4"	76907B	BULK	10/100	1/10	NA
1"	76910B	BULK	5/50	0.9/9	NA
1 1/4"	76912B	BULK	5/25	0.9/9	NA
1 1/2"	76915B	BULK	2/10	0.9/9	NA
2"	76920B	BULK	2/10	0.9/9	NA

BAGGED ITEMS

3/8" (1/2" KO)	97690	1/BAG	15 BAGS	0.07	UPC ON BAG
1/2"	97691	1/BAG	15 BAGS	0.07	UPC ON BAG
3/4"	97692	1/BAG	10 BAGS	1.0	UPC ON BAG
1"	97693	1/BAG	5 BAGS	0.9	UPC ON BAG

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect type B non-metallic liquid-tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs.
- ☒ MATERIAL: Nylon
- ☒ FEATURES: Fitting will not rust or corrode. No disassembly required, just hand-tighten nut. Reusable.
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ CERTIFICATIONS: UL Canadian/US.



90° PVC LIQUID-TIGHT CONNECTORS (PVC)

MULTI-PIECE

3/8" (1/2" KO)	76803B	BULK	25/250	1.8/17.5	NA
1/2"	76805B	BULK	25/250	1.8/17.5	NA
3/4"	76807B	BULK	10/100	1/10	NA
1"	76810B	BULK	5/50	.9/9	NA

BAGGED ITEMS

3/8"	27690	1/BAG	15 BAGS	1.1	UPC ON BAG
1/2"	27691	1/BAG	15 BAGS	1.1	UPC ON BAG
3/4"	27692	1/BAG	10 BAGS	1	UPC ON BAG

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect type B non-metallic liquid-tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs.
- ☒ MATERIAL: High Impact PVC
- ☒ FEATURES: Fitting will not rust or corrode. Reusable.
- ☒ MISC: 3/8" size fits 1/2" knockout.
- ☒ CERTIFICATIONS: UL, CSA.



RGD



RIGID & INTERMEDIATE METALLIC CONDUIT

Applications

- For indoor and outdoor use with threaded and cut end Rigid/IMC Conduit
- Underground applications
- Concrete-tight or water-tight
- Service entrance
- When cutting off threaded end of conduit, use compression fittings

NOTE: ALL PRODUCT SPECS ARE IN THE BACK OF THE CATALOG.



RGD

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

COMPRESSION CONNECTORS (STEEL)

1/2"	63505B	TRAY BOX	25/100	3.2/13	NA
3/4"	63507B	TRAY BOX	25/100	5/20	NA
1"	63510	TRAY BOX	10	3.6	UPC ON PRODUCT
1 1/4"	63512	TRAY BOX	5	2	UPC ON PRODUCT
1 1/2"	63515	TRAY BOX	5	2.5	UPC ON PRODUCT
2"	63520	TRAY BOX	2	2	UPC ON PRODUCT
2 1/2"	62325B	BULK	12	21.4	NA
3"	62330B	BULK	12	26.4	NA
3 1/2"	62335B	BULK	6	15.4	NA
4"	62340B	BULK	6	17.9	NA

BAGGED ITEMS

1/2"	26351	2/BAGS	8 BAGS	8	UPC ON BAG
3/4"	26352	2/BAGS	5 BAGS	1.8	UPC ON BAG

INSULATED THROAT

2 1/2"	82325B	BULK	12	21.4	NA
3"	82330B	BULK	12	26.4	NA
3 1/2"	82335B	BULK	6	15.4	NA
4"	82340B	BULK	6	17.9	NA

☒ APPLICATION: INDOORS. Use to join threadless Rigid or IMC conduit to a steel outlet box or other metal enclosure.

☒ MATERIAL: Machined Steel, Zinc electro-plate for 1/2" – 2".

☒ FEATURES: Concrete-Tight

☒ CERTIFICATIONS: UL, CSA.



COMPRESSION CONNECTORS (ZINC DIE CAST)

2 1/2"	02125B	BULK	12	12.5	NA
3"	02130B	BULK	12	16.4	NA
3 1/2"	02135B	BULK	10	17	NA
4"	02140B	BULK	6	12	NA

WITH INSULATED THROAT

2 1/2"	82125B	BULK	12	12.5	NA
3"	82130B	BULK	12	16.4	NA
3 1/2"	82135B	BULK	10	17	NA
4"	82140B	BULK	6	12	NA

☒ APPLICATION: INDOORS. Use to connect EMT, threadless Rigid or IMC conduit to a steel outlet box or other material enclosure.

☒ MATERIAL: Zinc Die Cast

☒ FEATURES: Concrete-Tight

☒ CERTIFICATIONS: UL, CSA



COMPRESSION COUPLINGS (STEEL)

1/2"	96361	1/BAG	10	1.6	UPC ON BAG
3/4"	96362	1/BAG	8	2	UPC ON BAG
1"	63610	TRAY BOX	10	4.8	UPC ON PRODUCT
1 1/4"	63612	TRAY BOX	5	2.8	UPC ON PRODUCT
1 1/2"	63615	TRAY BOX	5	4.5	UPC ON PRODUCT
2"	63620	TRAY BOX	2	2	UPC ON PRODUCT
2 1/2"	62425B	BULK	12	26	NA
3"	62430B	BULK	6	16.5	NA
3 1/2"	62435B	BULK	6	19.2	NA
4"	62440B	BULK	6	22.7	NA

☒ APPLICATION: INDOORS. Use to join two lengths of threadless Rigid or IMC conduit.

☒ MATERIAL: Machined Steel, Zinc electro-plate for 1/2" – 2".

☒ FEATURES: Concrete-Tight

☒ CERTIFICATIONS: UL, CSA






COMPRESSION COUPLINGS (ZINC DIE CAST)

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2 1/2"	02225B	BULK	12	15.5	NA
3"	02230B	BULK	12	20.6	NA
3 1/2"	02235B	BULK	10	20.5	NA
4"	02240B	BULK	6	15	NA

- ☒ APPLICATION: INDOORS. Use to join two lengths of EMT, threadless Rigid or IMC conduit together.
- ☒ MATERIAL: Zinc Die Cast
- ☒ FEATURES: Concrete-Tight
- ☒ CERTIFICATIONS: UL, CSA.



SET SCREW CONNECTORS (STEEL)

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2 1/2"	62725B	BULK	12	15	NA
3"	62730B	BULK	12	21	NA
3 1/2"	62735B	BULK	6	13	NA
4"	62740B	BULK	6	15	NA

WITH INSULATED THROAT

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2 1/2"	82725B	BULK	12	15	NA
3"	82730B	BULK	12	21	NA
3 1/2"	82735B	BULK	6	13	NA
4"	82740B	BULK	6	15	NA

- ☒ APPLICATION: INDOORS. Use to connect threadless Rigid or IMC conduit to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 2 1/2"-4" can be used for EMT conduit.
- ☒ CERTIFICATIONS: UL, CSA



SET SCREW CONNECTORS (ZINC DIE CAST)

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2 1/2"	12125B	BULK	12	9.96	NA
3"	12130B	BULK	12	12	NA
3 1/2"	12135B	BULK	10	12.8	NA
4"	12140B	BULK	6	9.36	NA

WITH INSULATED THROAT

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2 1/2"	92125B	BULK	12	9.96	NA
3"	92130B	BULK	12	12	NA
3 1/2"	92135B	BULK	10	12.8	NA
4"	92140B	BULK	6	9.36	NA

- ☒ APPLICATION: INDOORS. Use to connect threadless Rigid or IMC conduit to a steel outlet box or other metal enclosure.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 2 1/2"-4" can be used for EMT conduit.
- ☒ CERTIFICATIONS: UL, CSA



SET SCREW COUPLINGS (ZINC DIE CAST)

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2 1/2"	12225B	BULK	12	9.12	NA
3"	12230B	BULK	12	12.36	NA
3 1/2"	12235B	BULK	10	14.76	NA
4"	12240B	BULK	6	9.66	NA

- ☒ APPLICATION: INDOORS. Use to join two lengths of threadless Rigid or IMC conduit together.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 2 1/2"-4" can be used for EMT conduit.
- ☒ CERTIFICATIONS: UL, CSA

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

SET SCREW COUPLINGS (STEEL)

2 1/2"	62825B	BULK	12	17.5	NA
3"	62830B	BULK	12	25	NA
3 1/2"	62835B	BULK	6	14	NA
4"	62840B	BULK	6	17	NA

- ☒ APPLICATION: INDOORS. Use to join two lengths of threadless Rigid or IMC conduit together.
- ☒ MATERIAL: Zinc Die Cast
- ☒ MISC: 2 1/2"-4" can be used for EMT conduit.
- ☒ CERTIFICATIONS: UL, CSA



RIGID THREE-PIECE COUPLINGS (MALLEABLE IRON)

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	65505B	BULK	25	6.9	NA
3/4"	65507B	BULK	25	8.1	NA
1"	65510B	BULK	10	6.3	NA
1 1/4"	65512B	BULK	10	9.8	NA
1 1/2"	65515B	BULK	10	13.5	NA
2"	65520B	BULK	10	18.7	NA
2 1/2"	65525B	BULK	10	33.5	NA
3"	65530B	BULK	1	4	NA
3 1/2"	65535B	BULK	1	5.8	NA
4"	65540B	BULK	1	7.6	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use as a threaded coupling between lengths of threaded Rigid or IMC conduit, when neither can be rotated.
- ☒ MATERIAL: Malleable Iron
- ☒ CERTIFICATIONS: UL, CSA.



RIGID-TO-RIGID PULL ELBOWS (ZINC DIE CAST)

WITH NEOPRENE GASKET

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	94105	TRAY BOX	15	2.7	UPC ON PRODUCT
1/2"	94105B	BULK	10/100	2.8/28	NA
3/4"	94107	TRAY BOX	8	2.2	UPC ON PRODUCT
3/4"	94107B	BULK	5/50	1.7/17	NA
1"	94110	TRAY BOX	5	3.1	UPC ON PRODUCT

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. Removable cover provides easy access to facilitate wire pulling. Not listed for wet locations.
- ☒ MATERIAL: Zinc Die Cast
- ☒ CERTIFICATIONS: UL, CSA



EMT/RIGID-TO-EMT/RIGID COMBO ELBOWS (ZINC DIE CAST)

BAGGED ITEMS

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	94505	1/BAG	10 BAGS	.1988	UPC ON BAG
3/4"	94507	1/BAG	10 BAGS	.289	UPC ON BAG
1"	94510	TRAY BOX	5	.5692	UPC ON PRODUCT

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. Removable cover provides easy access to facilitate wire pulling. Not listed for wet locations.
- ☒ MATERIAL: Zinc Die Cast
- ☒ CERTIFICATIONS: UL, CSA





RIGID-TO-BOX PULL ELBOWS (ZINC DIE CAST)

WITH GASKET

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	94205B	BULK	10/100	3.1/31	NA
3/4"	94207B	BULK	5/50	1.85/18.5	NA

WITHOUT GASKET

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	14205	TRAY BOX	10	3.1	UPC ON PRODUCT
3/4"	14207	TRAY BOX	5	1.85	UPC ON PRODUCT

⊠ APPLICATION: INDOORS OR OUTDOORS. Use to connect a run of threaded Rigid or IMC conduit to an outlet box or other metal enclosure. Removable cover provides easy access to facilitate wire pulling. Not listed for wet locations.

⊠ MATERIAL: Zinc Die Cast
 ⊠ CERTIFICATIONS: UL, CSA



TWO-HOLE STRAPS (STEEL)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	61205B	BULK	100/1000	2/20	NA
3/4"	61207B	BULK	100/1000	3/30	NA
1"	61210B	BULK	50/500	2.5/25	NA
1 1/4"	61212B	BULK	25/250	1.75/17.5	NA
1 1/2"	61215B	BULK	25/250	3/30	NA
2"	61220B	BULK	50/200	7.5/30	NA
2 1/2"	61225	TRAY BOX	7	1.2	UPC ON PRODUCT
2 1/2"	61225B	BULK	25	4.3	NA
3"	61230	TRAY BOX	10	2.5	UPC ON PRODUCT
3 1/2"	61235B	BULK	25	6.5	NA
4"	61240B	BULK	20	6.6	NA

BAGGED ITEMS

1/2"	96121	4/BAG	30 BAGS	0.6	UPC ON BAG
1/2"	26121	10/BAG	10 BAGS	2.3	UPC ON BAG
3/4"	96122	4/BAG	20 BAGS	0.6	UPC ON BAG
3/4"	26122	10/BAG	5 BAGS	1.4	UPC ON BAG
1"	96123	1/BAG	30 BAGS	1.5	UPC ON BAG
1"	26123	4/BAG	10 BAGS	2.1	UPC ON BAG
1 1/4"	26124	4/BAG	10 BAGS	3.2	UPC ON BAG
1 1/2"	26125	2/BAG	10 BAGS	2.1	UPC ON BAG
2"	26126	2/BAG	10 BAGS	2.8	UPC ON BAG

⊠ APPLICATION: INDOORS OR OUTDOORS. Use to secure Rigid or IMC conduit to wood, masonry or similar surfaces where greater load bearing is required.

⊠ MATERIAL: Steel, Zinc electro-plate
 ⊠ CERTIFICATIONS: UL Canadian/US.



EMT/RIGID-TO-BOX COMBO ELBOW (ZINC DIE CAST)

BAGGED ITEMS

1/2"	94705	1/BAG	10 BAGS	0.1844	UPC ON BAG
3/4"	94707	1/BAG	5 BAGS	0.296	UPC ON BAG

⊠ APPLICATION: INDOORS OR OUTDOORS. Use to connect a run of threaded Rigid or IMC conduit to an outlet box or other metal enclosure. Removable cover provides easy access to facilitate wire pulling. Not listed for wet locations.

⊠ MATERIAL: Zinc Die Cast
 ⊠ CERTIFICATIONS: UL, CSA



ONE-HOLE STRAPS (STEEL)

1/2"	61105B	BULK	100/1000	3/30	NA
3/4"	61107B	BULK	100/1000	5/50	NA
1"	61110B	BULK	50/500	3.5/35	NA
1 1/4"	61112B	BULK	50/500	5/50	NA
1 1/2"	61115B	BULK	25/250	4.25/42.5	NA
2"	61120	TRAY BOX	10	2.5	UPC ON PRODUCT
2 1/2"	61125	TRAY BOX	10	4.3	UPC ON PRODUCT
3"	61130	TRAY BOX	10	5	UPC ON PRODUCT
3 1/2"	61135B	BULK	25	17.8	NA
4"	61140B	TRAY BOX	20	15.6	UPC ON PRODUCT

BAGGED ITEMS

1/2"	96111	4/BAG	15 BAGS	2.2	UPC ON BAG
3/4"	96112	4/BAG	10 BAGS	2.3	UPC ON BAG
1"	96113	1/BAG	15 BAGS	1.4	UPC ON BAG

⊠ APPLICATION: INDOORS OR OUTDOORS. Use to secure Rigid or IMC conduit to wood, masonry or similar surfaces where greater load bearing is required.

⊠ MATERIAL: Steel, Zinc electro-plate
 ⊠ CERTIFICATIONS: UL Canadian/US.

CONDUIT LOCKNUTS (STEEL)

1/2"	61905B	BULK	200/2000	2/20	NA
3/4"	61907B	BULK	100/1000	1/10	NA
1"	61910B	BULK	100/1000	4/40	NA
1 1/4"	61912B	BULK	50/500	2.5/25	NA
1 1/2"	61915B	BULK	50/500	3/30	NA
2"	61920B	BULK	50/200	3.5/14	NA
2 1/2"	61925	TRAY BOX	15	1.9	UPC ON PRODUCT
2 1/2"	61925B	BULK	25	3.25	NA
3"	61930	TRAY BOX	10	1.8	UPC ON PRODUCT
3"	61930B	BULK	25	4.75	NA
3 1/2"	61935B	BULK	10/40	2.3/9.2	NA
4"	61940B	BULK	10/40	2.7/10.8	NA

BAGGED ITEMS

1/2"	26190	4/BAG	30 BAGS	1.2	UPC ON BAG
1/2"	26191	20/BAG	10 BAGS	2	UPC ON BAG
1/2"	96191	2/BAG	150 BAGS	3	UPC ON BAG
3/4"	26192	20/BAG	8 BAGS	2.6	UPC ON BAG
3/4"	26197	4/BAG	25 BAGS	2	UPC ON BAG
3/4"	96192	2/BAG	100 BAGS	4	UPC ON BAG
1"	96193	2/BAG	25 BAGS	1.7	UPC ON BAG
1 1/4"	26194	10/BAG	5 BAGS	2.5	UPC ON BAG
1 1/4"	96194	2/BAG	25 BAGS	2.2	UPC ON BAG
1 1/2"	26195	10/BAG	5 BAGS	2.5	UPC ON BAG
1 1/2"	96195	2/BAG	20 BAGS	2.1	UPC ON BAG
2"	26196	10/BAG	5 BAGS	3.2	UPC ON BAG
2"	96196	2/BAG	15 BAGS	2.1	UPC ON BAG

⊠ APPLICATION: INDOORS OR OUTDOORS. Use to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosure.

⊠ MATERIAL: Steel with Zinc plating



ONE-HOLE STRAPS (MALLEABLE IRON)

1/2"	31205B	BULK	50/500	2.5/25	NA
3/4"	31207B	BULK	50/500	3/30	NA

⊠ APPLICATION: INDOORS OR OUTDOORS. Use to secure Rigid or IMC conduit to wood, masonry or similar surfaces where greater load bearing is required.

⊠ MATERIAL: Malleable Iron
 ⊠ CERTIFICATIONS: UL, CSA



SEALER LOCKNUTS (STEEL)

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	61805B	BULK	50/500	1/10	NA
3/4"	61807B	BULK	25/250	0.75/7.5	NA
1"	61810B	BULK	25/250	1/10	NA
1 1/4"	61812B	BULK	10/100	0.8/8	NA
1 1/2"	61815B	BULK	10/100	0.8/8	NA
2"	61820B	BULK	10/100	1.2/12	NA

BAGGED ITEMS

1/2"	96181	2/BAG	150 BAGS	4.5	UPC ON BAG
3/4"	96182	2/BAG	100 BAGS	4.5	UPC ON BAG
1"	96183	2/BAG	75 BAGS	6.2	UPC ON BAG
1 1/4"	96184	2/BAG	75 BAGS	7.2	UPC ON BAG
1 1/2"	96185	2/BAG	50 BAGS	6.8	UPC ON BAG
2"	96186	2/BAG	30 BAGS	5.9	UPC ON BAG

- APPLICATION: INDOORS OR OUTDOORS. Use to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures, when moisture proof protection is desired.
- MATERIAL: Steel with Zinc plating and PVC molded sealer
- CERTIFICATIONS: UL, CSA



CONDUIT LOCKNUTS (ZINC DIE CAST)

1/2"	01905B	BULK	200/2000	2/20	NA
3/4"	01907B	BULK	100/1000	1/10	NA
1"	01910B	BULK	100/1000	2.5/25	NA
1 1/4"	01912B	BULK	50/500	2.5/25	NA
1 1/2"	01915B	BULK	50/500	3/30	NA
2"	01920B	BULK	50/200	3.5/14	NA
2 1/2"	01925B	BULK	25	3.25	NA
3"	01930B	BULK	25	4.75	NA
3 1/2"	01935B	BULK	10/40	2.3/9.2	NA
4"	01940B	BULK	10/40	2.7/10.8	NA

- APPLICATION: INDOORS OR OUTDOORS. Use to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures.
- MATERIAL: Zinc Die Cast
- FEATURES: Fully Reversible
- CERTIFICATIONS: UL, CSA



GROUNDING LOCKNUTS (ZINC DIE CAST)

2"	01820	BULK	25	3	UPC ON BAG
----	-------	------	----	---	------------

- APPLICATION: INDOORS OR OUTDOORS. Use to secure Rigid or IMC threaded conduit to an unthreaded opening in a steel outlet box or other metal enclosure.
- MATERIAL: Zinc Die Cast
- CERTIFICATIONS: UL, CSA

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

REDUCING WASHERS (STEEL)

3/4" X 1/2"	68205B	BULK	250/2500	3.75/37	NA
1" X 1/2"	68305B	BULK	250/2500	5/50	NA
1" X 3/4"	68307B	BULK	250/2500	50	NA
1 1/4" X 1/2"	68405B	BULK	100	3	NA
1 1/4" X 3/4"	68407B	BULK	100	3	NA
1 1/4" X 1"	68410B	BULK	100	2	NA
1 1/2" X 1/2"	68505B	BULK	100	4	NA
1 1/2" X 3/4"	68507B	BULK	100	4	NA
1 1/2" X 1"	68510	TRAY BOX	100	3.6	UPC ON PRODUCT
1 1/2" X 1 1/4"	68512B	BULK	100	3	NA
2" X 1/2"	68605B	BULK	50	4	NA
2" X 3/4"	68607B	BULK	50	4	NA
2" X 1"	68610B	BULK	50	3.5	NA
2" X 1 1/4"	68612B	BULK	50	3	NA
2" X 1 1/2"	68615	TRAY BOX	50	3	UPC ON PRODUCT
2 1/2" X 2"	68720	TRAY BOX	50	3	UPC ON PRODUCT

BAGGED ITEMS

3/4" X 1/2"	96821	2/BAG	100 BAGS	1.5	UPC ON BAG
3/4" X 1/2"	26820	4/BAG	30 BAGS	0.9	UPC ON BAG
1" X 1/2"	96831	2/BAG	40 BAGS	1.5	UPC ON BAG
1" X 3/4"	96832	2/BAG	40 BAGS	1.3	UPC ON BAG
1 1/4" X 1/2"	96841	2/BAG	25 BAGS	1.6	UPC ON BAG
1 1/4" X 3/4"	96842	2/BAG	25 BAGS	1.3	UPC ON BAG
1 1/4" X 1"	96843	2/BAG	25 BAGS	1.3	UPC ON BAG
1 1/2" X 1/2"	96851	2/BAG	50 BAGS	4.8	UPC ON BAG
1 1/2" X 3/4"	96852	2/BAG	50 BAGS	4.1	UPC ON BAG
1 1/2" X 1"	26853	4/BAG	20 BAGS	5.6	UPC ON BAG
2" X 3/4"	26862	4/BAG	20 BAGS	6.4	UPC ON BAG
2" X 1"	26863	4/BAG	20 BAGS	5.6	UPC ON BAG
2" X 1 1/4"	26864	4/BAG	20 BAGS	4.8	UPC ON BAG

- APPLICATION: INDOORS OR OUTDOORS. Use to reduce the size of the knockout in a steel outlet box or other metal enclosure. Must use one inside the enclosure opening and one on the outside.
- MATERIAL: Galvanized Steel
- MISC: Consult factory for availability of larger sizes.
- CERTIFICATIONS: UL Canadian/US.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

REDUCING BUSHINGS (STEEL)

3/4"X1/2"	13205B	BULK	50/500	1.9/19	NA
1"X1/2"	13305B	BULK	50/200	5/20	NA
1"X3/4"	13307B	BULK	50/200	3/12	NA
1 1/4"X1/2"	13405B	BULK	25/100	6.3/25	NA
1 1/4"X3/4"	13407B	BULK	25/100	5/20	NA
1 1/4"X1"	13410B	BULK	25/100	3.25/13	NA
1 1/2"X1/2"	13505B	BULK	25/100	9.5/38	NA
1 1/2"X3/4"	13507B	BULK	25/100	8/32	NA
1 1/2"X1"	13510	TRAY BOX	25	6.2	UPC ON PRODUCT
1 1/2"X1 1/4"	13512	TRAY BOX	25	2.75	UPC ON PRODUCT
2"X1/2"	13605B	BULK	10	8.5	NA
2"X3/4"	13607	TRAY BOX	10	6.8	UPC ON PRODUCT
2"X1"	13610	TRAY BOX	10	4.4	UPC ON PRODUCT
2"X1 1/4"	13612	TRAY BOX	10	4.4	UPC ON PRODUCT
2"X1 1/2"	13615	TRAY BOX	10	3.1	UPC ON PRODUCT
2 1/2"X1 1/2"	13715B	BULK	5	5.5	NA
2 1/2"X2"	13720	TRAY BOX	5	4	UPC ON PRODUCT

BAGGED ITEMS

3/4"X1/2"	91321	1/BAG	25 BAGS	1	UPC ON BAG
1"X1/2"	91331	1/BAG	25 BAGS	2.6	UPC ON BAG
1"X3/4"	91332	1/BAG	20 BAGS	1.2	UPC ON BAG

- ☒ APPLICATION: DRY LOCATIONS ONLY. Use to reduce the entry size of a run of threaded conduit.
- ☒ MATERIAL: Steel
- ☒ CERTIFICATIONS: UL, CSA



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

CONDUIT NIPPLES (STEEL)

1/2"XCLOSE	64305	1/BAG	20 BAGS	1.2	UPC ON BAG
1/2"X1 1/2"	64311	1/BAG	25	2	UPC ON BAG
1/2"X2"	64325	TRAY BOX	15	2	UPC ON PRODUCT
1/2"X3"	64331	TRAY BOX	25	4.2	UPC ON PRODUCT
1/2"X4"	64341	TRAY BOX	15	4.2	UPC ON PRODUCT
1/2"X6"	64361	TRAY BOX	10	3.9	UPC ON PRODUCT
1/2"X8"	64381B	BULK	25	12.5	NA
1/2"X10"	64391B	BULK	25	17.6	NA
1/2"X12"	64301B	BULK	25	20	NA
3/4"XCLOSE	64307	1/BAG	20 BAGS	1.9	UPC ON BAG
3/4"X2"	64327	TRAY BOX	15	2.4	UPC ON PRODUCT
3/4"X3"	64332	TRAY BOX	20	6	UPC ON PRODUCT
3/4"X4"	64342	TRAY BOX	15	9	UPC ON PRODUCT
3/4"X6"	64362	TRAY BOX	10	5	UPC ON PRODUCT
3/4"X8"	64382B	BULK	25	17.8	NA
3/4"X10"	64392B	BULK	25	22.5	NA
3/4"X12"	64302B	BULK	25	27.5	NA
1"XCLOSE	64310	1/BAG	15	4	UPC ON BAG
1"X2"	64313	TRAY BOX	20	2	UPC ON PRODUCT
1"X2 1/2"	64323	TRAY BOX	15	4	UPC ON PRODUCT
1"X3"	64333	TRAY BOX	25	9	UPC ON PRODUCT
1"X5"	64353	TRAY BOX	10	6.4	UPC ON PRODUCT
1"X6"	64363	TRAY BOX	6	4.8	UPC ON PRODUCT
1"X8"	64383B	BULK	25	27.5	NA
1"X10"	64393B	BULK	25	32.5	NA
1"X12"	64303B	BULK	25	40	NA
1 1/4"XCLOSE	64312	1/BAG	10	2.1	UPC ON BAG
1 1/4"X2"	64314	TRAY BOX	10	2.6	UPC ON PRODUCT
1 1/4"X3"	64334	TRAY BOX	5	2.4	UPC ON PRODUCT
1 1/4"X5"	64354	TRAY BOX	6	5	UPC ON PRODUCT
1 1/4"X6"	64364	TRAY BOX	6	6	UPC ON PRODUCT
1 1/4"X8"	64384B	BULK	25	35	NA
1 1/4"X10"	64394B	BULK	25	45	NA
1 1/4"X12"	64308B	BULK	25	55	NA
1 1/2"XCLOSE	64315	TRAY BOX	5	1.48	UPC ON BAG
1 1/2"X2"	64615	TRAY BOX	5	1.7	UPC ON PRODUCT
1 1/2"X3"	64335	TRAY BOX	10	5.6	UPC ON PRODUCT
1 1/2"X6"	64365	TRAY BOX	4	5	UPC ON PRODUCT
1 1/2"X8"	64385B	BULK	10	17	NA
1 1/2"X10"	64395B	BULK	10	22	NA
1 1/2"X12"	64605B	BULK	10	26	NA
2"XCLOSE	64320	TRAY BOX	4	1.9	UPC ON BAG
2"X3"	64336	TRAY BOX	6	5	UPC ON PRODUCT
2"X5"	64356	TRAY BOX	6	8	UPC ON PRODUCT
2"X6"	64366	TRAY BOX	5	3	UPC ON PRODUCT
2"X7"	64676	TRAY BOX	4	8.5	UPC ON PRODUCT
2"X10"	64396B	BULK	10	29	NA
2"X12"	64306B	BULK	10	35	NA
2 1/2"XCLOSE	64617B	BULK	12	5.3	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect two steel outlet boxes or other metal enclosures; use to extend a length of threaded Rigid or IMC conduit.
- ☒ MATERIAL: Steel, Zinc Electro-Plate
- ☒ MISC: Consult factory for availability of other sizes.
- ☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

OFFSET NIPPLES (ZINC DIE CAST)



1/2"	04005B	BULK	10/100	1.2/12	NA
3/4"	04007B	BULK	10/100	1.6/16	NA
1"	04010	TRAY BOX	10	2	UPC ON PRODUCT
1"	04010B	BULK	10/100	2.2/22	NA
1 1/4"	04012	TRAY BOX	5	1.5	UPC ON PRODUCT
1 1/4"	04012B	BULK	5/50	1.7/17	NA
1 1/2"	04015	TRAY BOX	4	1.7	UPC ON PRODUCT
1 1/2"	04015B	BULK	5/50	2.3/23	NA
2"	04020	TRAY BOX	3	1.7	UPC ON PRODUCT
2"	04020B	BULK	2/20	1.3/13	NA
2 1/2"	04025B	BULK	2	2.6	NA
3"	04030B	BULK	1	2.00	NA

BAGGED ITEMS

1/2"	90401	1/BAG	15 BAGS	1.5	UPC ON BAG
3/4"	90402	1/BAG	10 BAGS	1.5	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use as an offset connector between two enclosures.

Offsets the axis of the raceway by 3/4".

☒ MATERIAL: Zinc Die Cast

☒ CERTIFICATIONS: UL, CSA



CHASE NIPPLES (ZINC DIE CAST)



1/2"	07005B	BULK	100/1000	4/40	NA
3/4"	07007B	BULK	50/500	3/30	NA
1"	07010B	BULK	25/250	2.5/25	NA
1 1/4"	07012	TRAY BOX	15	1.9	UPC ON PRODUCT
1 1/4"	07012B	BULK	25/250	3.5/35	NA
1 1/2"	07015	TRAY BOX	10	1.7	UPC ON PRODUCT
1 1/2"	07015B	BULK	25/100	5/20	NA
2"	07020	TRAY BOX	8	1.9	UPC ON PRODUCT
2"	07020B	BULK	10/40	2.3/9.2	NA
2 1/2"	07025B	BULK	10/40	4.3/17.2	NA
3"	07030B	BULK	10/40	5.5/22	NA
3 1/2"	07035B	BULK	10/40	6.8/27.2	NA
4"	07040B	BULK	5/20	3.5/14	NA

BAGGED ITEMS

1/2"	90701	1/BAG	75 BAGS	3	UPC ON BAG
1/2"	20701	2/BAG	25 BAGS	2	UPC ON BAG
3/4"	90702	1/BAG	20 BAGS	1.2	UPC ON BAG
1"	90703	1/BAG	15 BAGS	1.4	UPC ON BAG

WITH INSULATED THROAT

1/2"	87005B	BULK	100/1000	4/40	NA
------	--------	------	----------	------	----

☒ APPLICATION: INDOORS OR OUTDOORS. Use with a rigid coupling to terminate threaded conduit to a knockout box or enclosure, where space within the box is limited. Used with a locknut to provide a short raceway between boxes or enclosures.

☒ MATERIAL: Zinc Die Cast

☒ CERTIFICATIONS: UL, CSA

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

BOX SPACERS (ZINC DIE CAST)



1/2"	16405B	BULK	50/500	4/40	NA
3/4"	16407B	BULK	50/500	5.5/55	NA

BAGGED ITEMS

1/2"	91641	1/BAG	25 BAGS	4.6	UPC ON BAG
3/4"	21642	2/BAG	15 BAGS	3.3	UPC ON BAG

☒ APPLICATION: INDOORS. Use as a raceway between two steel outlet boxes or other metal enclosures.

☒ MATERIAL: ZINC DIE CAST

☒ CERTIFICATIONS: UL, CSA

CONDUIT BUSHINGS (ZINC DIE CAST)



1/2"	05205B	BULK	100/1000	3/30	NA
3/4"	05207B	BULK	100/1000	5/50	NA
1"	05210B	BULK	50/500	3/30	NA
1 1/4"	05212B	BULK	25/250	2.5/25	NA
1 1/2"	05215B	BULK	25/250	3.75/37.5	NA
2"	05220B	BULK	25/250	2.65/27.5	NA
2 1/2"	05225B	BULK	10/100	3.6/36	NA
3"	05230B	BULK	10/100	4.7/47	NA
3 1/2"	05235B	BULK	5/50	3.05/30.5	NA
4"	05240B	BULK	5/50	4/40	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use with locknut to terminate threaded Rigid or IMCconduit to an outlet box. The rounded surface of the bushing prevents damage to wire insulation.

☒ MATERIAL: ZINC DIE CAST

☒ CERTIFICATIONS: UL, CSA





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

PLASTIC INSULATING BUSHINGS (THERMOPLASTIC)

1/2"	75205B	BULK	100/1000	1/10	NA
3/4"	75207B	BULK	100/1000	1/10	NA
1"	75210B	BULK	50/500	1/10	NA
1 1/4"	75212B	BULK	25/250	0.75/7.5	NA
1 1/2"	75215B	BULK	25/250	0.75/7.5	NA
2"	75220B	BULK	25/250	1.5/15	NA
2 1/2"	75225	TRAY BOX	8	0.9	UPC ON BAG
2 1/2"	75225B	BULK	10/100	1.1/11	NA
3"	75230	TRAY BOX	5	0.7	UPC ON BAG
3"	75230B	BULK	10/100	1.4/14	NA
3 1/2"	75235B	BULK	5/50	1.1/11	NA
4"	75240B	BULK	5/50	1.15/11.5	NA

BAGGED ITEMS

1/2"	97521	1/BAG	100 BAGS	1	UPC ON BAG
1/2"	27520	4/BAG	20 BAGS	0.21	UPC ON BAG
1/2"	27521	10/BAG	15 BAGS	1.5	UPC ON BAG
3/4"	97522	1/BAG	100 BAGS	1	UPC ON BAG
3/4"	27522	10/BAG	10 BAGS	1.1	UPC ON BAG
3/4"	27527	4/BAG	15 BAGS	0.2	UPC ON BAG
1"	97523	1/BAG	50 BAGS	1	UPC ON BAG
1"	27528	2/BAG	15 BAGS	0.3	UPC ON BAG
1 1/4"	97524	1/BAG	35 BAGS	1.05	UPC ON BAG
1 1/4"	27529	2/BAG	15 BAGS	0.5	UPC ON BAG
1 1/2"	97525	1/BAG	15 BAGS	0.4	UPC ON BAG
1 1/2"	27525	4/BAG	5 BAGS	0.4	UPC ON BAG
2"	97526	1/BAG	15 BAGS	0.5	UPC ON BAG
2"	27526	4/BAG	5 BAGS	0.6	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use with locknut to terminate threaded Rigid or IMC conduit to box. Rounded surface of bushing prevents damage to wire insulation. Required by the NEC.

- ☒ MATERIAL: High Impact Thermoplastic
- ☒ FEATURES: Flame-Retardant to 105° C.
- ☒ CERTIFICATIONS: UL, CSA



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

INSULATED METALLIC GROUNDING BUSHING (LAY-IN LUG) (ZINC DIE CAST)

1/2"	95205B	BULK 25/100	1.38/5.52	NA	
3/4"	95207B	BULK 25/100	1.75/7	NA	
1"	95210B	BULK 25/100	2.25/9	NA	
1 1/4"	95212B	BULK 20	2.6	NA	
1 1/2"	95215B	BULK 20	3.2	NA	
2"	95220B	BULK 10	2.1	NA	
2 1/2"	95225	TRAY BOX	5	2	UPC ON PRODUCT
2 1/2"	95225B	BULK 10/40	3.9/15.6	NA	
3"	95230	TRAY BOX	3	1.4	UPC ON PRODUCT
3"	95230B	BULK 10/40	5.8/23.2	NA	
3 1/2"	95235B	BULK 5/20	3.35/13.4	NA	
4"	95240B	BULK 5/20	4.5/18	NA	

BAGGED ITEMS

1/2"	29521	2/BAG	10 BAGS	5	UPC ON BAG
3/4"	29522	2/BAG	10 BAGS	6	UPC ON BAG
1"	29523	2/BAG	10 BAGS	2	UPC ON BAG
1 1/4"	99524	1/BAG	10 BAGS	1.4	UPC ON BAG
1 1/2"	29525	2/BAG	5 BAGS	6	UPC ON BAG
2"	99526	1/BAG	5 BAGS	1	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use with locknut to terminate service conduit to a cabinet. Lug provided for bonding jumper to a neutral bus bar. Rounded surface of bushing prevents damage to wire insulation.

- ☒ MATERIAL: Zinc Die Cast
- ☒ FEATURES: Thermoplastic liner rated at 150° F
- ☒ CERTIFICATIONS: UL, CSA.

CONDUIT BODY GASKETS

1/2"	59105B	BULK	100	1	NA
3/4"	59107B	BULK	100	1	NA
1"	59110B	BULK	50	1	NA
1 1/4"-1 1/2"	59115B	BULK	50	1	NA
2"	59120B	BULK	25	1.25	NA
2 1/2"-3"	59130B	BULK	10	0.8	NA
3 1/2"-4"	59140B	BULK	10	1	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use in conjunction with cover to provide a dust-tight seal to all types of metallic conduit bodies.

- ☒ MATERIAL: Fiber for 1/2"-2" and Neoprene for 2 1/2"-4"



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

CONDUIT BODY COVERS (ALUMINUM)

1/2"	59205B	BULK	50	3	NA
3/4"	59207B	BULK	50	4	NA
1"	59210B	BULK	50	4.5	NA
1 1/4"-1 1/2"	59215B	BULK	50	8.5	NA
2"	59220B	BULK	25	7	NA
2 1/2"-3"	59230B	BULK	10	8	NA
3 1/2"-4"	59240B	BULK	5	7	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use to cover all styles of metallic bodies.
 ☒ MATERIAL: Copper-Free Aluminum Stamping
 ☒ CERTIFICATIONS: UL, CSA



SERVICE ENTRANCE EII (ALUMINUM)

1/2"	59505	TRAY BOX	10	2.5	NA
3/4"	59507	TRAY BOX	5	1.5	NA
1"	59510	TRAY BOX	3	1.3	NA
1 1/4"	59512	TRAY BOX	2	1.68	NA
1 1/2"	59515	TRAY BOX	2	2.36	NA
2"	59520	TRAY BOX	1	1.92	NA

* INCLUDES COVER AND GASKET

☒ APPLICATION: INDOORS OR OUTDOORS. Use to gain access to the interior of a raceway for wire pulling, inspections, and maintenance. Mounts flush against structure. UL listed for wet locations.
 ☒ MATERIAL: Copper-Free Die Cast Aluminum
 ☒ CERTIFICATIONS: UL, CSA



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

THREADED CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET

TYPE: LB

1/2"	58605	TRAY BOX	10	2.7	UPC ON PRODUCT
3/4"	58607	TRAY BOX	10	3.8	UPC ON PRODUCT
1"	58610	TRAY BOX	3	1.9	UPC ON PRODUCT
1 1/4"	58612	TRAY BOX	2	2.6	UPC ON PRODUCT
1 1/2"	58615	TRAY BOX	2	2.7	UPC ON PRODUCT
2"	58620	TRAY BOX	1	2.4	UPC ON PRODUCT
2 1/2"	58625	TRAY BOX	1	6	UPC ON PRODUCT
3"	58630B	BULK	1	5	NA
3 1/2"	58635B	BULK	1	9.5	NA
4"	58640B	BULK	1	8.5	NA

TYPE: T

1/2"	58805	TRAY BOX	5	1.6	UPC ON PRODUCT
3/4"	58807	TRAY BOX	3	1.3	UPC ON PRODUCT
1"	58810	TRAY BOX	2	1.4	UPC ON PRODUCT
1 1/4"	58812	TRAY BOX	2	3.7	UPC ON PRODUCT
1 1/2"	58815	TRAY BOX	2	3.3	UPC ON PRODUCT
2"	58820	TRAY BOX	1	2.5	UPC ON PRODUCT
2 1/2"	58825B	BULK	1	6.222	NA
3"	58830B	BULK	1	6.780	NA
3 1/2"	58835B	BULK	1	12.526	NA
4"	58840B	BULK	1	10.66	NA

TYPE: LR

1/2"	58905	TRAY BOX	5	1.5	UPC ON PRODUCT
3/4"	58907	TRAY BOX	3	1.3	UPC ON PRODUCT
1"	58910	TRAY BOX	2	1.4	UPC ON PRODUCT
1 1/4"	58912	TRAY BOX	2	2.8	UPC ON PRODUCT
1 1/2"	58915	TRAY BOX	2	3.3	UPC ON PRODUCT
2"	58920	TRAY BOX	1	2.7	UPC ON PRODUCT
2 1/2"	58925B	BULK	1	6.000	NA
3"	58930B	BULK	1	6.800	NA
3 1/2"	58935B	BULK	1	11.55	NA
4"	58940B	BULK	1	10.6375	NA

TYPE: LL

1/2"	58305	TRAY BOX	5	1.5	UPC ON PRODUCT
3/4"	58307	TRAY BOX	3	1.3	UPC ON PRODUCT
1"	58310	TRAY BOX	2	1.4	UPC ON PRODUCT
1 1/4"	58312	TRAY BOX	2	2.8	UPC ON PRODUCT
1 1/2"	58315	TRAY BOX	2	3.1	UPC ON PRODUCT
2"	58320	TRAY BOX	1	2.7	UPC ON PRODUCT
2 1/2"	58325B	BULK	1	3	NA
3"	58330B	BULK	1	6.592	NA
3 1/2"	58335B	BULK	1	10.286	NA
4"	58340B	BULK	1	9.8792	NA

TYPE: C

1/2"	58405	TRAY BOX	5	1.4	UPC ON PRODUCT
3/4"	58407	TRAY BOX	3	1.3	UPC ON PRODUCT
1"	58410	TRAY BOX	2	1.2	UPC ON PRODUCT
1 1/4"	58412	TRAY BOX	2	3.3	UPC ON PRODUCT
1 1/2"	58415	TRAY BOX	2	3	UPC ON PRODUCT
2"	58420	TRAY BOX	1	2.6	UPC ON PRODUCT
2 1/2"	58425B	BULK	1	5.682	NA
3"	58430B	BULK	1	6.314	NA
3 1/2"	58435B	BULK	1	9.74	NA
4"	58440B	BULK	1	10.226	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Not listed for wet locations.

☒ MATERIAL: Copper-Free Die-Cast Aluminum, Aluminum Stamped Cover and Neoprene Gasket
 ☒ CERTIFICATIONS: UL, CSA.





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

THREADED CONDUIT BODIES (ALUMINUM)
COVER & GASKET SOLD SEPARATELY

TYPE: LB

1/2"	59605B	BULK	10/100	2.7/27	NA
3/4"	59607B	BULK	10/50	3.8/19	NA
1"	59610B	BULK	5/25	2.9/14.5	NA
1 1/4"	59612B	BULK	2/10	2.6/13	NA
1 1/2"	59615B	BULK	2/10	1.912/9.56	NA
2"	59620B	BULK	1	2.016	NA

TYPE: T

1/2"	59805B	BULK	10/100	3.2/32	NA
3/4"	59807B	BULK	10/50	4.8/24	NA
1"	59810B	BULK	5/25	3.5/17.5	NA

TYPE: C

1/2"	59405B	BULK	10/100	2.5/25	NA
------	--------	------	--------	--------	----

- ☒ APPLICATION: INDOORS OR OUTDOORS.
- ☒ MATERIAL: Copper-Free Die-Cast Aluminum
- ☒ CERTIFICATIONS: UL, CSA



RGD/EMT COMBO CONDUIT BODIES (ALUMINUM)
WITH COVER AND GASKET

TYPE: LR

1/2"	56905	TRAY BOX	10	3	NA
3/4"	56907	TRAY BOX	6	1.8	NA

TYPE: LL

1/2"	56305	TRAY BOX	10	2.7	NA
3/4"	56307	TRAY BOX	6	1.62	NA

TYPE: C

1/2"	56405	TRAY BOX	10	2.5	NA
3/4"	56407	TRAY BOX	6	1.5	NA


TYPE: LB

1/2"	56605	TRAY BOX	10	2.7	NA
3/4"	56607	TRAY BOX	10	3.8	NA

TYPE: T

1/2"	56805	TRAY BOX	10	3.2	NA
3/4"	56807	TRAY BOX	5	1.6	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Not listed for wet locations.
- ☒ MATERIAL: Copper-Free Die-Cast Aluminum
- ☒ MISC: Can be used with either Rigid, IMC or EMT conduit.
- ☒ CERTIFICATIONS: UL, CSA.



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

MOGUL PULLING ELBOWS-TYPE LB (ALUMINUM)

1 1/4"	58212B	BULK	5	7	NA
1 1/2"	58215B	BULK	2	7	NA
2"	58220B	BULK	2	7	NA

- ☒ APPLICATION: Indoors or Outdoors. Use to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Not listed for wet locations.
- ☒ MATERIAL: Copper-Free Die-Cast Aluminum
- ☒ MISC: Allows larger access to inside of raceway for easier wire pulling.
- ☒ CERTIFICATIONS: UL, CSA.



WATER-TIGHT CONDUIT HUBS (ZINC DIE CAST)

1/2"	91631	1/BAG	10	1.9	NA
3/4"	91632	1/BAG	10	2.7	NA
1"	16310	TRAY BOX	5	2.1	UPC ON PRODUCT
1 1/4"	16312	TRAY BOX	5	2.6	UPC ON PRODUCT
1 1/2"	16315	TRAY BOX	4	2.8	UPC ON PRODUCT
2"	16320	TRAY BOX	3	2.9	UPC ON PRODUCT
2 1/2"	16325B	BULK	2	3.12	NA
3"	16330B	BULK	2	4.26	NA
3 1/2"	16335B	BULK	1	2.6	NA
4"	16340B	BULK	1	3.4	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect Rigid or IMC conduit to a load center or other metal enclosure where a water-tight joint is required at knockouts or slip-fit holes.
- ☒ MATERIAL: Zinc Die Cast
- ☒ FEATURES: Flame Retardant LEXAN® Insulated Throat. Rain, Oil and dust tight. Oversize locknut assures vibration-proof installation and positive grounding.
- ☒ CERTIFICATIONS: UL, CSA



90° SHORT RADIUS ELBOWS (ZINC DIE CAST)

1/2"	19005	TRAY BOX	20	2.1	UPC ON PRODUCT
3/4"	19007	TRAY BOX	10	1.7	UPC ON PRODUCT

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect Rigid or IMC conduit to an outlet box where a close radius is desired.
- ☒ MATERIAL: Zinc Die Cast
- ☒ CERTIFICATIONS: UL, CSA





TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

90° LARGE RADIUS ADAPTER ELBOWS (ZINC DIE CAST)

1/2"	19205B	BULK	25	2.9	NA
3/4"	19207B	BULK	10	1.6	NA

BAGGED ITEMS

1/2"	91921	1/BAG	10 BAGS	.1160	UPC ON BAG
3/4"	91922	1/BAG	5 BAGS	.1600	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect Rigid or IMC conduit to an outlet box where a large radius is desired. Use to convert any standard straight fitting to a 90° fitting.

☒ MATERIAL: Zinc Die Cast

☒ FEATURES: Exceptional wire pulling ability.

☒ CERTIFICATIONS: UL Canadian/US



RIGID COUPLINGS (STEEL)

1/2"	64005	TRAY BOX	25	3	UPC ON PRODUCT
1/2"	64005B	BULK	100	12	NA
3/4"	64007	TRAY BOX	20	3.6	UPC ON PRODUCT
3/4"	64007B	BULK	50	9	NA
1"	64010	TRAY BOX	10	3.2	UPC ON PRODUCT
1 1/4"	64012	TRAY BOX	5	2.1	UPC ON PRODUCT
1 1/2"	64015	TRAY BOX	5	2.9	UPC ON PRODUCT
2"	64020	TRAY BOX	4	3.2	UPC ON PRODUCT
2 1/2"	64025	BULK	1	1.7	UPC ON PRODUCT
3"	64030	BULK	1	2.1	UPC ON PRODUCT
3 1/2"	64035	BULK	1	3.4	UPC ON PRODUCT
4"	64040	BULK	1	3	UPC ON PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS. Use to join threaded Rigid or IMC conduit together.

☒ MATERIAL: Galvanized Steel

☒ CERTIFICATIONS: UL

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

90° RIGID ELBOWS (STEEL)

1/2"	64105	TRAY BOX	10	7.1	UPC ON PRODUCT
1/2"	64105B	BULK	50	40	NA
3/4"	64107	TRAY BOX	5	5.2	UPC ON PRODUCT
3/4"	64107B	BULK	50	54	NA
1"	64110	TRAY BOX	10	20	UPC ON PRODUCT
1"	64110B	BULK	20	40	NA
1 1/4"	64112	TRAY BOX	5	15.5	UPC ON PRODUCT
1 1/4"	64112B	BULK	20	60	NA
1 1/2"	64115	TRAY BOX	3	13	UPC ON PRODUCT
1 1/2"	64115B	BULK	10	42	NA
2"	64120	TRAY BOX	2	13.5	UPC ON PRODUCT
2"	64120B	BULK	10	68	NA
2 1/2"	64125	NO CTN	1	12	UPC ON PRODUCT
3"	64130	NO CTN	19		UPC ON PRODUCT
3 1/2"	64135	NO CTN	1	28	UPC ON PRODUCT
4"	64140	NO CTN	1	31	UPC ON PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS. Use to allow a 90° change of direction in a run of Rigid or IMC conduit.

☒ Material: Galvanized Steel

☒ CERTIFICATIONS: UL, CSA



45° RIGID ELBOWS (STEEL)

1/2"	64205	TRAY BOX	10	5.2	UPC ON PRODUCT
3/4"	64207	TRAY BOX	10	8.2	UPC ON PRODUCT
1"	64210	TRAY BOX	25	30	UPC ON PRODUCT
1 1/4"	64212	NO CTN	20	40	UPC ON PRODUCT
1 1/2"	64215	NO CTN	15	45	UPC ON PRODUCT
2"	64220	NO CTN	10	50	UPC ON PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS. Use to allow a 45° change of direction in a run of Rigid or IMC conduit.

☒ MATERIAL: Galvanized Steel

☒ CERTIFICATIONS: UL, CSA



SE




SERVICE ENTRANCE CABLE

Applications

- For overhead and underground service
- For bringing power from a utility pole to a building entry

NOTE: ALL PRODUCT SPECS ARE IN THE BACK OF THE CATALOG.



SE

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

MIDGET ONE-HOLE STRAPS (STEEL)

3/16" O.D.	26212	50/BAG	20 BAGS OF 50 PCS	3	UPC ON BAG
1/4" O.D.	26214	50/BAG	10 BAGS OF 50 PCS	3	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure bare solid copper wire to a working surface.

☒ MATERIAL: Steel, Zinc Electro-Plate



ONE-HOLE SERVICE CABLE STRAPS (STEEL)

FITS NM CABLE

#12/2-#14/2	62171B	BULK	100/1000	1/10	NA
-------------	--------	------	----------	------	----

FITS SE AND SEU CABLE

3#8-3#4	62191B	BULK	100/1000	2/20	NA
3#3-3#2	62192B	BULK	100/1000	2/20	NA
3#1-3#2/0	62193B	BULK	25/250	1.8/17.5	NA
3#3/0-3#4/0	62194B	BULK	25/250	2/20	NA

BAGGED ITEMS

#12/2-#14/2	26210	10/BAG	10 BAGS	1.2	UPC ON BAG
3#3-3#2	46213	6/BAG	10 BAGS	0.7	UPC ON BAG
3#1-3#2/0	26218	10/BAG	6 BAGS	.4888	UPC ON BAG
3#3-3#4/0	26219	10/BAG	4 BAGS	.3762	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure service entrance cable (SEU, SE) to a wood, masonry or similar surface.

☒ MATERIAL: Steel, Zinc Electro-Plate



TWO-HOLE SERVICE-CABLE STRAPS (STEEL)

FITS SE AND SEU CABLE

3#8-3#4	62291B	BULK	100/1000	3/30	NA
3#3-3#2	62292B	BULK	100/1000	3/30	NA
3#1-3#2/0	62293B	BULK	25/250	1/10	NA
3#3/0-3#4/0	62294B	BULK	25/250	1/10	NA

BAGGED ITEMS

3#8-3#4	26222	10/BAG	30 BAGS	6	UPC ON BAG
3#3-3#2	26223	6/BAG	30 BAGS	4	UPC ON BAG
3#1-3#2/0	26224	6/BAG	5 BAGS	1.2	UPC ON BAG
3#3/0-3#4/0	26225	6/BAG	25 BAGS	6	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure service entrance cable (SEU, SER) to a wood, masonry or similar surface.

☒ MATERIAL: Steel, Zinc Electro-Plate





**SERVICE ENTRANCE CAPS (ALUMINUM)
CLAMP ON TYPE**

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	58005	TRAY BOX	5	1.3	UPC ON PRODUCT
3/4"	58007	TRAY BOX	5	3	UPC ON PRODUCT
1"	58010	TRAY BOX	3	1.2	UPC ON PRODUCT
1 1/4"	58012	TRAY BOX	5	3	UPC ON PRODUCT
1 1/4"	58012B	BULK	5/25	3/14	NA
1 1/2"	58015	TRAY BOX	3	3	UPC ON PRODUCT
2"	58020	TRAY BOX	5	8	UPC ON PRODUCT
2"	58020B	BULK	5	8	NA
2 1/2"	58025	TRAY BOX	1	5	UPC ON PRODUCT
3"	58030	TRAY BOX	1	7	UPC ON PRODUCT
3"	58030B	BULK	1	7	NA
3 1/2"	58035B	BULK	1	7	NA
4"	58040B	BULK	1	7	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use in an overhead service entrance. Mounts on top of EMT, Rigid, or IMC conduit. Serves as a connecting point for the service entrance wires.
 ☒ MATERIAL: Copper-Free Die-Cast Aluminum
 ☒ FEATURES: Clamp-On Style
 ☒ CERTIFICATIONS: UL, CSA

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

SLIP-FIT MAST HEADS (ALUMINUM)

FOR 200 AMP SERVICE

2 1/2"	57925	TRAY BOX	2	1.4	UPC ON PRODUCT
--------	-------	----------	---	-----	----------------

☒ APPLICATION: INDOORS OR OUTDOORS. Use in an overhead service entrance. Mounts on top of Rigid or IMC conduit. Serves as a connecting point for the service entrance wires.
 ☒ MATERIAL: Aluminum Die-Cast
 ☒ CERTIFICATIONS: UL, CSA



SERVICE-CABLE SILL PLATES (ALUMINUM)

WITH 2 SCREWS

3#4-BK	50599	TRAY BOX	10	2.1	UPC ON PRODUCT
--------	-------	----------	----	-----	----------------

WITH 4 SCREWS

3#1/0-2/0	50699	TRAY BOX	3	1.8	UPC ON PRODUCT
3#3/0-4/0	50799	TRAY BOX	4	3.2	UPC ON PRODUCT

☒ APPLICATION: OUTDOORS ONLY. In conjunction with sealing compound, use to protect the service entrance cable and cover the hole where it enters the dwelling. Sill plates prevent water from entering the structure.
 ☒ MATERIAL: Copper-Free Aluminum Die-Cast
 ☒ FEATURES: With Screws and Duct Seal



THERMOPLASTIC SERVICE ENTRANCE CAPS (PVC)

3#8-2	77801	TRAY BOX	5	1.3	UPC ON PRODUCT
3#1/0-2/0	77802	TRAY BOX	4	2.3	UPC ON PRODUCT
3#3/0-4/0	77803	TRAY BOX	4	2.2	UPC ON PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS. Use in overhead services that utilize SEU cable.
 ☒ MATERIAL: Rigid PVC
 ☒ TYPE: With Galvanized Steel Mounting Strap and Back Plate
 ☒ CERTIFICATIONS: UL, CSA

CONDUIT SILL PLATES (ALUMINUM)

WITH 2 SCREWS

1/2"-3/4"	50507	TRAY BOX	15	2.4	UPC ON PRODUCT
1"	50610	TRAY BOX	10	4	UPC ON PRODUCT

WITH 4 SCREWS

1 1/4"	50612	TRAY BOX	10	4	UPC ON PRODUCT
1 1/2"	50615	TRAY BOX	5	2	UPC ON PRODUCT
2"	50720	TRAY BOX	5	3	UPC ON PRODUCT

☒ APPLICATION: OUTDOORS ONLY. In conjunction with sealing compound, use to protect EMT or service entrance cable and cover the hole where it enters the dwelling. Sill plates prevent water from entering a structure.
 ☒ MATERIAL: Copper-Free Aluminum Die-Cast
 ☒ FEATURES: With Screws and Duct Seal



OVAL SERVICE CABLE CAPS (ALUMINIUM)

1#8-#1	57499	TRAY BOX	5	2	UPC ON PRODUCT
1#1/0-4/0	57699	TRAY BOX	4	1.3	UPC ON PRODUCT

APPLICATION: INDOORS OR OUTDOORS. Use in overhead services that utilize SEU cable.
 MATERIAL: Copper-Free Aluminum Die-Cast Type: With cast back plate
 CERTIFICATIONS: UL, CSA

CLAMP CONNECTOR

1 1/4"	05312	TRAY BOX	10	2.4	UPC ON PRODUCT
1 1/4"	05312B	BULK	10/100	2.4/24	NA
1 1/2"	05315	TRAY BOX	5	1.7	UPC ON PRODUCT
1 1/2"	05315B	BULK	5/50	1.7/17	NA
2"	05320	TRAY BOX	5	2.4	UPC ON PRODUCT
2"	05320B	BULK	10/40	4.8/19.2	NA

☒ APPLICATION: INDOORS ONLY. In a dry location, use to connect oval service cable to steel outlet box or other metal enclosure.
 ☒ MATERIAL: Zinc Die Cast.
 ☒ FEATURES: Twin Screws.





**OFFSET BOTTOM REDUCER (ALUMINUM)
SLIPFITTER**

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2"	50920	TRAY BOX	15	7.8	UPC ON PRODUCT

APPLICATION: INDOORS OR OUTDOORS. Use to connect Rigid or IMC conduit to a metal base hub.
 MATERIAL: Aluminum Die Cast
 t MISC: Furnished with 1 1/4" pipe nipple.
 CERTIFICATIONS: UL



**CONDUIT SUPPORTS (MALLEABLE)
LAG SCREW STYLE**

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2"	51320	TRAY BOX	5	1.6	UPC ON PRODUCT
2 1/2"	51325	TRAY BOX	5	1.8	UPC ON PRODUCT

APPLICATION: INDOORS OR OUTDOORS. Use to secure SE conduit to surface of building.
 MATERIAL: Malleable Iron



**CONDUIT SUPPORTS (MALLEABLE)
10" BOLT, NUT & WASHER**

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2"	33520	TRAY BOX	6	8	UPC ON PRODUCT
2 1/2"	33525	TRAY BOX	6	8	UPC ON PRODUCT

APPLICATION: INDOORS OR OUTDOORS. Use to secure service entrance conduit to the surface of a building.
 MATERIAL: Malleable Iron



ADJUSTABLE PORCELAIN WIREHOLDER

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1 1/4" - 3"	60525	TRAY BOX	10	14	UPC ON PRODUCT

APPLICATION: INDOORS OR OUTDOORS. Use as a holding device for the incoming service entrance wires. Mounts below the overhead service entrance cap.
 MATERIAL: Porcelain and Steel



**PORCELAIN WIREHOLDER
HEAVY DUTY**

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
2 1/4"	60222	TRAY BOX	10	7	UPC ON PRODUCT*

*INCLUDES 2 1/4" LAG SCREW
 APPLICATION: INDOORS OR OUTDOORS. Use in overhead services to secure the incoming service entrance wires.
 MATERIAL: Porcelain and Steel

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

**PORCELAIN WIREHOLDER
MEDIUM DUTY**

2 1/4"	60322	TRAY BOX	10	6	UPC ON PRODUCT*
--------	-------	----------	----	---	-----------------

*Includes 2 1/4" Lag Screw
 APPLICATION: INDOORS OR OUTDOORS. Use in overhead services to secure the incoming service entrance wires.
 MATERIAL: Porcelain and Steel



**PORCELAIN WIREHOLDER
LIGHT DUTY**

1 11/16"	60416	TRAY BOX	10	3	UPC ON PRODUCT
----------	-------	----------	----	---	----------------

*Includes 1 11/16" Lag Screw
 APPLICATION: INDOORS OR OUTDOORS. Use in overhead services to secure the incoming service entrance wires.
 MATERIAL: Porcelain and Steel



WATER-TIGHT CONNECTORS (ZINC DIE-CAST)

COMPRESSION TYPE					
1" / 3#6	07210	TRAY BOX	10	4	UPC ON PRODUCT
1" / 3#4	07310	TRAY BOX	10	4	UPC ON PRODUCT
1" / 3#4	07310B	BULK	10/100	4/34	NA
1 1/4" / 3#3	08112B	BULK	10/100	5/52	NA
1 1/4" / 3#2	08212	TRAY BOX	10	5	UPC ON PRODUCT
1 1/4" / 3#2	08212B	BULK	10/100	5/52	NA
1 1/4" / 3#1	08312	TRAY BOX	10	5	UPC ON PRODUCT
1 1/2" / 3#1/0	09115B	BULK	5/50	3/33	NA
1 1/2" / 3#2/0	09215	TRAY BOX	5	3	UPC ON PRODUCT
2" / 3#2/0	10220	TRAY BOX	5	4	UPC ON PRODUCT
2" / 3#2/0	10220B	BULK	5/50	4/44	NA
2" / 3#4/0	10420	TRAY BOX	5	4	UPC ON PRODUCT
2" / 3#4/0	10420B	BULK	5/50	4/44	NA
2" / 3#4/0	10520	TRAY BOX	5	4	UPC ON PRODUCT
2" / 3#4/0	10520B	BULK	5/50	4/44	NA

FITS UF CABLE ONLY: #14/2, #12/2					
1/2"	06605B	BULK	25/250	4.3/42.5	NA

BAGGED ITEMS					
1/2"	90661	1/BAG	20 BAGS	2.1	UPC ON BAG

FITS UF CABLE: #12/2, #12/3					
3/4"	06607B	BULK	25/250	6.5/65	NA

BAGGED ITEMS					
3/4"	90662	1/BAG	10 BAGS	1.5	UPC ON BAG

APPLICATION: INDOORS OR OUTDOORS. Use to secure SE/SEU cable to a metal enclosure. Use to connect UF cable to a waterproof box with a threaded hub.
 MATERIAL: Zinc Die Cast
 PURPOSE: For SE/SEU Flat Style cable; 2 insulating conductors, 1 bare
 CERTIFICATIONS: UL, CSA





TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

SERVICE ENTRANCE ELL (ALUMINUM)

1/2"	59505	TRAY BOX	10	2.5	NA
3/4"	59507	TRAY BOX	5	1.5	NA
1"	59510	TRAY BOX	3	1.3	NA
1 1/4"	59512	TRAY BOX	2	1.68	NA
1 1/2"	59515	TRAY BOX	2	2.36	NA
2"	59520	TRAY BOX	1	1.92	NA

*includes cover and gasket

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to gain access to the interior of a raceway for wire pulling, inspections, and maintenance. Mounts flush against structure.
- ☒ MATERIAL: Copper-Free Die Cast Aluminum
- ☒ CERTIFICATIONS: UL, CSA



WEDGE CLAMP CONNECTORS (ALUMINUM)

6-2	51061	BULK	10	1.4	UPC ON PRODUCT
4-1/0	51062	BULK	10	2.4	UPC ON PRODUCT
2/0-4/0	51063	BULK	10	2.4	UPC ON PRODUCT

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect a triplex overhead service entrance cable to a mounting device or building.
- ☒ MATERIAL: Aluminum wedge and shell with stainless steel ball



ROOF FLASHINGS (STEEL)

1 1/4"-1 1/2"	60812	TRAY BOX	10	10.5	UPC ON PRODUCT
2"	60820	TRAY BOX	10	14	UPC ON PRODUCT
2 1/2"	60825	TRAY BOX	10	14	UPC ON PRODUCT

- ☒ APPLICATION: OUTDOORS. Use to prevent water leaks in overhead services where conduit mast penetrates the roof surface. Slips over conduit mast and mounts to the roof.
- ☒ MATERIAL: Galvanized steel with Neoprene seal.



DUCT SEAL

1 LB. SLUG	79910B	BULK	50	50	NA
5 LB. SLUG	79950B	BULK	10	50	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to seal around junction boxes, flashings, and service entrance locations.
- ☒ FEATURES: Service Temperature Range: -30°F - 100°F; Compound is pliable and noncorrosive to metals; Compound can be painted

GND




GROUND FITTINGS

Applications

- For indoor and outdoor use

NOTE: ALL PRODUCT SPECS ARE IN THE BACK OF THE CATALOG.





GROUND CLAMPS FOR BARE WIRE (BRONZE) (WITH LAY-IN LUG DESIGN)

FOR DIRECT BURIAL (STAINLESS STEEL SCREWS)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
3/8" - 1"	36910	1 BAG	25 BAGS	6.75	UPC ON BAG
3/8" - 1"	36910B	BULK	100	27	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure bare copper ground wire to 3/8" rebar through 1" pipe. UL listed for direct burial and concrete.

☒ WIRE SIZE: #10-#2 AWG

☒ MATERIAL: Bronze with Stainless Steel Screws

☒ FEATURES: This new JRD is extremely versatile - fits 3/8"-1" Rebar, 1/2"-1" pipe, 1/4"-1" ground rods. Can be used for mechanically connecting 2 #8 sol wires. Use on water pipes or for direct burial - no need to stock two clamps. Lay-In Lug feature is a tremendous labor saver - no threading through holes - just lay-in ground wire and tighten screw.

☒ CERTIFICATIONS: UL



GROUND CLAMPS FOR BARE WIRE (ZINC DIE CAST)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2" - 1"	16010	1/BAG	25 BAGS	4.7	UPC ON BAG
1/2" - 1"	16010B	BULK	25/250	3.75/37.5	NA

(BRONZE)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2" - 1"	36010	1/BAG	25 BAGS	5	UPC ON BAG
1/2" - 1"	36010B	BULK	25/250	5/48	NA

FOR DIRECT BURIAL (BRONZE SCREWS)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2" - 1"	36019	TRAY BOX	15	3	UPC ON PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure the bare copper ground wire to a 1/2" through 1" pipe. 36010 and 36019 can be used with 4, 6, 8 rebar and ground rods.

☒ WIRE SIZE: Fits #10 - #2 AWG

☒ CERTIFICATIONS: UL, CSA

(BRONZE)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1 1/4" - 2"	36020	1/BAG	10	4	UPC ON BAG
1 1/4" - 2"	36020B	BULK	25	10	NA

FOR DIRECT BURIAL (BRONZE SCREWS)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1 1/4" - 2"	36029	TRAY BOX	25	11	UPC ON PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure the bare copper ground wire to a 1 1/4"-2" pipe.

☒ WIRE SIZE: Fits #10 - #2 AWG

☒ CERTIFICATIONS: UL, CSA



GROUND CLAMPS FOR ARMORED CABLE (BRONZE)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2" - 1"	36110	1/BAG	15 BAGS	3.9	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure the grounding wire to a 1/2" through 1" pipe.

☒ WIRE SIZE: Fits #8 - #4 AWG

☒ PURPOSE: For Armored Covered Ground Wire

☒ CERTIFICATIONS: UL, CSA



(ZINC DIE CAST)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2" - 1"	16110	1/BAG	15 BAGS	3	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure Armored Covered Ground Wire to a 1/2" through 1" pipe.

☒ WIRE SIZE: Fits #8 - #6 AWG

☒ PURPOSE: For Armored Covered Ground Wire

☒ CERTIFICATIONS: UL, CSA

GROUND CLAMP WITH THREADED HUB (BRONZE)

1/2" HUB

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2" - 1"	36210	TRAY BOX	10	2.8	UPC ON PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect grounding conductor in rigid threaded conduit to a 1/2"-1" pipe.

☒ MATERIAL: Bronze

☒ WIRE SIZE: #8-#4 AWG

☒ FEATURES: Hub accommodates 1/2" Rigid threaded conduit pipe

☒ CERTIFICATIONS: UL, CSA



GROUND CLAMP WITH STRAP AND HUB (BRONZE)

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2" - 1"	36310	TRAY BOX	25	10	UPC ON PRODUCT
1/2" HUB-					
3/4" HUB	36320	TRAYBOX	15	5.85	UPC ON PRODUCT

☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect grounding conductor in rigid threaded conduit to a 1/2"-1" pipe.

☒ WIRE SIZE: #8-#4 AWG.

☒ MATERIAL: Bronze with a 7" Copper strap and Bronze hub.

☒ CERTIFICATIONS: UL



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

GROUND ROD CLAMP (BRONZE) (ONE SIZE FITS ALL)



FOR DIRECT BURIAL (STAINLESS STEEL BOLT)

1/2"-3/4"	35999B	BULK	100	14.5	NA
-----------	--------	------	-----	------	----

BAGGED ITEMS

1/2"-3/4"	35999	1/BAG	30 BAGS	4.4	UPC ON BAG
-----------	-------	-------	---------	-----	------------

- APPLICATION: OUTDOORS. Use to connect bare copper ground wire to a driven ground rod.
- MATERIAL: Bronze with Stainless Steel Bolt
- FEATURES: This new SRC ground rod clamp fits all size of ground rod - 1/2", 5/8" and 3/4" and accommodates wire size #10-1/0 AWG. Approved for direct burial in ground or concrete.
- CERTIFICATIONS: UL

GROUND ROD CLAMP (BRONZE)



FOR DIRECT BURIAL (BRONZE BOLT)

1/2"	35905B	BULK	50/500	3/26	NA
5/8"	35906B	BULK	50/500	4/36	NA
3/4"	35907	TRAY BOX	35	6	UPC ON PRODUCT

BAGGED ITEMS

1/2"	93591	1/BAG	30 BAGS	2.6	UPC ON BAG
5/8"	93592	1/BAG	30 BAGS	3.2	UPC ON BAG

- APPLICATION: INDOORS or OUTDOORS. Use to connect bare copper ground wire to a driven ground rod. Cannot use on Rebar.
- MATERIAL: Bronze with Bronze Bolt
- FEATURES: Approved for direct burial in ground and concrete.
- CERTIFICATIONS: UL, CSA

GROUND STRAP



1/2" - 1"	32999	TRAY BOX	15	1.5	UPC ON BAG
-----------	-------	----------	----	-----	------------

- APPLICATION: INDOORS. Use to provide grounding termination points in load centers and other electrical enclosures.
- MATERIAL: Solid copper with screw.

GROUND SCREW (GREEN) (STEEL)



#10-32	63299	100/BOX	10 BOXES	5	UPC ON BOX
--------	-------	---------	----------	---	------------

BAGGED ITEMS

#10-32	26329	10/BAG	10 BAGS	0.1	UPC ON BAG
--------	-------	--------	---------	-----	------------

- APPLICATION: INDOORS OR OUTDOORS. Use to ground a wiring device to a steel outlet box.

SOLID GROUND WIRES



#14 AWG	63188	BULK	100	1	UPC ON CARTON
---------	-------	------	-----	---	---------------

- APPLICATION: INDOORS OR OUTDOORS. Use to ground the branch wire to the wall of a steel outlet box.
- FEATURES: Captive Screw

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

STRANDED GROUND WIRE

#12 AWG	46319	2/BAGS	10 BAGS	0.5	UPC ON BAG
---------	-------	--------	---------	-----	------------

- APPLICATION: INDOORS OR OUTDOORS. Use to ground the branch wire to the wall of a steel outlet box.
- FEATURES: Captive Screw and Clip
- LENGTH: 8"



GROUND CLIP (GREEN) (STEEL)

#14-#12	63099	100/BOX	10 BOXES	10	UPC ON BOX
---------	-------	---------	----------	----	------------

BAGGED ITEMS

#14-#12	26309	10/BAG	10 BAGS	0.1	UPC ON BAG
---------	-------	--------	---------	-----	------------

- APPLICATION: INDOORS OR OUTDOORS. Use to connect the grounding wire to the side wall of a steel outlet box.
- PURPOSE: For Non-Metallic Sheathed Cable



KENNY CLAMP® COMPRESSION CONNECTOR (BRASS)



ALL SIZES FIT 1/2" KNOCKOUT

WIRE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
#8 STR	30208B	10	#2 OR SMALLER		#1/0 OR SMALLER
#8 SOL	30218B	10	#2 OR SMALLER		#1/0 OR SMALLER
#6 STR	30206B	10	#1 TO #1/0		#2/0 OR #3/0
#6 SOL	30216B	10	#1 TO #1/0		#2/0 OR #3/0
#4 STR	30204B	10	#2/0 OR #3/0		#4/0 OR 250 KCMIL
#4 SOL	30214B	10	#2/0 OR #3/0		#4/0 OR 250 KCMIL
#2 STR	30202B	10	OVER #3/0-350 KCMIL		OVER 250 KCMIL-500 KCMIL
#1/0 STR	30210B	10	OVER 350 KCMIL-600 KCMIL		OVER 500 KCMIL- 900 KCMIL
#2/0 STR	30220B	10	OVER 600 KCMIL-1100 KCMIL		OVER 900 KCMIL-1750 KCMIL
#3/0 STR	30230B	10	OVER 600 KCMIL-1100 KCMIL		OVER 1750 KCMIL

- APPLICATION: Ensures code compliance for grounding electrode conductor installations, and is the only UL listed connector for bonding and grounding of electrode conductors in panel boards, pad mount, dry type transformers, metallic raceways and enclosures.

- MATERIAL: Brass
- CERTIFICATIONS: UL

ACC



ACCESSORIES

NOTE: ALL PRODUCT SPECS ARE IN THE BACK OF THE CATALOG.



ACC

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

CABLE STAPLES (STEEL)

FOR NON-METALLIC CABLE

#14-#12/2	61050	500/BOX	20 BOXES	51	UPC ON BOX
#14-#12/2	61010	100/BOX	100 BOXES	52	UPC ON BOX

FOR ARMORED AND NON-METALLIC CABLE

#14-#10/3	62550	500/BOX	20 BOXES	64	UPC ON BOX
#14-#10/3	62510	100/BOX	100 BOXES	66	UPC ON BOX

☒ APPLICATION: INDOORS ONLY. Use to secure non-metallic sheathed, armored or SEU cable to wood surfaces.

☒ MATERIAL: Steel



PLASTIC INSULATING STAPLES (PLASTIC)

FITS NM CABLE: #14 - #12;
FITS UF CABLE: #14/2 - #12/2

1/2" FLAT WIRE	27209	50/BAG	25 BAGS	7	UPC ON BAG
----------------	-------	--------	---------	---	------------

FITS NM CABLE: #10/2 - #8/2;
FITS UF CABLE: #10/2 - #8/2; #14/3 - #12/3

3/4" FLAT WIRE	27309	50/BAG	25 BAGS	8	UPC ON BAG
----------------	-------	--------	---------	---	------------

☒ APPLICATION: INDOORS ONLY. Use to secure non-metallic sheathed or UF cable to wood surfaces.

☒ MATERIAL: Plastic with Steel Nails





STRAIN RELIEF CORD CONNECTORS (ZINC DIE CAST)

FITS WIRE RANGE: .190 - .260

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	16911B	BULK	25	2.5	NA

FITS WIRE RANGE: .260 - .375

1/2"	16912B	BULK	25	2.5	NA
------	--------	------	----	-----	----

BAGGED ITEMS

1/2"	21691	2/BAG	8 BAGS	1.7	UPC ON BAG
------	-------	-------	--------	-----	------------

FITS WIRE RANGE: .375 - .500

1/2"	16913B	BULK	25	2.5	NA
------	--------	------	----	-----	----

BAGGED ITEMS

1/2"	21692	2/BAG	8 BAGS	1.7	UPC ON BAG
------	-------	-------	--------	-----	------------

FITS WIRE RANGE: .440 - .500

3/4"	16921B	BULK	25	3.5	NA
------	--------	------	----	-----	----

FITS WIRE RANGE: .500 - .625

3/4"	16922B	BULK	25	3.5	NA
------	--------	------	----	-----	----

BAGGED ITEMS

3/4"	21694	2/BAG	8 BAGS	2.3	UPC ON BAG
------	-------	-------	--------	-----	------------

FITS WIRE RANGE: .625 - .725

3/4"	16923B	BULK	25	3.5	NA
------	--------	------	----	-----	----

FITS WIRE RANGE: .370 - .470

1"	16930	TRAY BOX	10	3.4	UPC ON PRODUCT
----	-------	----------	----	-----	----------------

1"	16930B	BULK	10	3.4	NA
----	--------	------	----	-----	----

FITS WIRE RANGE: .625 - .750

1"	16932B	BULK	10	3.4	UPC ON BAG
----	--------	------	----	-----	------------

FITS WIRE RANGE: .750 - .880

1"	16933B	BULK	10	3.4	NA
----	--------	------	----	-----	----

BAGGED ITEMS

1"	16933	1/BAG	10 BAGS	3.4	UPC ON BAG
----	-------	-------	---------	-----	------------

FITS WIRE RANGE .875 - .900

1"	16934B	BULK	10	3.4	NA
----	--------	------	----	-----	----

BAGGED ITEMS

1"	16934	1/BAG	10 BAGS		UPC ON BAG
----	-------	-------	---------	--	------------

☒ APPLICATION: INDOORS ONLY. Use to connect S, SO, ST, SJ, SJO, and SJT cord to a steel outlet box or other metal enclosure.

☒ MATERIAL: Zinc Die Cast

☒ TYPE: Gland Style

☒ CERTIFICATIONS: UL, CSA

90° (LARGE RADIUS) STRAIN RELIEF CORD CONNECTORS (ZINC DIE CAST)

FITS WIRE RANGE: .190 - .260

TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
1/2"	16811B	BULK	10	1.4	NA

FITS WIRE RANGE: .260 - .375

1/2"	16812B	BULK	10	1.4	NA
------	--------	------	----	-----	----

FITS WIRE RANGE: .375 - .500

1/2"	16813B	BULK	10	1.4	NA
------	--------	------	----	-----	----

FITS WIRE RANGE: .440 - .500

3/4"	16821B	BULK	10	2.1	NA
------	--------	------	----	-----	----

FITS WIRE RANGE: .500 - .625

3/4"	16822B	BULK	10	2.1	NA
------	--------	------	----	-----	----

FITS WIRE RANGE: .625 - .725

3/4"	16823B	BULK	10	2.1	NA
------	--------	------	----	-----	----

☒ APPLICATION: INDOORS ONLY. Use to connect S, SO, ST, SJ, SJO, and SJT cord to a steel outlet box or other metal enclosure.

☒ MATERIAL: Zinc Die Cast

☒ TYPE: Gland Style

☒ FEATURES: Large Radius provides minimal wire stress.

☒ CERTIFICATIONS: UL, CSA



SPLIT BOLT CONNECTORS (BRONZE)

16 STR-8 STR	32408B	BULK	100	4	NA
10-6 SOL	32406B	BULK	100	5	NA
8-4 SOL	32404B	BULK	100	7	NA
6-2 SOL	32403B	BULK	100	9	NA
6 SOL-2 STR	32402B	BULK	100	11	NA
4 SOL-1/0 STR	32310B	BULK	50	8	NA
2 SOL-2/0 STR	32320B	BULK	25	8	NA
2 SOL-3/0STR	32330B	BULK	25	10	NA
1/0 SOL-250MCM	32340B	BULK	25	13	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect wires together. For direct burial and concrete.

☒ RANGE: Equal run and tap

☒ PURPOSE: For Copper and Copperweld Wires

☒ MATERIAL: Silicon Bronze

☒ TYPE: Flat Style

☒ CERTIFICATIONS: UL, CSA



NON-METALLIC STRAIN RELIEF CORD CONNECTORS

FITS CORD RANGE: .200 - .472

1/2"	27693	1/BAG	20 BAGS	0.8	UPC ON BAG
------	-------	-------	---------	-----	------------

1/2"	76913B	BULK	25	1	NA
------	--------	------	----	---	----

FITS CORD RANGE: .385 - .750

3/4"	27697	1/BAG	10 BAGS	0.6	UPC ON BAG
------	-------	-------	---------	-----	------------

3/4"	76923B	BULK	10	0.6	NA
------	--------	------	----	-----	----

☒ APPLICATION: INDOORS ONLY. Use to connect cord to a steel outlet box or other metal enclosure.

☒ MATERIAL: PVC.

☒ TYPE: Gland Style.

☒ FEATURES: Liquid-tight seal, oil-tight seal, unique grommet with gripping fingers. A sealing ring and zinc locknut are provided to assure a liquid-tight seal when installing in non-threaded openings.

☒ CERTIFICATIONS: UL, CSA.

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------



SPLIT BOLT CONNECTORS WITH SPACER BAR (BRONZE)

FOR COPPER TO COPPER; **CAN BE USED ON ALUMINUM CONDUCTOR, BUT IS NOT UL LISTED FOR THAT APPLICATION

FOR COPPER TO COPPER, COPPER TO ALUMINUM, ALUMINUM TO ALUMINUM

8 SOL-2 STR	32002B	BULK	100	13	NA
-------------	--------	------	-----	----	----

FOR COPPER TO COPPER; **CAN BE USED ON ALUMINUM CONDUCTOR, BUT IS NOT UL LISTED FOR THAT APPLICATION

6 SOL-1/0 STR	31910B	BULK	10	1.80	NA
6 STR-2/0 STR	31920B	BULK	25	8	NA
4 STR-3/0 STR	31930B	BULK	10	4.00	NA
4 STR-250 MCM	31940B	BULK	25	13.3	NA
8 SOL-3 STR	32003B	BULK	10	1.00	NA
10 STR-6 STR	32004B	BULK	25	2.00	NA
14 STR-8 STR	32006B	BULK	25	1.50	NA
16 STR-8 STR	32008B	BULK	25	1.00	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect wires together. Use oxide-inhibiting compound when connecting aluminum or ACSR (aluminum conductor steel reinforced) wires.

☒ MATERIAL: Silicon Bronze with Electro-Tin plated bolt, nut, spacer, and pressure bar.

☒ MISC: Call factory for availability of other sizes

☒ CERTIFICATIONS: UL, CSA



SOLDERLESS TERMINAL LUGS (COPPER)

#6-#14	32606B	BULK	250	7.5	NA
#8-#2	32602B	BULK	200	10	NA
#14-10	32609B	BULK	50	1.1	NA
#1/0-#8	32510B	BULK	100	11	NA
#4-#3/0	32530B	BULK	10	1.6	NA
#2-#4/0	32540B	BULK	10	2.4	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use to connect a wire or wires to a metal enclosure.

☒ MATERIAL: Electrolytic Copper

☒ FEATURES: One Hole, Single Collar

☒ CERTIFICATIONS: UL, CSA

TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

KNOCK OUT SEALS (STEEL)

1/2"	60705B	BULK	250/1000	3.5/14	NA
1/2"	60795B	BULK	100/1000	1.4/14	NA
3/4"	60707B	BULK	250/1000	4/16	NA
3/4"	60797B	BULK	100/1000	1.6/16	NA
1"	60710	TRAY BOX	50	1	UPC ON BAG
1"	60710B	BULK	50/500	1/10	NA
1 1/4"	60712	TRAY BOX	25	0.8	UPC ON BAG
1 1/2"	60715	TRAY BOX	25	1.2	UPC ON BAG
2"	60720	TRAY BOX	15	0.9	UPC ON BAG

BAGGED ITEMS

1/2"	96071	1/BAG	125 BAGS	1.8	UPC ON BAG
1/2"	26071	4/BAG	30 BAGS	0.3	UPC ON BAG
3/4"	96072	1/BAG	125 BAGS	2.0	UPC ON BAG
3/4"	26072	4/BAG	20 BAGS	0.4	UPC ON BAG
1"	26073	4/BAG	20 BAGS	1.6	UPC ON BAG
1"	96073	2/BAG	15 BAGS	0.3	UPC ON BAG
1 1/4"	26074	4/BAG	15 BAGS	1.2	UPC ON BAG
1 1/2"	26075	4/BAG	10 BAGS	1.6	UPC ON BAG
2"	26076	4/BAG	10 BAGS	2	UPC ON BAG

☒ APPLICATION: INDOORS. Use to cover exposed knock-out holes in steel outlet boxes and other metal enclosures.

☒ MATERIAL: Steel



SWITCH BOX SUPPORTS (STEEL)

62700B	1 PAIR	50 PAIR	3	UPC ON CARTON
--------	--------	---------	---	---------------

BAGGED ITEMS

26279	1 PAIR/BAG	25 BAGS	1.5	UPC ON BAG
-------	------------	---------	-----	------------

☒ APPLICATION: INDOORS. Use to support attachment of an outlet box in drywall, paneling, etc., in the absence of a structure member. Installed in pairs.



SNAP-IN BUSHINGS (PLASTIC)

1/2"	72505B	BULK	100	0.5	NA
3/4"	72507B	BULK	100	0.6	NA
1"	72510B	BULK	100	0.9	NA
2"	72520B	BULK	25	1	NA

BAGGED ITEMS

1/2"	27251	10/BAG	10 BAGS	UPC ON BAG
3/4"	27252	10/BAG	10 BAGS	UPC ON BAG
1"	27253	10/BAG	10 BAGS	UPC ON BAG

☒ APPLICATION: INDOORS ONLY. Use to protect non-metallic cable from damage when running cable through metal studs.

☒ MATERIAL: Plastic

☒ FEATURES: Fits a round pre-punched metal stud opening



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

UNIVERSAL SNAP-IN BUSHING (POLYPROPYLENE)

72599BP	BULK	500	12	NA
72599B	BULK	50/500	1.2/12	NA

BAGGED ITEMS

27250	5/BAG	10 BAGS	0.7	UPC ON BAG
27259	25/BAG	6 BAGS	6.0	UPC ON BAG

- ☒ APPLICATION: INDOORS ONLY. Use to protect non-metallic cable from damage when running cable through metal studs.
- ☒ MATERIAL: Polypropylene
- ☒ FEATURES: Fits a variety of pre-punched metal stud openings
- ☒ CERTIFICATIONS: UL, CSA



NAIL PLATES (STEEL)

1 1/2" X					
2 1/2"	62899	50/BOX	10 BOXES	3.3/33	UPC ON BOX
1 1/2" X					
2 1/2"	62800	TRAY BOX	200 PCS	11.7	UPC ON PRODUCT
1 1/2" X 5"	62850	TRAY BOX	100 PCS	12.6	UPC ON PRODUCT


- ☒ APPLICATION: INDOORS ONLY. Use to protect internal wire runs from nail punctures, as defined in the NEC Article 300-4.
- ☒ MATERIAL: Steel



JACK CHAIN (STEEL)

12 GAUGE	60010	100' SPOOL	1	6	UPC ON SPOOL
10 GAUGE	60020	BULK	100'	9	UPC ON SPOOL

- ☒ FEATURES: Supports up to 29 lbs.



"S" HOOK (STEEL)

12 GAUGE	60199	BULK	100	1	UPC ON BOX
----------	-------	------	-----	---	------------

- ☒ APPLICATION: INDOORS. Use to suspend light fixtures, etc.
- ☒ MATERIAL: Steel



"SKY-TIE" CABLE CLAMPS (STEEL)

1/2"-3/4"	66207B	BULK	10	3.5	NA
3/4"-1 1/8"	66211B	BULK	10	7	NA

- ☒ FEATURES: Interchangeable Two-Piece Construction; Keyhole Slots - permits assembly on cable without removal of bolts or threading of cable through fitting. Supports and anchors bus-drop cable at a 90° angle.
- ☒ MATERIAL: Stamped Steel



TRADE SIZE	HALEX PART #	PCS/ UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	-----------	--------------	-------------------	---------------------

EXTENSION SPRINGS (STEEL)

SUPPORTS 10 - 60 LBS.

10-60 LBS	66377B	BULK	10	2.8	NA
-----------	--------	------	----	-----	----

SUPPORTS 15 - 70 LBS.

10-70 LBS	66388B	BULK	10	2.5	NA
-----------	--------	------	----	-----	----

- ☒ APPLICATION: INDOORS. Use to suspend "Sky-Tie" cable to clamp.
- ☒ MATERIAL: Steel, Zinc Electro-plate
- ☒ FEATURES: Slips on to "Sky-Tie" at its outside bend and ties back to structural member. Ensures tautness of cable, absorbs vibration.



DUCT SEAL

1 LB. SLUG	79910B	BULK	50	50	NA
5 LB. SLUG	79950B	BULK	10	50	NA

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to seal around junction boxes, flashings, and service entrance locations.
- ☒ FEATURES: Service Temperature Range: -30°F - 100°F; Compound is pliable and noncorrosive to metals; Compound can be painted



FIXTURE HANGERS

FITS 3 1/4 OR 4" OCTAGONAL OUTLET BOXES

69588B	BULK	25	4.1	NA
--------	------	----	-----	----

FITS 4" SQUARE OUTLET BOXES

69699B	BULK	25	5	NA
--------	------	----	---	----

- ☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure and suspend light fixture.
- ☒ FEATURES: Self-aligning covers provide flexible suspension, assuring plumb alignment, regardless of ceiling structure or angle. Equipped with ball joint, allows fixture to swivel through an angle of 20° in any direction.
- ☒ MATERIAL: Stamped steel



TRADE SIZE	HALEX PART #	PCS/UNIT	CTN/CASE QTY	CTN/CASE WT (LBS)	UPC CODED SELL UNIT
------------	--------------	----------	--------------	-------------------	---------------------

CONDUIT HANGERS (STEEL)



WITH NUT AND BOLT ATTACHED

0	67800B	BULK	100	7	NA
1	67810B	BULK	100	9	NA
2	67820	TRAY BOX	20	2	UPC ON PRODUCT
2	67820B	BULK	100	10	NA
2 1/2	67825	TRAY BOX	15	1.7	UPC ON PRODUCT
3	67830	TRAY BOX	15	1.8	UPC ON PRODUCT
3	67830B	BULK	100	10	NA
4	67840	TRAY BOX	10	1.7	UPC ON PRODUCT
4	67840B	BULK	100	16	NA
5	67850	TRAY BOX	20	4	UPC ON PRODUCT
5	67850B	BULK	50	10	NA
6	67860B	TRAY BOX	50	17	UPC ON PRODUCT
7	67870B	BULK	50	19.5	NA
8	67880B	BULK	25	10.25	NA
9	67890B	BULK	10	5.5	NA

BAGGED ITEMS

0	96780	1/BAG	50 BAGS	3.5	UPC ON BAG
0	26780	5/BAG	10 BAGS	3.2	UPC ON BAG
1	96781	1/BAG	50 BAGS	4.5	UPC ON BAG
1	26781	5/BAG	10 BAGS	3.5	UPC ON BAG

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure and suspend conduit from overhead supports.
 ☒ MATERIAL: Steel




BEAM CLAMPS (STEEL)

1/4-20	65600B	BULK	25/250	3.3/33	NA
--------	--------	------	--------	--------	----

BAGGED ITEMS

1/4-20	96560	1/BAG	15 BAGS	2.3	UPC ON BAG
--------	-------	-------	---------	-----	------------

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure conduit to a metal beam. Clamps on beam, girder or similar structure to provide a mounting base for attachment of a conduit hanger, either directly or by means of a threaded rod. Eliminates the need to drill a hole through the beam.



BEAM CLAMPS (MALLEABLE IRON)

1/4-20	35600	TRAY BOX	25	5	UPC ON PRODUCT
1/4-20	35600B	BULK	25/250	5/50	NA

☒ APPLICATION: INDOORS OR OUTDOORS. Use to secure conduit to a metal beam. Clamps on beam, girder or similar structure to provide a mounting base for attachment of a conduit hanger, either directly or by means of a threaded rod. Eliminates the need to drill a hole through the beam.

PRODUCT SPECS

PS






COMPRESSION CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B		A	B
02105B	1.20	0.40	BAGGED ITEMS			82120	2.16	0.76
02107B	1.27	0.40	90211	1.20	0.40	82120B	2.16	0.76
02110	1.48	0.50	20210	1.20	0.40	82125B	2.67	1.00
02110B	1.48	0.50	90212	1.27	0.40	82130B	2.80	1.06
02112	1.75	0.59	20212	1.27	0.40	82135B	2.88	1.14
02112B	1.75	0.59	WITH INSULATED THROAT			82140B	2.89	1.14
02115	1.91	0.62	82105B	1.25	0.40	BAGGED ITEMS		
02115B	1.91	0.62	82107B	1.32	0.40	28211	1.25	0.40
02120	2.11	0.76	82110	1.53	0.50	28212	1.32	0.40
02120B	2.11	0.76	82110B	1.53	0.50			
02125	2.62	1.00	82112	1.80	0.59			
02125B	2.62	1.00	82112B	1.80	0.59			
02130B	2.75	1.06	82115	1.96	0.62			
02135B	2.83	1.14	82115B	1.96	0.62			
02140B	2.84	1.14						

COMPRESSION COUPLINGS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B		A	B
62405B	1.90	1.10	62415B	3.25	2.12	62430	5.40	4.10
62407B	2.35	1.30	62415	3.25	2.12	62435B	4.69	4.69
62410B	2.60	1.53	62420B	3.31	2.60	62440B	4.94	5.19
62410	2.60	1.53	62420	3.31	2.60	BAGGED ITEMS		
62412B	3.22	1.95	62425B	3.88	3.62	26241	1.90	1.10
62412	3.22	1.95	62430B	4.00	4.25	26242	2.35	1.30




COMPRESSION COUPLINGS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B		A	B
02205B	1.59	1.00	02215B	2.47	2.11	02235B	3.51	4.39
02207B	1.81	1.19	02220	2.56	2.56	02240B	3.54	4.88
02210	1.82	1.48	02220B	2.56	2.56	BAGGED ITEMS		
02210B	1.82	1.48	02225	3.29	3.24	90221	1.59	1.00
02212	2.07	1.84	02225B	3.29	3.24	20221	1.59	1.00
02212B	2.07	1.84	02230	3.42	3.87	90222	1.81	1.19
02215	2.47	2.11	02230B	3.42	3.87	20222	1.81	1.19



RAINTIGHT COMPRESSION CONNECTORS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C		A	B	C
62505B	1.060	0.460	1.125	62535B	2.750	0.938	4.688	92520B	2.460	0.750	2.750
62507B	1.125	0.480	1.375	62540B	2.750	0.938	5.188	92520	2.460	0.750	2.750
62510B	1.190	0.500	1.690	WITH INSULATED THROAT				92525B	2.560	0.825	3.625
62511	1.190	0.500	1.690	92505B	1.710	0.520	1.125	92530B	2.620	0.938	4.250
62512B	1.560	0.620	2.060	92507B	1.860	0.540	1.375	92535B	2.810	1.000	4.688
62512	1.560	0.620	2.060	92510B	1.930	0.560	1.690	92540B	2.810	1.000	5.188
62515B	1.690	0.650	2.250	92510	1.930	0.560	1.690	BAGGED ITEMS			
62515	1.690	0.650	2.250	92512B	2.190	0.680	2.066	26250	1.060	0.460	1.125
62520B	1.810	0.690	2.750	92512	2.190	0.680	2.066	29251	1.710	0.520	1.125
62520	1.810	0.690	2.750	92515B	2.280	0.710	2.250	26252	1.125	0.480	1.375
62525B	2.440	0.750	3.625	92515	2.280	0.710	2.250	29252	1.860	0.570	1.375
62530B	2.560	0.875	4.250								



RAINTIGHT COMPRESSION COUPLINGS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
62605B	2.000	1.070	62620	2.920	2.650
62607B	2.200	1.300	62625B	3.875	3.625
62610B	2.450	1.570	62630B	4.00	4.250
62610	2.450	1.570	62635B	4.6875	4.6875
62612B	2.600	1.950	62640B	4.9375	5.1875
62612	2.600	1.950	BAGGED ITEMS		
62615B	2.730	2.180	26261	2.000	1.070
62615	2.920	2.650	26262	2.200	1.300
62620B	2.920	2.650			



COMPRESSION CONNECTORS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C		A	B	C
62305B	1.80	1.10	0.38	BAGGED ITEMS				82325B	3.95	3.45	0.81
62307B	1.95	1.30	0.38	26230	1.80	1.10	0.38	82330B	4.45	4.10	0.88
62310B	2.10	1.53	0.44	26232	1.95	1.30	0.38	82335B	4.75	4.60	0.98
62310	2.10	1.53	0.44	WITH INSULATED THROAT				82340B	4.95	5.15	1.03
62312B	2.75	1.95	0.60	82305B	1.80	1.10	0.38	BAGGED ITEMS			
62312	2.75	1.95	0.60	82307B	1.95	1.30	0.38	28231	1.80	1.10	0.38
62315B	2.95	2.12	0.65	82310B	2.10	1.53	0.44	28232	1.95	1.30	0.38
62315	2.95	2.12	0.65	82310	2.10	1.53	0.44				
62320B	3.35	2.60	0.65	82312B	2.75	1.95	0.60				
62320	3.35	2.60	0.65	82312	2.75	1.95	0.60				
62325B	3.95	3.45	0.81	82315B	2.95	2.12	0.65				
62330B	4.45	4.10	0.88	82315	2.95	2.12	0.65				
62330	4.45	4.10	0.88	82320B	3.35	2.60	0.65				
62335B	4.75	4.60	0.98	82320	3.35	2.60	0.65				
62340B	4.95	5.15	1.03								



SET-SCREW CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B		A	B
12105B	1.16	0.41	12135B	3.58	1.09	92110	1.56	0.56
12107B	1.31	0.47	12140B	3.75	1.09	92110B	1.56	0.56
12110	1.56	0.56	BAGGED ITEMS			92112	1.96	0.63
12110B	1.56	0.56	91211	1.16	0.41	92112B	1.96	0.63
12112	1.96	0.63	21210	1.16	0.41	92115	2.19	0.72
12112B	1.96	0.63	21211	1.16	0.41	92115B	2.19	0.72
12115	2.19	0.72	91212	1.31	0.47	92120	2.50	0.75
12115B	2.19	0.72	21212	1.31	0.47	92120B	2.50	0.75
12120	2.50	0.75	WITH INSULATED THROAT			92125B	3.03	1.00
12120B	2.50	0.75	92105B	1.16	0.41	92130B	3.37	1.06
12125	3.03	1.00	29211	1.16	0.41	92135B	3.58	1.09
12125B	3.03	1.00	92107B	1.31	0.47	92140B	3.75	1.09
12130	3.37	1.06	29212	1.31	0.47			
12130B	3.37	1.06						



EMT TO BOX OFFSET CONNECTORS (ZINC DIE CAST) SET SCREW TYPE

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
03705B	2.09	0.94	0.38	BAGGED ITEMS			
03707B	2.98	1.16	0.75	90371	2.09	0.94	0.38
				90372	2.98	1.16	0.75



EMT TO BOX OFFSET CONNECTORS (ZINC DIE CAST) COMPRESSION TYPE

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
03905	2.13	1.00	0.38
03907	2.90	1.19	0.75





SET-SCREW COUPLINGS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B		A	B
12205B	1.53	0.94	12220	3.44	2.55	BAGGED ITEMS		
12207B	1.88	1.16	12220B	3.44	2.55	91221	1.53	0.94
12210	2.00	1.43	12225	3.99	3.30	21221	1.53	0.94
12210B	2.00	1.43	12225B	3.99	3.30	21220	1.53	0.94
12212	2.50	1.84	12230	4.55	3.94	91222	1.88	1.16
12212B	2.50	1.84	12230B	4.55	3.94	21222	1.88	1.16
12215	2.88	2.07	12235B	4.92	4.45			
12215B	2.88	2.07	12240B	5.24	4.97			

90° ELBOW (STEEL)

HALEX PART #	A	MINIMUM UL RADIUS	HALEX PART #	A	MINIMUM UL RADIUS	PART #	A	MINIMUM UL RADIUS
64405	6.250	4.00	64412	10.500	7.25	64425	18.875	10.50
64405B	6.250	4.00	64412B	10.500	7.25	64430	20.000	13.00
64407	7.060	4.50	64415	12.625	8.25	64435	23.750	15.00
64407B	7.060	4.50	64415B	12.625	8.25	64440	26.125	16.00
64410	9.250	5.75	64420	14.250	9.50			
64410B	9.250	5.75	64420B	14.250	9.50			




SET-SCREW CONNECTORS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C		A	B	C
62705B	1.31	0.85	0.38	62740B	4.24	4.78	1.03	82712B	2.31	1.69	0.60
62707B	1.44	1.07	0.38	BAGGED ITEMS			82712	2.31	1.69	0.60	
62710B	1.65	1.34	0.44	96271	1.31	0.85	0.38	82715B	2.61	1.92	0.65
62710	1.65	1.34	0.44	26271	1.31	0.85	0.38	82715	2.61	1.92	0.65
62712B	2.31	1.69	0.60	26270	1.31	0.85	0.38	82720B	2.78	2.38	0.65
62712	2.31	1.69	0.60	96272	1.44	1.07	0.38	82720	2.78	2.38	0.65
62715B	2.61	1.92	0.65	26272	1.44	1.07	0.38	82725B	3.24	3.15	0.81
62715	2.61	1.92	0.65	WITH INSULATED THROAT			82730B	3.74	3.78	0.88	
62720B	2.78	2.38	0.65	82705B	1.31	0.85	0.38	82735B	3.99	4.28	0.98
62720	2.78	2.38	0.65	82707B	1.44	1.07	0.38	82740B	4.24	4.78	1.03
62725B	3.24	3.15	0.81	82710B	1.65	1.34	0.44	BAGGED ITEMS			
62730B	3.74	3.78	0.88	82710	1.65	1.34	0.44	28271	1.31	0.85	0.38
62735B	3.99	4.28	0.98					28272	1.44	1.07	0.38

45° ELBOW (STEEL)

HALEX PART #	A	MINIMUM UL RADIUS	HALEX PART #	A	MINIMUM UL RADIUS	HALEX PART #	A	MINIMUM UL RADIUS
64505	6.250	4.00	64510	9.250	5.75	64515	12.625	8.25
64507	7.060	4.50	64512	10.500	7.25	64520	14.250	9.50




SET-SCREW COUPLINGS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B		A	B
62805B	1.77	0.85	62815	3.30	1.92	BAGGED ITEMS		
62807B	1.90	1.07	62820B	3.39	2.38	96281	1.77	0.85
62810B	2.48	1.34	62820	3.39	2.38	26281	1.77	0.85
62810	2.48	1.34	62825B	4.25	3.15	26280	1.77	0.85
62812B	3.25	1.69	62830B	6.51	3.78	96282	1.90	1.07
62812	3.25	1.69	62835B	4.76	4.28	26282	1.90	1.07
62815B	3.30	1.92	62840B	5.09	4.78			

90° COMPRESSION ELBOWS (ZINC DIE CAST) SHORT RADIUS


HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
02905B	1.75	0.83	0.52	BAGGED ITEMS			
02907B	1.86	0.95	0.52	90291	1.75	0.83	0.52
02910	2.21	1.12	0.67	90292	1.86	0.95	0.52



90° COMPRESSION ELBOWS (ZINC DIE CAST) LARGE RADIUS

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
02805B	1.595	1.451	0.521	BAGGED ITEMS			
02807B	1.882	1.675	0.521	90281	1.595	1.451	0.521
				90282	1.882	1.675	0.521





**90° SET-SCREW ELBOWS (ZINC DIE CAST)
LARGE RADIUS**

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
02705B	1.444	1.400	0.521
02707B	1.900	1.642	0.518




ONE-HOLE STRAPS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
A	B	C	A	B	C	A	B	C	A	B	C
61505B	1.250	0.562		61130	3.625	1.250		26152	1.375	0.625	
61507B	1.375	0.625		61135B	4.000	1.250		26153	1.562	0.750	
61510B	1.562	0.750		61140B	4.250	1.250		96153	1.562	0.750	
61512B	2.000	0.875		BAGGED ITEMS				26154	2.000	0.875	
61515B	2.125	1.000		96151	1.250	0.562		26155	2.125	1.000	
61520B	2.625	1.125		26151	1.250	0.562		26156	2.625	1.125	
61125	3.312	1.250		96152	1.375	0.625					



TWO-HOLE STRAPS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
A	B	C	A	B	C	A	B	C	A	B	C
61605B	2.250	1.625	0.562	61225B	5.875	4.875	1.000	96162	2.750	2.125	0.625
61607B	2.750	2.125	0.625	61230	6.500	5.500	1.000	26162	2.750	2.125	0.625
61610B	3.000	2.437	0.688	61235B	7.375	6.375	1.000	96163	3.000	2.437	0.688
61612B	3.750	2.937	0.750	61240B	8.000	7.000	1.000	26163	3.000	2.437	0.688
61615B	4.250	3.500	0.875	BAGGED ITEMS				26164	3.750	2.937	0.750
61620B	4.812	4.000	1.000	96161	2.250	1.625	0.562	26165	4.250	3.500	0.875
61225	5.875	4.875	1.000	26161	2.250	1.625	0.562	26166	4.812	4.000	1.000



DRIVE STRAPS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
A	B	A	B	A	B	A	B	
61405B	2.00	1.10	BAGGED ITEMS			96142	2.12	1.20
61407B	2.12	1.20	96141	2.00	1.10	26142	2.12	1.20
61410B	2.25	1.50	26141	2.00	1.10			



EMT-TO-EMT PULL ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
A	B	A	B	A	B
WITHOUT GASKET			WITH NEOPRENE GASKET		
14405	1.31	0.97	94405	1.31	0.97
14407	1.50	1.20	94407	1.50	1.20
			94410	1.85	1.52




EMT-TO-BOX PULL ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
WITHOUT GASKET		
14305	1.31	0.97
14307	1.50	1.20


EMT/RIGID-TO-EMT/RIGID COMBO ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)	
A	B	
94510	1.85	1.52
BAGGED ITEMS		
94505	1.31	0.97
94507	1.500	1.200



EMT/RIGID-TO-BOX COMBO ELBOW (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)	
A	B	
BAGGED ITEMS		
94705	1.310	1.020
94707	1.500	1.270



EMT-TO-EMT INSIDE CORNER PULL ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)	
A	B	
WITHOUT GASKET		
14605	1.81	1.00
14607	2.00	1.25




EMT-TO-FLEX COMBINATION COUPLINGS (ZINC DIE CAST)


HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
A	B	A	B	A	B
COMPRESSION TO SCREW-IN TYPE			BAGGED ITEMS		
04905B	0.84	1.00	20491	0.84	1.00
04907B	0.95	1.19	20492	0.95	1.19
04910	1.11	1.48			



EMT-TO-FLEX COMBINATION COUPLINGS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
A	A (MIN)	B (MAX)	A	A (MIN)	A (MAX)	B	
SET-SCREW TYPE			BAGGED ITEMS				
15305B	0.75	0.95	1.65	91531	0.75	0.95	1.65
15307B	0.91	1.11	1.98				





EMT-TO-NON-METALLIC COMBINATION COUPLINGS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B
15303B	0.17	0.63	1.35	BAGGED ITEMS			
				91530	0.17	0.63	1.35



EMT INSULATING BUSHINGS (POLYETHYLENE)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
75005B	0.81	0.57	0.725	BAGGED ITEMS			
75007B	1.03	0.76	0.94	27501	0.81	0.57	0.725
				27502	1.03	0.76	0.94



EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D
TYPE LL				
56305	3.875	2.047	4.375	1.438
56307	4.625	2.938	5.125	1.688



EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D
TYPE C				
56405	3.875	1.438	4.906	1.063
56407	4.125	1.688	5.500	1.344



EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D
TYPE LB				
56605	3.875	2.125	4.375	1.063
56607	4.625	2.438	5.125	1.344



EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D
TYPE T				
56805	3.875	1.438	4.906	2.125
56807	4.625	1.688	5.500	2.344

EMT/RIGID COMBO CONDUIT BODIES (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D
TYPE LR				
56905	3.875	2.047	4.375	1.438
56907	4.660	1.562	5.091	1.810




EMT CONDUIT BODY-SET SCREW (ALUMINUM) WITH COVER AND GASKET ASSEMBLED

HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D
TYPE LB				
58705	3.875	2.125	4.375	1.063
58707	4.625	2.438	5.125	1.344



SCREW-IN CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B		A	B
04403B	1.31	0.92	BAGGED ITEMS			84407B	1.62	1.12
04405B	1.38	0.92	90440	1.31	0.92	84410	1.94	1.37
04407B	1.62	1.12	90441	1.38	0.92	84412	2.12	1.75
04410	1.94	1.37	20440	1.38	0.92	84415	2.31	2.13
04410B	1.94	1.37	20441	1.38	0.92	84420	2.58	2.67
04412	2.12	1.75	90442	1.62	1.12	BAGGED ITEMS		
04412B	2.12	1.75	20442	1.62	1.12	28440	1.31	0.92
04415	2.31	2.13	WITH INSULATED THROAT			28441	1.38	0.92
04415B	2.31	2.13	84403B	1.31	0.92	28442	1.62	1.12
04420	2.58	2.67	84405B	1.38	0.92			
04420B	2.58	2.67						



SCREW-IN CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
SNAP-IN TYPE		
04403NB	1.269	0.918
04405NB	1.344	0.918




SCREW-IN COUPLINGS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B		A	B
04505B	1.81	0.92	04512	2.75	1.81	BAGGED ITEMS		
04507B	2.09	1.12	04515	3.05	2.12	90451	1.81	0.92
04510	2.41	1.37	04520	3.28	2.67	90452	2.09	1.12



90° CONNECTORS (ZINC DIE CAST)



HALEX PART #	DIMENSIONS (INCHES)				HALEX PART #	DIMENSIONS (INCHES)				HALEX PART #	DIMENSIONS (INCHES)			
	A (MIN)	B (MAX)	C	D		A (MIN)	B (MAX)	C			A (MIN)	B (MAX)	C	
11003B	0.40	0.63	1.81		BAGGED ITEMS				BAGGED ITEMS					
11005B	0.65	0.97	2.18		91100	0.40	0.63	1.81	91003	0.40	0.63	1.81		
11007B	0.77	1.12	2.38		91101	0.65	0.97	2.18	29100	0.40	0.63	1.81		
11010	1.06	1.40	2.87		91102	0.77	1.12	2.38	29101	0.65	0.97	2.18		
11010B	1.06	1.40	2.87		WITH INSULATED THROAT				29102	0.77	1.12	2.38		
11012	1.34	1.65	3.93		91003B	0.40	0.63	1.81						
11012B	1.34	1.65	3.93		91005B	0.65	0.97	2.18						
11015	1.51	2.47	6.05		91007B	0.77	1.12	2.38						
11015B	1.51	2.47	6.05		91010	1.06	1.40	2.87						
11020B	1.51	2.47	6.05		91012	1.34	1.65	3.93						
11025B	2.44	—	3.02	4.97	91015	1.51	2.47	6.05						
11030B	2.97	—	3.48	5.50	91020	1.51	2.47	6.05						
11035B	3.25	—	4.20	6.50										
11040B	3.66	—	4.75	7.25										

90° CONNECTORS (ZINC DIE CAST)



HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	B (MAX)	C
SNAP-IN TYPE			
11003NB	0.40	0.63	1.756
11005NB	0.65	0.97	2.125

ANTI-SHORT BUSHINGS (POLYETHYLENE)



HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B		A	B
FITS CABLE RANGE: 14/2, 14/3, 12/2			FITS CABLE RANGE: 14/4, 12/3, 6/1, 4/1			FITS CABLE RANGE: 12/4, 10/2, 10/3, 2/1		
75400	0.394	0.350	75401	0.450	0.410	75402	0.588	0.540
75400BP	0.394	0.350	75401BP	0.450	0.410	75402BP	0.588	0.540
						75403	0.780	0.730
						75403BP	0.780	0.730
						75404	0.990	0.940
						75404BP	0.990	0.940

SQUEEZE CONNECTORS (ZINC DIE CAST)



HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B
SNAP-IN TYPE			
04203NB	0.58	0.62	0.938
04205NB	0.74	0.997	1.305

SQUEEZE CONNECTORS (ZINC DIE CAST)



HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B
04203B	0.58	0.61	1.00	04225B	2.88	3.25	2.75	WITH INSULATED THROAT			
04205B	0.74	0.95	1.47	04230B	3.34	3.63	3.19	84205B	0.74	0.95	1.47
04207B	0.88	1.11	1.58	04235B	3.75	4.13	3.56	84207B	0.88	1.11	1.58
04210	1.14	1.38	1.75	04240B	4.19	4.56	3.94	84210B	1.14	1.38	1.75
04210B	1.14	1.38	1.75	BAGGED ITEMS			84212B	1.42	1.65	1.91	
04212	1.42	1.65	1.91	90420	0.58	0.61	1.00	84215B	1.68	1.94	2.09
04212B	1.42	1.65	1.91	20420	0.58	0.61	1.00	84220B	2.08	2.56	2.34
04215	1.68	1.94	2.09	90421	0.74	0.95	1.47				
04215B	1.68	1.94	2.09	20421	0.74	0.95	1.47				
04220	2.08	2.56	2.34	90422	0.88	1.11	1.58				
04220B	2.08	2.56	2.34	20422	0.88	1.11	1.58				

FLEX-TO-EMT (ZINC DIE CAST) COMBINATION COUPLINGS



HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A (MAX)	B		A (MAX)	B
COMPRESSION TO SCREW-IN TYPE			BAGGED ITEMS		
04905B	0.84	1.10	20491	0.84	1.10
04907B	0.95	1.30	20492	0.95	1.30
04910	1.11	1.62			

FLEX-TO-EMT (ZINC DIE CAST) COMBINATION COUPLINGS



HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B
SET-SCREW TYPE			BAGGED ITEMS				
15305B	0.75	0.95	1.65	91531	0.75	0.95	1.65
15307B	—	1.11	1.98				

AC (BX) ONE-HOLE STRAPS (STEEL)




HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
62181B	0.96	0.50	BAGGED ITEMS		
			96213	0.96	0.50
			26211	0.96	0.50

SET-SCREW CONNECTORS (ZINC DIE CAST)



HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
04805B	0.94	1.46	WITH INSULATED THROAT		
04807B	1.15	1.56	84805B	0.94	1.46
BAGGED ITEMS			84807B	1.15	1.56
90481	0.94	1.46			



CLAMP-COMBINATION CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)				HALEX PART #	DIMENSIONS (INCHES)			
	A (MIN)	A (MAX)	B	C		A (MIN)	A (MAX)	B	C
05703B	0.18	0.64	1.18	0.34	BAGGED ITEMS				
					90570	0.18	0.64	1.18	0.37
					20570	0.18	0.64	1.18	0.34



CLAMP-COMBINATION CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			
	A (MIN)	A (MAX)	B	C
SNAP-IN TYPE				
05703NB	0.18	0.64	1.18	0.34



DUPLEX CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B
15803B	0.13	0.65	1.496	BAGGED ITEMS			
				91580	0.13	0.65	1.496
				21580	0.13	0.65	1.496



DUPLEX CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B
SNAP-IN TYPE							
15803NB	0.13	0.65	1.496				



SADDLE CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B
06703B	0.12	0.63	0.939	WITH INSULATED THROAT			
BAGGED ITEMS							
				86703B	0.134	0.681	1.017
20670	0.12	0.63	1.939				



SADDLE CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B
SNAP-IN TYPE			
06703NB	0.12	0.63	0.939

AC (BX) CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
05803B	0.38	0.63	0.781	BAGGED ITEMS			
				90580	0.38	0.63	0.781
				20581	0.38	0.63	0.781




AC (BX) CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B
SNAP-IN TYPE			
05803NB	0.38	0.63	0.781




MC "SNAP-IN" CONNECTORS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
SNAP-IN TYPE					
65705B	1.45	0.94	BAGGED ITEMS		
			26571	1.38	0.94




SNAP-RITE MC, AC, FLEX CONNECTORS (ZINC)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
85403NB	1.202	0.880



SNAP-RITE DUPLEX MC, AC, FLEX CONNECTORS (ZINC)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
95403NB	1.816	1.56



HIT LOCK® NON-METALLIC (NYLON) CABLE CONNECTORS

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
FITS NM CABLE: #14/2, #14/3, #12/2, #12/3, #10/2, #10/3					
75105B	0.98	0.49	FITS NM CABLE: #14/3, #12/3, #10/3, #8/3, #6/3		
			75107B	1.25	0.58
BAGGED ITEMS					
97511	1.00	0.49	27512	1.30	0.58
27511	1.00	0.49			





**DUPLEX HIT LOCK® NON-METALLIC (NYLON)
CABLE CONNECTORS**

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
FITS NM CABLE: 2 CABLES #14/2 OR #12/2; 1 CABLE #14/2 AND 1 CABLE #12/2; 1 CABLE #14/2 AND 1 CABLE #10/2; 1 CABLE #12/2 AND 1 CABLE #10/2				BAGGED ITEMS			
27580	1.23	1.06	0.99				
75803B	1.23	1.06	0.99				



**PLASTIC NON-METALLIC (POLYPROPYLENE)
CABLE CONNECTORS**

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
FITS NM CABLE: #14/2, #10/3				BAGGED ITEMS			
75101B	1.34	2.42	0.88	27515	1.34	2.42	0.88
				27516	1.34	2.42	0.88
FITS NM CABLE: #14/2, #10/3							
75102B							



CLAMP CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	A	B		A	A	B		A	A	B
	(MIN)	(MAX)			(MIN)	(MAX)			(MIN)	(MAX)	
FITS NM CABLE: #14/2, #12/2, #12/3, AWG OR 2 #14/2 AWG OR FLEX CORD .300 TO .560 INCHES DIA.				FITS NM CABLE: #14/2 TO #6/3 AWG OR 3#10/3 AWG OR FLEX CORD .450 TO .730 INCHES DIA.				FITS NM CABLE: FLEX CORDS, MULTI FLEX CORDS; FITTING RANGE .835-1.520 INCHES DIA. SE CABLES 2 CONDUCTOR 4/0			
05103B	0.18	0.64	1.18	05110B	0.33	1.04	1.94	05115	0.63	1.60	2.95
BAGGED ITEMS				BAGGED ITEMS				BAGGED ITEMS			
90510	0.18	0.64	1.18	90513	0.33	1.04	1.94	05115B	0.63	1.60	2.95
20511	0.18	0.64	1.18	FITS NM CABLE: #6/3 TO #2/3 AWG OR FLEX CORD .800 TO 1.350 INCHES DIA. OR SE CABLE 3 CONDUCTOR OR 3#1/0 MIN; 3 CONDUCTOR OR 3#2/0 MAX.				FITS NM CABLE: FLEX CORDS, MULTI FLEX CORDS; FITTING RANGE 1.085-1.520 INCHES DIA.			
20510	0.18	0.64	1.18	05120	0.86	2.06	2.95	05120B	0.86	2.06	2.95
FITS NM CABLE: #14/2 ROUND, 12/3-8/3 AWG OR FLEX CORD .460 TO .720 INCHES DIA.				BAGGED ITEMS							
05107B	0.30	0.83	1.60	90514	0.36	1.06	2.20				
BAGGED ITEMS				BAGGED ITEMS							
90512	0.30	0.83	1.60								
20512	0.30	0.83	1.60								




CLAMP CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		
	A	A	B
	(MIN)	(MAX)	
SNAP-IN TYPE			
FITS NM CABLE: #14/2, #12/2, #12/3, AWG OR 2 #14/2 AWG OR FLEX CORD .300 TO .560 INCHES DIA.			
05103NB	0.18	0.64	1.18
05107NB	0.30	0.83	1.60

CLAMP COMBINATION CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)				HALEX PART #	DIMENSIONS (INCHES)			
	A	A	B	C		A	A	B	C
	(MIN)	(MAX)				(MIN)	(MAX)		
BAGGED ITEMS									
05703B	0.18	0.64	1.18	0.34	90570	0.18	0.64	1.18	0.34
					20570	0.18	0.64	1.18	0.34



CLAMP COMBINATION CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			
	A	A	B	C
	(MIN)	(MAX)		
SNAP-IN TYPE				
05703NB	0.18	0.64	1.18	0.34



DUPLEX CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	A	B		A	A	B
	(MIN)	(MAX)			(MIN)	(MAX)	
BAGGED ITEMS							
15803B	0.13	0.65	1.496	91580	0.13	0.65	1.496
				21580	0.13	0.65	1.496




DUPLEX CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		
	A	A	B
	(MIN)	(MAX)	
SNAP-IN TYPE			
15803NB	0.13	0.65	1.496



TWO-PIECE CLAMP CONNECTORS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
BAGGED ITEMS					
65103B	0.95	1.31	96510	0.95	1.31
65110B	1.25	1.75	26510	0.95	1.31
65112B	1.62	1.63	26512	1.25	1.75
65115B	1.97	1.18	26514	1.62	1.63
			26515	1.97	1.18





WATER-TIGHT UF CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)				C	HALEX PART #	DIMENSIONS (INCHES)				C
	A (MIN)	A (MAX)	B (MIN)	B (MAX)			A (MIN)	A (MAX)	B (MIN)	B (MAX)	
FITS UF CABLE ONLY: #14/2, #12/2						FITS UF CABLE ONLY: #14/3-#12/3					
06605B	0.10	0.22	0.48	0.44	1.20	06607B	0.18	0.22	0.80	0.66	1.27
BAGGED ITEMS						BAGGED ITEMS					
90661	0.15	0.22	0.40	0.44	1.20	90662	0.18	0.22	0.80	0.66	1.27



SADDLE CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B
06703B	0.12	0.63	0.939	INSULATED THROAT			
BAGGED ITEMS							
20670	0.12	0.63	0.939	86703B	0.134	0.67	1.007




SADDLE CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B
SNAP-IN TYPE			
06703NB	0.12	0.83	0.939



EMT-TO-NON-METALLIC (ZINC DIE CAST) COMBINATION COUPLINGS

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B
15303B	0.17	0.63	1.35	BAGGED ITEMS			
				91530	0.17	0.63	1.35




ONE-HOLE STRAPS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)				HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D		A	B	C	D
FITS NM CABLE									
62171B	0.585	0.300	1.322	0.500	BAGGED ITEMS				
26210	0.585	0.300	1.322	0.500					



LIQUID-TIGHT CONNECTORS (ZINC DIE CAST) ONE-PIECE

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
06305B	1.661	0.521	1.543	WITH INSULATED THROAT			
06307B	1.721	0.521	1.79	86305B	1.741	0.591	
BAGGED ITEMS							
90361	1.661	0.521	1.543	86307B	1.801	0.60	1.79
90362	1.721	0.521	1.79				



LIQUID-TIGHT CONNECTORS (ZINC DIE CAST) MULTI-PIECE


HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)				
	A	B	C		A	B	C		A	B	C		
16203B	1.58	0.53	1.18	BAGGED ITEMS						96212B	2.06	0.58	1.81
16205B	1.52	0.53	1.29	91625	1.52	0.53	1.29	96215B	2.06	0.61	2.18		
16207B	1.69	0.53	1.57	91627	1.69	0.53	1.57	96220B	2.09	0.63	2.51		
16210B	2.06	0.58	1.81	WITH INSULATED THROAT						96225B	2.15	0.63	3.03
16210B	2.06	0.58	1.81	96203B	1.58	0.53	1.18	96230B	4.00	0.96	4.34		
16212B	2.06	0.61	2.18	96205B	1.52	0.53	1.29	96235B	4.25	1.00	4.78		
16215B	2.09	0.63	2.51	96207B	1.69	0.53	1.57	96240B	4.70	1.00	5.19		
16220B	2.15	0.63	3.03	96210B	2.06	0.58	1.81						

90° LIQUID-TIGHT CONNECTORS (ZINC DIE CAST) ONE-PIECE

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
06805B	2.47	1.520	0.521	BAGGED ITEMS			
06807B	2.761	1.695	0.521	90681	2.47	1.520	0.521
				90682	2.761	1.695	0.521


90° LIQUID-TIGHT CONNECTORS (ZINC DIE CAST) MULTI-PIECE


HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)				
	A	B	C		A	B	C		A	B	C		
16903B	2.11	0.53	2.53	BAGGED ITEMS						96912B	3.46	0.58	3.86
16905B	2.24	0.53	2.46	91695	2.24	0.53	2.46	96915B	3.37	0.67	3.99		
16907B	2.47	0.55	2.79	91697	2.47	0.55	2.79	96920B	4.28	0.61	5.04		
16910B	3.46	0.58	3.86	WITH INSULATED THROAT						96925B	4.21	0.71	5.06
16910	3.46	0.58	3.86	96903B	2.11	0.53	2.53	96930B	4.00	0.95	3.86		
16914B	3.37	0.67	3.99	96905B	2.24	0.53	2.46	96935B	4.25	0.98	4.13		
16915B	4.28	0.61	5.04	96907B	2.47	0.55	2.79	96940B	4.70	1.00	4.52		
16920B	4.21	0.71	5.06	96910B	3.46	0.58	3.86						



LIQUID-TIGHT CONNECTORS (STEEL/MALLEABLE IRON)


HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
STRAIGHT							
66203B	1.125	0.500	1.125	INSULATED			
66205B	1.250	0.500	1.250	86203B	1.125	0.5625	1.125
66206B	1.250	0.500	1.5625	86205B	1.250	0.5625	1.250
66210B	1.4375	1.625	1.822	86207B	1.250	0.5625	1.5625
66212B	1.500	0.6875	2.250	86210B	1.4375	0.6875	1.8215
66215B	1.625	0.750	2.4375	86212B	1.500	0.750	2.250
66220B	1.750	0.750	3.000	86215B	1.625	0.8215	2.4375
				86220B	1.750	0.8215	3.000






90° LIQUID-TIGHT CONNECTORS (MALLEABLE IRON)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
66903B	1.3125	0.500	1.125	INSULATED			
66905B	1.4375	0.500	1.250	86903B	1.3125	0.5625	1.125
66907B	1.625	0.500	1.5625	86905B	1.4375	0.5625	1.250
66910B	2.3125	0.625	1.8125	86907B	1.625	0.5625	1.5625
66912B	2.375	0.6875	2.250	86910B	2.3125	0.6875	1.8125
66915B	3.6875	0.750	2.4375	86912B	2.375	0.750	2.250
66920B	3.6875	0.750	2.4375	86915B	3.6875	0.8215	2.4375
				86920B	3.6875	0.8215	3.000




45° LIQUID-TIGHT CONNECTORS (MALLEABLE IRON)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
66503B	1.9375	0.500	1.125	INSULATED			
66505B	2.000	0.500	1.250	86503B	1.9375	0.5625	1.125
66507B	2.1875	0.500	1.5625	86505B	2.000	0.5625	1.250
66510B	2.500	0.625	1.8125	86507B	2.1875	0.5625	1.5625
66512B	2.8125	0.6875	2.250	86510B	2.500	0.6875	1.8125
66515B	3.000	0.750	2.4375	86512B	2.8125	0.750	2.250
66520B	3.6875	0.750	3.000	86515B	3.000	0.8215	2.4375
				86520B	3.6875	0.8215	3.000



PVC LIQUID-TIGHT CONNECTORS (PVC)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
MULTI-PIECE				BAGGED ITEMS			
76303B	0.88	0.65	1.31	27620	0.88	0.65	1.31
76305B	1.54	0.44	1.39	27621	0.88	0.65	1.31
76307B	1.60	0.46	1.58	27622	0.92	0.71	1.50
76310B	1.97	0.57	1.92				



90° PVC LIQUID-TIGHT CONNECTORS (PVC)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
MULTI-PIECE				BAGGED ITEMS			
76803B	2.37	0.53	2.26	27690	2.37	0.53	2.26
76805B	2.50	0.44	2.24	27691	2.37	0.53	2.26
76807B	2.91	0.46	2.50	27692	2.79	0.58	2.55
76810B	1.97	0.57	1.92				



QUICK-SET® LIQUID-TIGHT CONNECTORS (NYLON)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
76203B	1.18	0.55	1.42	BAGGED ITEMS			
76205B	1.18	0.55	1.42	97620	1.18	0.55	1.42
76207B	1.20	0.64	1.69	97621	1.18	0.55	1.42
76210B	1.23	0.72	2.02	97622	1.20	0.64	1.69
76212B	2.44	0.76	2.40	97623	1.23	0.72	2.02
76215B	2.70	0.80	2.67				
76220B	2.99	0.85	3.28				


QUICK-SET® 90° LIQUID-TIGHT CONNECTORS (NYLON)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
76903B	2.84	0.50	2.03	BAGGED ITEMS			
76905B	2.84	0.50	2.03	97690	2.84	0.50	2.03
76907B	3.25	0.50	2.33	97691	2.84	0.50	2.03
76910B	3.54	0.60	2.95	97692	3.25	0.50	2.33
76912B	4.75	0.76	5.20	97693	3.54	0.60	2.95
76915B	4.75	0.80	5.20				
76920B	5.42	0.86	5.80				




COMPRESSION CONNECTORS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C		A	B	C
63505B	1.43	1.17		62330B	4.45	4.10	0.88	INSULATED THROAT			
63507B	1.48	1.43		62335B	4.75	4.60	0.98	82325B	2.44	3.62	
63510	1.48	1.43		62340B	4.95	5.15	1.03	82330B	2.56	4.25	
63512	1.96	2.16		BAGGED ITEMS				82335B	2.75	4.69	
63515	2.15	2.38		26351	1.43	1.17		82340B	2.75	5.19	
63520	2.24	2.88		26352	1.48	1.43					
62325B	3.95	3.45	0.81								




COMPRESSION CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
02125B	2.62	1.00		WITH INSULATED THROAT			
02130B	2.75	1.06		82125B	2.62	1.00	
02135B	2.83	1.14		82130B	2.75	1.06	
02140B	2.84	1.14		82135B	2.83	1.14	
				82140B	2.84	1.14	




COMPRESSION COUPLINGS (STEEL)


HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
96361	1.76	1.17		62425B	3.88	3.62	
96362	1.93	1.43		62430B	4.00	4.25	
63610	2.19	1.77		62435B	4.69	4.69	
63612	2.51	2.16		62440B	4.94	5.19	
63615	2.77	2.38					
63620	2.78	2.88					



COMPRESSION COUPLINGS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
02225B	3.29	3.24	
02230B	3.42	4.21	
02235B	3.51	4.75	
02240B	3.54	5.32	





SET SCREW CONNECTORS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
62725B	3.24	3.15	0.81	WITH INSULATED THROAT			
62730B	3.74	3.78	0.88	82725B	3.24	3.15	0.81
62735B	3.99	4.28	0.98	82730B	3.74	3.78	0.88
62740B	4.24	4.78	1.03	82735B	3.99	4.28	0.98
				82740B	4.24	4.78	1.03



SET SCREW CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		
	A	B		A	B	
12125B	3.03	1.00	WITH INSULATED THROAT			
12130B	3.37	1.06	92125B	3.03	1.00	
12135B	3.58	1.09	92130B	3.37	1.06	
12140B	3.75	1.09	92135B	3.58	1.09	
			92140B	3.75	1.09	




SET SCREW COUPLINGS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
12225B	3.99	3.30	12235B	4.92	4.45
12230B	4.55	3.94	12240B	5.24	4.97



SET SCREW COUPLINGS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
62825B	3.99	3.30	62835B	4.92	4.45
62830B	4.55	3.94	62840B	5.24	4.97



RIGID THREE-PIECE COUPLINGS (MALLEABLE IRON)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
65505B	1.188	0.984	1.406	65525B	3.500	1.938	4.031
65507B	1.375	1.125	1.641	65530B	4.125	2.250	4.531
65510B	1.688	0.750	2.016	65535B	4.688	2.594	5.297
65512B	2.063	1.500	2.516	65540B	5.406	3.078	5.719
65515B	2.344	1.672	2.828				
65520B	3.000	1.781	3.359				

PS




RIGID-TO-RIGID PULL ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
WITH NEOPRENE GASKET					
94105	1.31	1.02	94107	1.50	1.27
94105B	1.31	1.02	94107B	1.50	1.27
			94110	1.85	1.54

EMT-TO-RIGID PULL ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
94510	1.85	1.52
BAGGED ITEMS		
94505	1.31	0.97
94507	1.500	1.200




RIGID-TO-BOX PULL ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
WITH GASKET					
94205B	1.31	1.02	WITHOUT GASKET		
94207B	1.50	1.27	14205	1.31	1.02
			14207	1.50	1.27



EMT-TO-RIGID-TO-BOX PULL ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
94705	1.310	1.020
94707	1.500	1.270




ONE-HOLE STRAPS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
61105B	1.375	0.625	61135B	4.000	1.250
61107B	1.562	0.750	61140B	4.250	1.250
61110B	1.812	0.875	BAGGED ITEMS		
61112B	2.000	0.875	96111	1.375	0.625
61115B	2.500	1.000	96112	1.562	0.750
61120	2.750	1.125	96113	1.812	0.875
61125	3.312	1.250			
61130	3.625	1.250			



ONE-HOLE STRAPS (MALLEABLE IRON)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
31205B	2.016	0.625	0.969
31207B	2.219	0.750	1.031



PS

TWO-HOLE STRAPS (STEEL)



Table with 3 columns: HALEX PART #, DIMENSIONS (INCHES) A B C, and HALEX PART # DIMENSIONS (INCHES) A B C. Lists various part numbers and their dimensions.

REDUCING WASHERS (STEEL)



Table with 3 columns: HALEX PART #, DIMENSIONS (INCHES) A B C, and HALEX PART # DIMENSIONS (INCHES) A B C. Lists various part numbers and their dimensions.

CONDUIT LOCKNUTS (STEEL)



Table with 3 columns: HALEX PART #, DIMENSIONS (INCHES) A B, and HALEX PART # DIMENSIONS (INCHES) A B. Lists various part numbers and their dimensions.

REDUCING BUSHINGS (ZINC DIE CAST)



Table with 3 columns: HALEX PART #, DIMENSIONS (INCHES) A B, and HALEX PART # DIMENSIONS (INCHES) A B. Lists various part numbers and their dimensions.

SEALER LOCKNUTS (STEEL)




Table with 3 columns: HALEX PART #, DIMENSIONS (INCHES) A (MIN) A (MAX) B C D, and HALEX PART # DIMENSIONS (INCHES) A (MIN) A (MAX) B C D. Lists various part numbers and their dimensions.

CONDUIT NIPPLES (STEEL)




Table with 3 columns: HALEX PART #, DIMENSIONS (INCHES) A B, and HALEX PART # DIMENSIONS (INCHES) A B. Lists various part numbers and their dimensions.

CONDUIT LOCKNUTS (ZINC DIE CAST)



Table with 3 columns: HALEX PART #, DIMENSIONS (INCHES) A B, and HALEX PART # DIMENSIONS (INCHES) A B. Lists various part numbers and their dimensions.

GROUNDING LOCKNUTS (ZINC DIE CAST)





Table with 3 columns: HALEX PART #, DIMENSIONS (INCHES) A B C. Lists various part numbers and their dimensions.





OFFSET NIPPLES (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C		A	B	C
04005B	2.44	0.93	0.75	04015B	3.06	2.07	0.75	BAGGED ITEMS			
04007B	2.56	1.15	0.75	04020	3.12	2.60	0.75				
04010	2.75	1.42	0.75	04020B	3.12	2.60	0.75				
04010B	2.75	1.42	0.75	04025B	4.02	3.23	0.75				
04012	2.88	1.85	0.75	04030B	4.53	3.86	0.75				
04012B	2.88	1.85	0.75								
04015	3.06	2.07	0.75								

PLASTIC INSULATING BUSHINGS (THERMOPLASTIC)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C		A	B	C		A	B	C	
75205B	0.594	1.063	0.375	75230B	3.000	4.083	0.750	27527	0.781	1.281	0.406	
75207B	0.781	1.281	0.406	75235B	3.328	4.469	0.688	97523	1.000	1.563	0.563	
75210B	1.000	1.563	0.563	75240B	3.875	5.000	0.688	27528	1.000	1.563	0.563	
75212B	1.313	1.906	0.563	BAGGED ITEMS				97524	1.313	1.906	0.563	
75215B	1.531	2.219	0.563		97521	0.594	1.063	0.375	27529	1.313	1.906	0.563
75220B	1.969	2.781	0.625		27520	0.594	1.063	0.375	97525	1.531	2.219	0.563
75225	2.406	3.375	0.750		27521	0.594	1.063	0.375	27525	1.531	2.219	0.563
75225B	2.406	3.375	0.750		97522	0.781	1.281	0.406	97526	1.969	2.781	0.625
75230	3.000	4.083	0.750		27522	0.781	1.281	0.406	27526	1.969	2.78	





CHASE NIPPLES (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)		
	A	B		A	B	
07005B	1.02	0.68	07035B	4.61	1.47	
07007B	1.29	0.75	07040B	5.15	1.47	
07010B	1.53	0.87	BAGGED ITEMS			
07012	1.89	0.94		90701	1.02	0.68
07012B	1.89	0.94		20701	1.02	0.68
07015	2.30	0.91		90702	1.29	0.75
07015B	2.30	0.91		90703	1.53	0.87
07020	2.88	1.07		WITH INSULATED THROAT		
07020B	2.88	1.07	87005B		1.02	0.68
07025B	3.39	1.38				
07030B	4.06	1.44				

INSULATED METALLIC GROUNDING BUSHING (LAY-IN LUG) (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C		A	B	C	
95205B	1.845	1.063	0.500	BAGGED ITEMS				
95207B	2.047	1.281	0.500		29521	1.845	1.063	0.500
95210B	2.329	1.531	0.594		29522	2.047	1.281	0.500
95212B	2.688	1.875	0.625		29523	2.329	1.531	0.594
95215B	3.109	2.156	0.625		99524	2.688	1.875	0.625
95220B	3.594	2.625	0.625		29525	3.109	2.156	0.625
95225	4.485	3.219	0.875		99526	3.594	2.625	0.625
95225B	4.485	3.219	0.875					
95230	5.063	3.813	0.875					
95230B	5.063	3.813	0.875					
95235B	5.610	4.344	0.875					
95240B	6.095	4.813	0.875					



BOX SPACERS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
16405B	1.12	0.40	0.31
16407B	1.12	0.40	0.31
BAGGED ITEMS			
91641	1.12	0.40	0.31
21642	1.12	0.40	0.31


CONDUIT BODY GASKETS

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
59105B	1.375	3.906	3.500
59107B	1.563	4.688	4.125
59110B	1.781	5.375	4.813
59115B	2.500	7.250	6.500
59120B	3.125	9.500	8.563
59130B	4.500	12.250	11.250
59140B	5.453	14.813	13.750



CONDUIT BUSHINGS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
05205B	1.05	0.37	05220B	2.69	0.52
05207B	1.32	0.37	05225B	3.23	0.52
05210B	1.58	0.37	05230B	3.84	0.85
05212B	1.94	0.47	05235B	4.35	0.85
05215B	2.20	0.50	05240B	5.02	0.85



CONDUIT BODY COVERS (ALUMINUM)


HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
59205B	1.375	3.906	3.500
59207B	1.563	4.688	4.125
59210B	1.781	5.375	4.813
59215B	2.500	7.250	6.500
59220B	3.125	9.500	8.563
59230B	4.500	12.250	11.250
59240B	5.453	14.813	13.375





SERVICE ENTRANCE EII (ALUMINUM)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
59505	1.625	1.406	3.281
59507	1.953	1.703	3.813
59510	2.125	1.563	4.313
59512	2.563	2.438	5.563
59515	2.594	2.625	6.250
59520	3.125	3.078	6.750




THREADED CONDUIT BODIES (ALUMINUM) WITH COVER & GASKET

HALEX PART #	DIMENSIONS (INCHES)				HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D		A	B	C	D
TYPE: LB									
58605	3.87	1.31	4.24	1.41	58920	9.46	3.10	9.88	3.41
58607	4.67	1.53	4.97	1.65	58925B	12.22	4.50	13.14	4.00
58610	5.37	1.74	5.79	1.91	58930B	11.208	4.50	12.5	
58612	7.23	2.49	7.79	2.48	58935B	14.937	5.50	15.062	
58615	7.23	2.49	7.81	2.67	58940B	14.937	5.50	15.187	
58620	9.46	3.10	10.20	3.42	TYPE: LL				
58625	12.22	4.44	13.14	3.93	58305	3.87	1.31	4.40	1.40
58630B	12.22	4.44	13.14	4.52	58307	4.67	1.53	5.07	1.64
58635B	14.83	5.42	15.46	5.39	58310	5.37	1.74	5.94	1.90
58640B	14.83	5.42	15.46	5.39	58312	7.23	2.49	7.87	2.85
TYPE: T									
58805	3.87	1.31	4.82	1.40	58315	7.23	2.49	7.87	2.85
58807	4.67	1.53	5.40	1.64	58320	9.46	3.10	10.20	3.41
58810	5.37	1.74	6.33	1.90	58325B	12.22	4.50	13.14	4.00
58812	7.23	2.49	8.45	2.73	58330B	11.208	4.50	12.5	
58815	7.23	2.49	8.45	2.73	58335B	14.937	5.50	15.25	
58820	9.46	3.10	10.71	3.41	58340B				
58825B	11.208	4.50	13.75		TYPE: C				
58830B	11.208	4.50	13.687		58405	3.87	1.31	4.82	1.40
58835B	14.937	4.50	16.904		58407	4.67	1.53	5.50	1.64
58840B	14.937	5.50	15.875		58410	5.37	1.74	6.44	1.90
TYPE: LR									
58905	3.87	1.31	4.40	1.40	58412	7.23	2.49	8.45	2.73
58907	4.67	1.53	5.07	1.64	58415	7.23	2.49	8.45	2.73
58910	5.37	1.74	5.94	1.90	58420	9.46	3.10	10.71	3.41
58912	7.23	2.49	7.78	2.85	58425B	11.208	4.50	13.75	
58915	7.23	2.49	7.78	2.85	58430B	11.208	5.5	13.687	
					58435B	14.937	5.50	16.875	
					58440B	14.937	5.50	16.875	


THREADED CONDUIT BODIES (ALUMINUM) COVER & GASKET SOLD SEPARATELY


HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D
TYPE: LB				
59605B	3.875	2.125	4.375	1.063
59607B	4.625	2.438	5.125	1.344
59610B	5.375	2.813	5.938	1.656
59612B	6.625	3.750	6.875	2.250
59615B	6.625	3.750	6.875	2.250
59620B	8.500	4.125	9.219	2.938
TYPE: T				
59805B	3.875	1.438	4.906	2.125
59807B	4.625	1.688	5.500	2.344
59810B	5.375	1.938	6.438	2.656
TYPE: C				
59405B	3.875	1.438	4.906	1.063



RGD/EMT COMBO CONDUIT BODIES (ALUMINUM) WITH COVER & GASKET


HALEX PART #	DIMENSIONS (INCHES)		
	A	B	CD
TYPE: LR			
56905	3.875	2.047	4.375 1.438
56907	4.625	2.313	5.125 1.688
TYPE: LL			
56305	3.875	2.047	4.375 1.438
56307	4.625	2.938	5.125 1.688
TYPE: C			
56405	3.875	1.438	4.906 1.063
56407	4.625	1.688	5.500 1.344
TYPE: LB			
56605	3.875	2.125	4.375 1.063
56607	4.625	2.438	5.125 1.344
TYPE: T			
56805	3.875	1.438	4.906 2.125
56807	4.625	1.688	5.500 2.344






MOGUL PULLING ELBOW - TYPE LB (ALUMINUM)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
58212B	3.500	2.719	9.625
58215B	5.500	4.125	14.563
58220B	5.500	4.125	14.563




WATER-TIGHT CONDUIT HUBS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
91631	1.438	1.344
91632	1.719	1.469
16310	2.000	1.656
16312	2.375	1.688
16315	2.750	1.688
16320	3.250	1.750
16325B	3.750	2.219
16330B	4.375	2.313
16335B	5.000	2.375
16340B	5.500	2.438



90° SHORT RADIUS ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
19005	0.98	0.96
19007	1.17	1.04



90° LARGE RADIUS ADAPTER ELBOWS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
19205B	1.294	1.450	0.521
19207B	1.526	1.690	0.521


BAGGED ITEMS

91921	1.294	1.450	0.521
91922	1.526	1.690	0.521

PS


RIGID COUPLINGS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
64005	1.010	1.625
64005B	1.010	1.625
64007	1.250	1.640
64007B	1.250	1.640
64010	1.525	1.970
64012	1.869	2.030
64015	2.155	2.060
64020	2.650	2.125
64025	3.250	3.190
64030	3.870	3.315
64035	4.500	3.410
64040	4.875	3.515



90° RIGID ELBOWS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		
	A	MIN. UL RADIUS	B
64105	6.375	4.000	1.750
64105B	6.375	4.000	1.750
64107	7.438	4.500	2.250
64107B	7.438	4.500	2.250
64110	9.500	5.750	2.250
64110B	9.500	5.750	2.250
64112	11.375	7.250	3.000
64112B	11.375	7.250	3.000
64115	12.813	8.250	3.500
64115B	12.813	8.250	3.500
64120	15.500	9.500	4.000
64120B	15.500	9.500	4.000
64125	19.250	10.500	4.750
64130	21.500	13.000	6.000
64135	24.500	15.000	5.500
64140	25.500	16.000	5.750




45° RIGID ELBOWS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		
	A	MIN. UL RADIUS	B
64205	6.375	4.000	1.750
64207	7.438	4.500	2.250
64210	9.500	5.750	2.250
64212	11.375	7.250	3.000
64215	12.813	8.250	3.500
64220	15.500	9.500	4.000



PS





MIDGET ONE-HOLE STRAPS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
26212	0.73	0.33
26214	0.95	0.50

THERMOPLASTIC SERVICE ENTRANCE CAPS (PVC)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
77801	2.000	2.719	1.969
77802	3.031	4.031	2.875
77803	3.031	4.031	2.875




ONE-HOLE SERVICE CABLE STRAPS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D
FITS NM CABLE				
62171B	0.585	0.300	1.322	0.500
FITS SE AND SEU CABLE				
62191B	0.875	0.375	1.688	0.562
62192B	1.000	0.500	1.937	0.562
62193B	1.250	0.750	2.500	1.000
62194B	1.500	0.812	2.812	1.000
BAGGED ITEMS				
26210	0.585	0.300	1.322	0.500
46213	1.00	0.500	1.937	0.562
26218	1.250	0.750	2.500	1.000
26219	1.500	0.812	2.812	1.000



OVAL SERVICE CABLE CAPS (ALUMINUM)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
57499	2.000	2.969	2.172
57699	3.453	4.516	3.188



SLIP-FIT MAST HEADS (ALUMINUM)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
FOR 200 AMP SERVICE		
57925	5.18	6.50




TWO-HOLE SERVICE CABLE STRAPS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)			
	A	B	C	D
FITS SE AND SEU CABLE				
62291B	0.875	0.375	2.375	0.750
62292B	1.000	0.500	2.750	0.750
62293B	1.250	0.750	3.188	0.750
62294B	1.500	0.812	3.500	0.750
BAGGED ITEMS				
26222	0.875	0.375	2.375	0.750
26223	1.000	0.500	2.750	0.750
26224	1.250	0.750	3.188	0.750
26225	1.500	0.812	3.500	0.750


SERVICE CABLE SILL PLATES (ALUMINUM)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
WITH 2 SCREWS			
50599	3.000	2.750	1.200
WITH 4 SCREWS			
50699	2.750	5.500	1.620
50799	2.870	6.120	1.870



CONDUIT SILL PLATES (ALUMINUM)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
WITH 2 SCREWS			
50507	2.600	2.352	0.972
50610	3.000	2.542	1.175
WITH 4 SCREWS			
50612	3.780	2.635	1.520
50615	3.582	3.712	1.720
50720	4.130	4.185	2.220




**SERVICE ENTRANCE CAPS (ALUMINUM)
CLAMP-ON TYPE**


HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
58005	2.688	2.250	2.125	58025	8.000	5.813	6.438
58007	2.859	2.250	2.281	58030	8.109	6.375	6.438
58010	3.281	2.609	2.609	58030B	8.109	6.375	6.438
58012	3.250	3.094	3.094	58035B	9.563	7.109	8.156
58012B	3.250	3.094	3.094	58040B	9.344	7.953	8.156
58015	4.672	3.750	3.406				
58020	6.000	4.500	4.719				
58020B	6.000	4.500	4.719				



CLAMP CONNECTOR


HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B (MIN)		A (MIN)	A (MAX)	B (MIN)
05312	1.004	0.324	2.243	05315B	1.094	0.384	2.847
05312B	1.004	0.324	2.243	05320	1.442	0.680	3.485
05315	1.094	0.384	2.847	05320B	1.442	0.680	3.485






**OFFSET BOTTOM REDUCER (ALUMINUM)
SLIPFITTER**

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
50920	2.87	2.00	1.75



**CONDUIT SUPPORTS (MALLEABLE)
LAG SCREW STYLE**

HALEX PART #	DIMENSIONS (INCHES)		
	A		
51320	2.265		
51325	2.875		




**CONDUIT SUPPORTS (MALLEABLE)
10" BOLT, NUT & WASHER**

HALEX PART #	DIMENSIONS (INCHES)		
	A		
33520	2.12		
33525	2.50		




ADJUSTABLE PORCELAIN WIREHOLDER

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
60525	7.25	5.60



**PORCELAIN WIREHOLDER
HEAVY DUTY**

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
60222	1.875	3.094



**PORCELAIN WIREHOLDER
MEDIUM DUTY**

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
60322	1.968	3.000



**PORCELAIN WIREHOLDER
LIGHT DUTY**

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
60416	1.375	2.000


WATER-TIGHT CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX B (MAX)	DIMENSIONS (INCHES)			C		
	A (MIN)	A (MAX)	B (MIN)		A (MIN)	A (MAX)	B (MIN)		B (MAX)	
COMPRESSION TYPE										
07210	0.425	0.465	0.665	0.730	FITS UF CABLE ONLY: #14/2, #12/2					
07310	0.465	0.545	0.730	0.860	06605B	0.10	0.22	0.48	0.44	1.20
07310B	0.465	0.545	0.730	0.860	BAGGED ITEMS					
08112B	0.522	0.562	0.860	0.920	90661	0.10	0.22	0.48	0.44	1.20
08212	0.550	0.590	0.920	0.970	FITS UF CABLE: #12/2, #12/3					
08212B	0.550	0.590	0.920	0.970	06607B	0.18	0.22	0.80	0.66	1.27
08312	0.590	0.670	0.970	1.135	BAGGED ITEMS					
09115B	0.670	0.725	1.135	1.210	90662	0.18	0.22	0.80	0.66	1.27
09215	0.710	0.750	1.205	1.245						
10220	0.710	0.750	1.215	1.250						
10220B	0.710	0.750	1.215	1.250						
10420	0.845	0.910	1.425	1.550						
10420B	0.845	0.910	1.425	1.550						
10520	0.910	1.005	1.550	1.600						
10520B	0.910	1.005	1.550	1.600						




SERVICE ENTRANCE ELL (ALUMINUM)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
59505	1.625	1.406	3.281
59507	1.953	1.703	3.813
59510	2.125	1.563	4.313
59512	2.563	2.438	5.563
59515	2.594	2.625	6.250
59520	3.125	3.078	6.750




WEDGE CLAMP CONNECTORS (ALUMINUM)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
51061	3.00	5.45
51062	3.75	5.45
51063	3.75	5.45




ROOF FLASHINGS (STEEL)


HALEX PART #	DIMENSIONS (INCHES)	
	A	B
60812	14.50	10.75
60820	14.50	10.75
60825	14.50	10.75



DUCT SEAL

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
79910B	4.125	4.125	0.075
79950B	4.188	4.188	0.081





**GROUND CLAMPS FOR BARE WIRE (BRONZE)
(WITH LAY-IN LUG DESIGN)**

HALEX PART #	DIMENSIONS (INCHES) A
--------------	--------------------------

FOR DIRECT BURIAL (STAINLESS STEEL SCREWS)


36910	2.36
36910B	2.36



GROUND CLAMPS FOR BARE WIRE (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES) A
--------------	--------------------------

16010	2.203
16010B	2.265



GROUND CLAMPS FOR BARE WIRE (BRONZE)

HALEX PART #	DIMENSIONS (INCHES) A
--------------	--------------------------

36010	2.281
36010B	2.281

FOR DIRECT BURIAL (BRONZE SCREWS)

36019	2.281
-------	-------



GROUND CLAMPS FOR BARE WIRE (BRONZE)

HALEX PART #	DIMENSIONS (INCHES) A
--------------	--------------------------

36020	3.594
36020B	3.594

FOR DIRECT BURIAL (BRONZE SCREWS)

36029	3.594
-------	-------



GROUND CLAMPS FOR ARMORED CABLE (BRONZE)

HALEX PART #	DIMENSIONS (INCHES) A
--------------	--------------------------

36110	2.250
-------	-------



GROUND CLAMPS FOR ARMORED CABLE (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES) A
--------------	--------------------------


16110	2.220
-------	-------

GROUND CLAMPS WITH THREADED HUB (BRONZE)

HALEX PART #	DIMENSIONS (INCHES) A
--------------	--------------------------

1/2" HUB


36210	2.230
-------	-------



GROUND CLAMPS WITH STRAP AND HUB (BRONZE)

HALEX PART #	DIMENSIONS (INCHES) A
--------------	--------------------------

36310	2.281
36320	2.281



**GROUND ROD CLAMPS (BRONZE)
(ONE SIZE FITS ALL)**

HALEX PART #	DIMENSIONS (INCHES)		
A	B	C	

FOR DIRECT BURIAL (STAINLESS STEEL BOLT)

35999B	1.55	0.75	0.860
--------	------	------	-------

BAGGED ITEMS

35999	1.55	0.75	0.860
-------	------	------	-------



GROUND ROD CLAMPS (BRONZE)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
A	B	C		A	B	C	

FOR DIRECT BURIAL (BRONZE BOLT)

35905B	1.200	0.550	0.630
35906B	1.320	0.660	0.670
35907	1.500	0.800	0.800

BAGGED ITEMS


93591	1.200	0.550	0.630
93592	1.320	0.660	0.670



GROUND STRAP

HALEX PART #	DIMENSIONS (INCHES)	
A	B	


32999	5.81	0.22
-------	------	------




STRANDED GROUND WIRE

HALEX PART #	DIMENSIONS (INCHES)	
A	B	


63188	0.50	6.50
-------	------	------





CABLE STAPLES (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
FOR NON-METALLIC CABLE			
61050	0.170	1.000	0.500
61010	0.170	1.000	0.500
FOR ARMORED AND NON-METALLIC CABLE			
62550	0.170	1.250	0.563
62510	0.170	1.250	0.563



PLASTIC INSULATING STAPLES (PLASTIC)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
FITS NM CABLE: #14 - #12;			
FITS UF CABLE: #14/2 - #12/2			
27209	0.93	0.43	1.25
FITS NM CABLE: #10/2 - #8/2;			
FITS UF CABLE: #10/2 - #8/2; #14/3 - #12/3			
27309	1.31	0.40	1.25




STRAIN RELIEF CORD CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A (MIN)	A (MAX)	B		A (MIN)	A (MAX)	B
FITS WIRE RANGE: .190 - .260				FITS WIRE RANGE: .625 - .725			
16911B	0.19	0.26	1.20	16923B	0.63	0.73	1.27
FITS WIRE RANGE: .260 - .375				FITS WIRE RANGE: .370 - .470			
16912B	0.26	0.38	1.20	16930	0.35	0.45	1.48
BAGGED ITEMS				FITS WIRE RANGE: .625 - .750			
21691	0.26	0.38	1.20	16932B	0.625	0.75	1.48
FITS WIRE RANGE: .375 - .500				FITS WIRE RANGE: .750 - .880			
16913B	0.38	0.50	1.20	16933B	0.625	0.75	1.48
BAGGED ITEMS				BAGGED ITEMS			
21692	0.38	0.50	1.20	16933	0.625	0.75	1.48
FITS WIRE RANGE: .440 - .500				FITS WIRE RANGE .875 - .900			
16921B	0.44	0.50	1.27	16934B	0.75	0.88	1.48
FITS WIRE RANGE: .500 - .625				BAGGED ITEMS			
16922B	0.50	0.63	1.27	16934	0.75	0.88	1.48
BAGGED ITEMS							
21694	0.50	0.63	1.27				

NON-METALLIC STRAIN RELIEF CONNECTORS

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
FITS CORD RANGE: .200 - .472				FITS CORD RANGE: .385 - .750			
27693	1.792	0.600	1.030	27697	2.250	0.600	1.270
76913B	1.792	0.600	1.030	76923B	2.250	0.600	1.270



90° (LARGE RADIUS) STRAIN RELIEF CORD CONNECTORS (ZINC DIE CAST)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
FITS WIRE RANGE: .190 - .260			
16811B	1.655	1.469	0.521
FITS WIRE RANGE: .260 - .375			
16812B	1.655	1.469	0.521
FITS WIRE RANGE: .375 - .500			
16813B	1.655	1.469	0.521
FITS WIRE RANGE: .440 - .500			
16821B	1.914	1.634	0.521
FITS WIRE RANGE: .500 - .625			
16822B	1.914	1.634	0.521
FITS WIRE RANGE: .625 - .725			
16823B	1.914	1.634	0.521





SPLIT BOLT CONNECTORS (BRONZE)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
32408B	0.145	0.375	0.500
32406B	0.165	0.438	0.625
32404B	0.215	0.500	0.688
32403B	0.264	0.563	0.750
32402B	0.328	0.469	0.813
32310B	0.377	0.688	0.875
32320B	0.420	0.750	1.000
32330B	0.470	0.875	1.125
32340B	0.580	1.000	1.313



SPLIT BOLT CONNECTORS WITH SPACER BAR (BRONZE)

HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C


FOR COPPER TO COPPER; **CAN BE USED ON ALUMINUM CONDUCTOR,
BUT IS NOT UL LISTED FOR THAT APPLICATION

FOR COPPER TO COPPER, COPPER TO ALUMINUM, ALUMINUM TO ALUMINUM

32002B 0.328 0.469 0.813

FOR COPPER TO COPPER; **CAN BE USED ON ALUMINUM CONDUCTOR,
BUT IS NOT UL LISTED FOR THAT APPLICATION

31910B	0.377	0.688	0.875	32003B	0.274	0.563	0.750
31920B	0.420	0.750	1.000	32004B	0.215	0.500	0.688
31930B	0.470	0.750	1.000	32006B	0.165	0.438	0.625
31940B	0.580	1.000	1.313	32008B	0.145	0.375	0.500



SOLDERLESS TERMINAL LUGS (COPPER)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
32606B	0.438	1.125	0.375
32602B	0.500	1.438	0.500
32609B	0.281	0.938	0.313
32510B	0.625	1.875	0.625
32530B	0.750	2.250	0.750
32540B	1.000	2.375	1.000

KNOCK-OUT SEALS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)		HALEX PART #	DIMENSIONS (INCHES)	
	A	B		A	B
60705B	1.078	0.359	BAGGED ITEMS		
60795B	1.078	0.359	96071	1.078	0.359
60707B	1.250	0.313	26071	1.078	0.359
60797B	1.250	0.313	96072	1.250	0.313
60710	1.500	0.344	26072	1.250	0.313
60710B	1.500	0.344	26073	1.500	0.344
60712	1.818	0.313	96073	1.500	0.344
60715	2.219	0.359	26074	1.818	0.313
60720	2.688	0.375	26075	2.219	0.359
			26076	2.688	0.375




SWITCH BOX SUPPORTS (STEEL)

HALEX PART #	DIMENSIONS (INCHES)	
	A	B
62700B	2.20	5.35
BAGGED ITEMS		
26279	2.20	5.35



SNAP-IN BUSHINGS (PLASTIC)


HALEX PART #	DIMENSIONS (INCHES)			HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C		A	B	C
72505B	0.72	0.99	0.36	BAGGED ITEMS			
72507B	0.95	1.22	0.36	27251	0.72	0.99	0.36
72510B	1.206	1.446	0.428	27252	0.95	1.22	0.36
72520B	2.20	2.65	0.75	27253	2.20	2.65	0.75




UNIVERSAL SNAP-IN BUSHINGS (POLYPROPYLENE)

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
72599BP	1.20	2.27	0.56
72599B	1.20	2.27	0.56
BAGGED ITEMS			
27250	1.20	2.48	0.44
27259	1.20	2.27	0.56




**NAIL PLATES (STEEL)**


HALEX PART #	DIMENSIONS (INCHES)	
	A	B
62899	1.50	2.50
62800	1.50	2.50
62850	1.50	5.00

**"S" HOOK (STEEL)**

HALEX PART #	DIMENSIONS (INCHES) A
60199	1.219

**DUCT SEAL**

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
79910B	4.125	4.125	0.075
79950B	4.188	4.188	0.081

**FIXTURE HANGERS (STEEL)**

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C

FITS 3 1/4" OR 4" OCTAGONAL OUTLET BOXES

69588B	4.125	4.125	0.075
--------	-------	-------	-------

FITS 4" SQUARE OUTLET BOXES

69699B	4.188	4.188	0.081
--------	-------	-------	-------

CONDUIT HANGERS (STEEL)**WITH NUT AND BOLT ATTACHED**


HALEX PART #	DIMENSIONS (INCHES)		HW RIGID	TW EMT
	A	B		
WITH NUT AND BOLT ATTACHED				
67800B	1.875	0.750	3/8"-1/2"	1/2"
67810B	2.125	0.750	3/4"	3/4"
67820	2.437	0.875	1"	1"
67820B	2.437	0.875	1"	1"
67825	2.750	0.875		1 1/4"
67830	2.875	0.875	1 1/4"	1 1/2"
67830B	2.875	0.875	1 1/4"	1 1/2"
67840	3.125	1.000	1 1/2"	
67840B	3.125	1.000	1 1/2"	
67850	3.875	1.000	2"	
67850B	3.875	1.000	2"	2"
67860B	4.625	1.250	2 1/2"	2 1/2"
67870B	5.500	1.250	3"	3"
67880B	5.750	1.250	3 1/2"	3 1/2"
67890B	6.250	1.250	4"	4"

BAGGED ITEMS


96780	1.875	0.750	3/8"-1/2"	
26780	1.875	0.750	3/8"-1/2"	
96781	2.125	0.750	3/4"	3/4"
26781	2.125	0.750	3/4"	3/4"

**BEAM CLAMPS (STEEL)**

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
65600B	1.5	1.5	1.0
BAGGED ITEMS			
96560	1.5	1.5	1.0

**BEAM CLAMPS (MALLEABLE IRON)**

HALEX PART #	DIMENSIONS (INCHES)		
	A	B	C
35600	2.10	1.73	0.85
35600B	2.10	1.73	0.85



ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
01820	51, 107	02910	15, 90	04905B	19, 26,	07015B	55, 109
01905B	51, 107	03705B	14, 90		92, 96	07020	55, 109
01907B	51, 107	03707B	14, 90	04907B	19, 26,	07020B	55, 109
01910B	51, 107	03905	14, 90		92, 96	07025B	55, 109
01912B	51, 107	03907	14, 90	04910	19, 26,	07030B	55, 109
01915B	51, 107	04005B	55, 109		92, 96	07035B	55, 109
01920B	51, 107	04007B	55, 109	05103B	34, 99	07040B	55, 109
01925B	51, 107	04010	55, 109	05103NB	34, 99	07210	70, 118
01930B	51, 107	04010B	55, 109	05107B	34, 99	07310	70, 118
01935B	51, 107	04012	55, 109	05107NB	34, 99	07310B	70, 118
01940B	51, 107	04012B	55, 109	05110B	34, 99	08112B	70, 118
02105B	5, 87	04015	55, 109	05112B	34, 99	08212	70, 118
02107B	5, 87	04015B	55, 109	05115	34, 99	08212B	70, 118
02110	5, 87	04020	55, 109	05115B	34, 99	08312	70, 118
02110B	5, 87	04020B	55, 109	05120	34, 99	09115B	70, 118
02112	5, 87	04025B	55, 109	05120B	34, 99	09215	70, 118
02112B	5, 87	04030B	55, 109	05205B	56, 109	10220	70, 118
02115	5, 87	04203B	26, 96	05207B	56, 109	10220B	70, 118
02115B	5, 87	04203NB	25, 95	05210B	56, 109	10420	70, 118
02120	5, 87	04205B	26, 96	05212B	56, 109	10420B	70, 118
02120B	5, 87	04205NB	25, 95	05215B	56, 109	10520	70, 118
02125	5, 87	04207B	26, 96	05220B	56, 109	10520B	70, 118
02125B	5, 46,	04210	26, 96	05225B	56, 109	11003B	24, 95
	87, 104	04210B	26, 96	05230B	56, 109	11003NB	25, 95
02130B	5, 46,	04212	26, 96	05235B	56, 109	11005B	24, 95
	87, 104	04212B	26, 96	05240B	56, 109	11005NB	25, 95
02135B	5, 46,	04215	26, 96	05312	68, 116	11007B	24, 95
	87, 104	04215B	26, 96	05312B	68, 116	11010	24, 95
02140B	5, 46,	04220	26, 96	05315	68, 116	11010B	24, 95
	87, 104	04220B	26, 96	05315B	68, 116	11012	24, 95
02205B	6, 87	04225B	26, 96	05320	68, 116	11012B	24, 95
02207B	6, 87	04230B	26, 96	05320B	68, 116	11015	24, 95
02210	6, 87	04235B	26, 96	05703B	28, 35,	11015B	24, 95
02210B	6, 87	04240B	26, 96		97, 100	11020B	24, 95
02212	6, 87	04403B	23, 94	05703NB	28, 35,	11025B	24, 95
02212B	6, 87	04403NB	23, 94		97, 100	11030B	24, 95
02215	6, 87	04405B	23, 94	05803B	30, 98	11035B	24, 95
02215B	6, 87	04405NB	23, 94	05803NB	31, 98	11040B	24, 95
02220	6, 87	04407B	23, 94	06305B	40, 101	12105B	11, 89
02220B	6, 87	04410	23, 94	06307B	40, 101	12107B	11, 89
02225B	6, 47,	04410B	23, 94	06605B	37, 70,	12110	11, 89
	87, 104	04412	23, 94		101, 118	12110B	11, 89
02225	6, 87	04412B	23, 94	06607B	37, 70,	12112	11, 89
02230	6, 87	04415	23, 94		101, 118	12112B	11, 89
02230B	6, 47,	04415B	23, 94	06703B	37, 70,	12115	11, 89
	87, 104	04420	23, 94		97, 101	12115B	11, 89
02235B	6, 47,	04420B	23, 94	06703NB	30, 37,	12120	11, 89
	87, 104	04505B	24, 94		97, 101	12120B	11, 89
02240B	6, 47,	04507B	24, 94	06805B	41, 102	12125	11, 89
	87, 104	04510	24, 94	06807B	41, 102	12125B	11, 47,
02705B	16, 91	04512	24, 94	07005B	55, 109		89, 105
02707B	16, 91	04515	24, 94	07007B	55, 109	12130	11, 89
02805B	16, 90	04520	24, 94	07010B	55, 109		
02807B	16, 90	04805B	27, 96	07012	55, 109	12130B	11, 47,
02905B	15, 90	04807B	27, 96	07012B	55, 109		89, 105
02907B	15, 90			07015	55, 109		

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
12135B	11, 47,	15803NB	29, 36,	20222	6, 87	26166	17, 91
	89, 105		97, 100	20420	26, 96	26190	50, 107
12140B	11, 47,	16010	73, 119	20421	26, 96	26191	50, 107
	89, 105	16010B	73, 119	20422	26, 96	26192	50, 107
12205B	12, 89	16110	74, 120	20440	23, 94	26194	50, 107
12207B	12, 89	16203B	40, 102	20441	23, 94	26195	50, 107
12210	12, 89	16205B	40, 102	20442	23, 94	26196	50, 107
12210B	12, 89	16207B	40, 102	20491	19, 26,	26197	50, 107
12212	12, 89	16210B	40, 102		92, 96	26210	38, 66,
12212B	12, 89	16210	40, 102	20492	19, 26,		101, 115
12215	12, 89	16212B	40, 102		92, 96	26211	27, 96
12215B	12, 89	16215B	40, 102	20510	34, 99	26212	66, 115
12220	12, 89	16220B	40, 102	20511	34, 99	26214	66, 115
12220B	12, 89	16310	62, 113	20512	34, 99	26218	66, 115
12225	12, 89	16312	62, 113	20570	28, 35,	26219	66, 115
12225B	12, 47,	16315	62, 113		97, 100	26222	66, 115
	89, 105	16320	62, 113	20581	30, 98	26223	66, 115
12230	12, 89	16325B	62, 113	20670	30, 37,	26224	66, 115
12230B	12, 47,	16330B	62, 113		97, 101	26225	66, 115
	89, 105	16335B	62, 113	20701	55, 109	26230	7, 87
12235B	12, 47,	16340B	62, 113	21210	11, 89	26232	7, 87
	89, 105	16405B	56, 109	21211	11, 89	26241	8, 88
12240B	12, 47,	16407B	56, 109	21212	11, 89	26242	8, 88
	89, 105	16811B	80, 122	21220	12, 89	26250	9, 88
13205B	53, 108	16812B	80, 122	21221	12, 89	26252	9, 88
13305B	53, 108	16813B	80, 122	21222	12, 89	26261	10, 88
13307B	53, 108	16821B	80, 122	21580	29, 36,	26262	10, 88
13405B	53, 108	16822B	80, 122		97, 100	26270	13, 89
13407B	53, 108	16823B	80, 122	21642	56, 109	26271	13, 89
13410B	53, 108	16903B	41, 102	21691	79, 122	26272	13, 89
13505B	53, 108	16905B	41, 102	21692	79, 122	26279	82, 124
13507B	53, 108	16907B	41, 102	21694	79, 122	26280	14, 89
13510	53, 108	16910B	41, 102	26071	82, 124	26281	14, 89
13512	53, 108	16910	41, 102	26072	82, 124	26282	14, 89
13605B	53, 108	16911B	79, 122	26073	82, 124	26309	76
13607	53, 108	16912B	79, 122	26074	82, 124	26329	75
13610	53, 108	16913B	79, 122	26075	82, 124	26351	46, 104
13612	53, 108	16914B	41, 102	26076	82, 124	26352	46, 104
13615	53, 108	16915B	41, 102	26121	50, 107	26510	36, 100
13715B	53, 108	16920B	41, 102	26122	50, 107	26512	36, 100
13720	53, 108	16921B	79, 122	26123	50, 107	26514	36, 100
14205	49, 106	16922B	79, 122	26124	50, 107	26515	36, 100
14207	49, 106	16923B	79, 122	26125	50, 107	26571	31, 98
14305	18, 92	16930B	79, 122	26126	50, 107	26780	85, 125
14307	18, 92	16930	79, 122	26141	17, 91	26781	85, 125
14405	18, 91	16932B	79, 122	26142	17, 91	26820	52, 108
14407	18, 91	16933	79, 122	26151	16, 91	26853	52, 108
14605	19, 92	16933B	79, 122	26152	16, 91	26862	52, 108
14607	19, 92	16934	79, 122	26153	16, 91	26863	52, 108
15303B	19, 38,	16934B	79, 122	26154	16, 91	26864	52, 108
	93, 101	19005	62, 113	26155	16, 91	27250	83, 124
15305B	19, 27,	19007	62, 113	26156	16, 91	27251	82, 124
	92, 96	19205B	63, 113	26161	17, 91	27252	82, 124
15307B	19, 27,	19207B	63, 113	26162	17, 91	27253	82, 124
	92, 96	20210	5, 87	26163	17, 91	27259	82, 124
15803B	29, 36,	20212	5, 87	26164	17, 91	27209	78, 121
	97, 100	20221	6, 87	26165	17, 91	27309	78, 121

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
27501	20, 93	31910B	81, 123	50920	69, 117	58407	60, 111
27502	20, 93	31920B	81, 123	51061	71, 118	58410	60, 111
27511	33, 98	31930B	81, 123	51062	71, 118	58412	60, 111
27512	33, 98	31940B	81, 123	51063	71, 118	58415	60, 111
27515	33, 99	32002B	81, 123	51320	69, 117	58420	60, 111
27516	33, 99	32003B	81, 123	51325	69, 117	58425B	60, 111
27520	57, 110	32004B	81, 123	56305	20, 61,	58430B	60, 111
27521	57, 110	32006B	81, 123		93, 112	58435B	60, 111
27522	57, 110	32008B	81, 123	56307	20, 61,	58440B	60, 111
27525	57, 110	32310B	80, 123		93, 112	58605	60, 111
27526	57, 110	32320B	80, 123	56405	20, 61,	58607	60, 111
27527	57, 110	32330B	80, 123		93, 112	58610	60, 111
27528	57, 110	32340B	80, 123	56407	20, 61,	58612	60, 111
27529	57, 110	32402B	80, 123		93, 112	58615	60, 111
27580	33, 99	32403B	80, 123	56605	20, 61,	58620	60, 111
27620	43, 103	32404B	80, 123		93, 112	58625	60, 111
27621	43, 103	32406B	80, 123	56607	20, 61,	58630B	60, 111
27622	43, 103	32408B	80, 123		93, 112	58635B	60, 111
27690	43, 103	32510B	81, 123	56805	21, 61,	58640B	60, 111
27691	43, 103	32530B	81, 123		93, 112	58705	21, 94
27692	43, 103	32540B	81, 123	56807	21, 61,	58707	21, 94
27693	79, 122	32602B	81, 123		93, 112	58805	60, 111
27697	79, 122	32606B	81, 123	56905	21, 61,	58807	60, 111
27938	35	32609B	81, 123		94, 112	58810	60, 111
28211	5, 87	32999	75, 120	56907	21, 61,	58812	60, 111
28212	5, 87	33520	69, 117		94, 112	58815	60, 111
28231	7, 87	33525	69, 117	57499	67, 115	58820	60, 111
28232	7, 87	35600	85, 126	57699	67, 115	58825B	60, 111
28271	13, 89	35600B	85, 126	57925	68, 115	58830B	60, 111
28272	13, 89	35905B	75, 120	58005	67, 115	58835B	60, 111
28440	23, 89	35906B	75, 120	58007	67, 115	58840B	60, 111
28441	23, 89	35907	75, 120	58010	67, 115	58905	60, 111
28442	23, 89	35999	95, 120	58012	67, 115	58907	60, 111
29100	24, 95	35999B	95, 120	58012B	67, 115	58910	60, 111
29101	24, 95	36010	73, 119	58015	67, 115	58912	60, 111
29102	24, 95	36010B	73, 119	58020	67, 115	58915	60, 111
29211	11, 89	36019	73, 119	58020B	67, 115	58920	60, 111
29212	11, 89	36020	73, 119	58025	67, 115	58925B	60, 111
29251	9, 88	36020B	73, 119	58030	67, 115	58930B	60, 111
29252	9, 88	36029	73, 119	58030B	67, 115	58935B	60, 111
29521	58, 110	36110	74, 119	58035B	67, 115	58940B	60, 111
29522	58, 110	36210	73, 120	58040B	67, 115	59105B	58, 110
29523	58, 110	36310	74, 120	58212B	62, 113	59107B	58, 110
29525	58, 110	36320	74, 120	58215B	62, 113	59110B	58, 110
30208B	76	36910	73, 119	58220B	62, 113	59115B	58, 110
30218B	76	36910B	73, 119	58305	60, 111	59120B	58, 110
30206B	76	46213	66, 115	58307	60, 111	59130B	58, 110
30216B	76	46319	76	58310	60, 111	59140B	58, 110
30204B	76	50507	68, 116	58312	60, 111	59205B	59, 110
30214B	76	50599	68, 116	58315	60, 111	59207B	59, 110
30202B	76	50610	68, 116	58320	60, 111	59210B	59, 110
30210B	76	50612	68, 116	58325B	60, 111	59215B	59, 110
30220B	76	50615	68, 116	58330B	60, 111	59220B	59, 110
30230B	76	50699	68, 116	58335B	60, 111	59230B	59, 110
31205B	49, 106	50720	68, 116	58340B	60, 111	59240B	59, 110
31207B	49, 106	50799	68, 116	58405	60, 111	59405B	61, 112

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
59505	71, 59,	61205B	50, 107	62291B	66, 115	62540B	9, 88
	111, 118	61207B	50, 107	62292B	66, 115	62550	78, 121
59507	71, 59,	61210B	50, 107	62293B	66, 115	62605B	10, 88
	111, 118	61212B	50, 107	62294B	66, 115	62607B	10, 88
59510	71, 59,	61215B	50, 107	62305B	7, 87	62610B	10, 88
	111, 118	61220B	50, 107	62307B	7, 87	62610	10, 88
59512	71, 59,	61225	17, 50,	62310B	7, 87	62612B	10, 88
	111, 118		91, 107	62310	7, 87	62612	10, 88
59515	71, 59,	61225B	17, 50,	62312B	7, 87	62615B	10, 88
	111, 118		91, 107	62312	7, 87	62615	10, 88
59520	71, 59,	61230	17, 50,	62315B	7, 87	62620B	10, 88
	111, 118		91, 107	62315	7, 87	62620	10, 88
59605B	61, 112	61235B	17, 50,	62320B	7, 87	62625B	10, 88
59607B	61, 112		91, 107	62320	7, 87	62630B	10, 88
59610B	61, 112	61240B	17, 50,	62325B	7, 46,	62635B	10, 88
59612B	61, 112		91, 107		87, 104	62640B	10, 88
59615B	61, 112	61405B	17, 91	62330B	7, 46,	62700B	82, 124
59620B	61, 112	61407B	17, 91		87, 104	62705B	13, 89
59805B	61, 112	61410B	17, 91	62330	7, 87	62707B	13, 89
59807B	61, 112	61505B	16, 91	62335B	7, 46,	62710	13, 89
59810B	61, 112	61507B	16, 91		87, 104	62710B	13, 89
60010	83	61510B	16, 91	62340B	7, 46,	62712	13, 89
60020	83	61512B	16, 91		87, 104	62712B	13, 89
60199	83, 125	61515B	16, 91	62405B	8, 88	62715	13, 89
60222	69, 117	61520B	16, 91	62407B	8, 88	62715B	13, 89
60322	70, 117	61605B	17, 91	62410B	8, 88	62720	13, 89
60416	70, 117	61607B	17, 91	62410	8, 88	62720B	13, 89
60525	69, 117	61610B	17, 91	62412B	8, 88	62725B	13, 47,
60705B	82, 124	61612B	17, 91	62412	8, 88		89, 105
60707B	82, 124	61615B	17, 91	62415B	8, 88	62730B	13, 47,
60710	82, 124	61620B	17, 91	62415	8, 88		89, 105
60710B	82, 124	61805B	51, 107	62420B	8, 88	62735B	13, 47,
60712	82, 124	61807B	51, 107	62420	8, 88		89, 105
60715	82, 124	61810B	51, 107	62425B	8, 46,	62740B	13, 47,
60720	82, 124	61812B	51, 107		88, 104		89, 105
60795B	82, 124	61815B	51, 107	62430B	8, 46,	62800	83, 125
60797B	82, 124	61820B	51, 107		88, 104	62805B	14, 89
60812	71, 118	61905B	50, 107	62430	8, 46,	62807B	14, 89
60820	71, 118	61907B	50, 107		88, 104	62810	14, 89
60825	71, 118	61910B	50, 107	62435B	8, 46,	62810B	14, 89
61050	78, 121	61912B	50, 107		88, 104	62812	14, 89
61010	78, 121	61915B	50, 107	62440B	8, 88	62812B	14, 89
61105B	49, 106	61920B	50, 107	62505B	9, 88	62815	14, 89
61107B	49, 106	61925	50, 107	62507B	9, 88	62815B	14, 89
61110B	49, 106	61925B	50, 107	62510	78, 121	62820	14, 89
61112B	49, 106	61930	50, 107	62510B	9, 88	62820B	14, 89
61115B	49, 106	61930B	50, 107	62511	9, 88	62825B	14, 48,
61120	49, 106	61935B	50, 107	62512B	9, 88		89, 105
61125	16, 49,	61940B	50, 107	62512	9, 88	62830	14, 89
	91, 106	62171B	38, 66,	62515B	9, 88	62830B	14, 48,
			101, 115	62515	9, 88		89, 105
61130	16, 49,	62181B	27, 96	62520B	9, 88	62835B	48, 105
	91, 160	62191B	66, 115	62520	9, 88	62840	14, 89
61135B	16, 49,	62192B	66, 115	62525B	9, 88	62840B	14, 48,
	91, 106	62193B	66, 115	62530B	9, 88		89, 105
61140B	16, 49,	62194B	66, 115	62535B	9, 88	62850	83, 120
	91, 106						

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
62899	83, 120	64311	54, 108	64510	15, 90	67840	85, 126
63099	75	64312	54, 108	64512	15, 90	67840B	85, 126
63188	75, 121	64313	54, 108	64515	15, 90	67850	85, 126
63299	75	64314	54, 108	64520	15, 90	67850B	85, 126
63505B	46, 104	64315	54, 108	64605B	54	67860B	85, 126
63507B	46, 104	64320	54, 108	64615	54	67870B	85, 126
63510	46, 104	64323	54, 108	64617B	54	67880B	85, 126
63512	46, 104	64325	54, 108	64676	54	67890B	85, 126
63515	46, 104	64327	54, 108	65103B	36, 100	68205B	52, 108
63520	46, 104	64331	54, 108	65110B	36, 100	68305B	52, 108
63610	46, 104	64332	54, 108	65112B	36, 100	68307B	52, 108
63612	46, 104	64333	54, 108	65115B	36, 100	68405B	52, 108
63615	46, 104	64334	54, 108	65505B	48, 105	68407B	52, 108
63620	46, 104	64335	54, 108	65507B	48, 105	68410B	52, 108
64005	63, 114	64336	54, 108	65510B	48, 105	68505B	52, 108
64005B	63, 114	64341	54, 108	65512B	48, 105	68507B	52, 108
64007	63, 114	64342	54, 108	65515B	48, 105	68510	52, 108
64007B	63, 114	64353	54, 108	65520B	48, 105	68512B	52, 108
64010	63, 114	64354	54, 108	65525B	48, 105	68605B	52, 108
64012	63, 114	64356	54, 108	65530B	48, 105	68607B	52, 108
64015	63, 114	64361	54, 108	65535B	48, 105	68610B	52, 108
64020	63, 114	64362	54, 108	65540B	48, 105	68612B	52, 108
64025	63, 114	64363	54, 108	65600B	85, 126	68615	52, 108
64030	63, 114	64364	54, 108	65705B	31, 98	68720	52, 108
64035	63, 114	64365	54, 108	66203B	42, 102	69588B	84, 125
64040	63, 114	64366	54, 108	66205B	42, 102	69699B	84, 125
64105	64, 114	64381B	54, 108	66206B	41	72505B	82, 124
64105B	64, 114	64382B	54, 108	66207B	83, 102	72507B	82, 124
64107	63, 114	64383B	54, 108	66210B	42, 102	72510B	82, 124
64107B	63, 114	64384B	54, 108	66211B	83	72520B	82, 124
64110	63, 114	64385B	54, 108	66212B	42, 102	72599B	83, 124
64110B	63, 114	64386	54, 108	66215B	42, 102	72599BP	83, 124
64112	63, 114	64391B	54, 108	66220B	42, 102	75005B	20, 93
64112B	63, 114	64392B	54, 108	66377B	84	75007B	20, 93
64115	63, 114	64393B	54, 108	66388B	84	75101B	33, 99
64115B	63, 114	64394B	54, 108	66503B	43, 103	75102B	33, 99
64120	63, 114	64395B	54, 108	66505B	43, 103	75105B	33, 98
64120B	63, 114	64396B	54, 108	66507B	43, 103	75107B	33, 98
64125	63, 114	64405	15, 90	66510B	43, 103	75205B	57, 110
64130	63, 114	64405B	15, 90	66512B	43, 103	75207B	57, 110
64135	63, 114	64407	15, 90	66515B	43, 103	75210B	57, 110
64140	63, 114	64407B	15, 90	66520B	43, 103	75215B	57, 110
64205	64, 114	64410	15, 90	66903B	42, 103	75220B	57, 110
64207	64, 114	64410B	15, 90	66905B	42, 103	75225	57, 110
64210	64, 114	64412	15, 90	66907B	42, 103	75225B	57, 110
64212	64, 114	64412B	15, 90	66910B	42, 103	75230	57, 110
64215	64, 114	64415	15, 90	66912B	42, 103	75230B	57, 110
64220	64, 114	64415B	15, 90	66915B	42, 103	75235B	57, 110
64301B	54, 108	64420	15, 90	66920B	42, 103	75240B	57, 110
64302B	54, 108	64420B	15, 90	67800B	85, 126	75400	25, 95
64303B	54, 108	64425	15, 90	67810B	85, 126	75400BP	25, 95
64305	54, 108	64430	15, 90	67820	85, 126	75401	25, 95
64306B	54, 108	64435	15, 90	67820B	85, 126	75401BP	25, 95
64307	54, 108	64440	15, 90	67825	85, 126	75402	25, 95
64308B	54, 108	64505	15, 90	67830	85, 126	75402BP	25, 95
64310	54, 108	64507	15, 90	67830B	85, 126	75403	25, 95



ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
75403BP	25, 95	82310	7, 87	86220B	42, 102	90701	55, 109
75404	25, 95	82312B	7, 87	86305B	40, 101	90702	55, 109
75404BP	25, 95	82312	7, 87	86307B	40, 101	90703	55, 109
75803B	33, 99	82315B	7, 87	86503B	43, 103	91003	24, 95
76203B	44, 103	82315	7, 87	86505B	43, 103	91003B	24, 95
76205B	44, 103	82320B	7, 87	86507B	43, 103	91005B	24, 95
76207B	44, 103	82320	7, 87	86510B	43, 103	91007B	24, 95
76210B	44, 103	82325B	7, 46, 87, 104	86512B	43, 103	91010	24, 95
76212B	44, 103			86515B	43, 103	91012	24, 95
76215B	44, 103	82330B	7, 46, 87, 104	86520B	43, 103	91015	24, 95
76220B	44, 103			86703B	30, 37, 97, 101	91020	24, 95
76303B	43, 103	82335B	7, 46, 87, 104	86903B	42, 103	91100	24, 95
76305B	43, 103			86905B	42, 103	91101	24, 95
76307B	43, 103	82340B	7, 46, 87, 104	86907B	42, 103	91102	24, 95
76310B	43, 103			86910B	42, 103	91211	11, 89
76803B	43, 103	82705B	13, 89	86912B	42, 103	91212	11, 89
76805B	43, 103	82707B	13, 89	86915B	42, 103	91221	12, 89
76807B	43, 103	82710	13, 89	86920B	42, 103	91222	12, 89
76810B	43, 103	82710B	13, 89	87005B	55, 109	91321	53, 108
76903B	44, 104	82712	13, 89	90211	5, 87	91331	53, 108
76905B	44, 104	82712B	13, 89	90212	5, 87	91332	53, 108
76907B	44, 104	82715	13, 89	90221	6, 87	91530	19, 38, 93, 101
76910B	44, 104	82715B	13, 89	90222	6, 87		
76912B	44, 104	82720	13, 89	90281	16, 90	91531	19, 27, 92, 96
76913B	79, 122	82720B	13, 89	90282	16, 90		
76915B	44, 104	82725B	13, 47, 89, 105	90291	15, 90	91580	29, 36, 97, 100
76920B	44, 104			90292	15, 90		
76923B	79, 122	82730B	13, 47, 89, 105	90361	40, 101	91625	40, 102
77801	67, 116			90362	40, 101	91627	40, 102
77802	67, 116	82735B	13, 47, 89, 105	90371	40, 101	91631	62, 113
77803	67, 116			90372	14, 90	91632	62, 113
79910B	71, 84, 118, 125	82740B	13, 47, 89, 105	90401	55, 109	91641	56, 109
79950B	71, 84, 118, 125			90402	55, 109	91695	41, 102
		84205B	26, 96	90420	26, 96	91697	41, 102
		84207B	26, 96	90421	26, 96	91921	63, 113
82105B	5, 87	84210B	26, 96	90422	26, 96	91922	63, 113
82107B	5, 87	84212B	26, 96	90440	23, 94	92105B	11, 89
82110	5, 87	84215B	26, 96	90441	23, 94	92107B	11, 89
82110B	5, 87	84220B	26, 96	90442	23, 94	92110	11, 89
82112	5, 87	84403B	23, 94	90451	24, 94	92110B	11, 89
82112B	5, 87	84405B	23, 94	90452	24, 94	92112	11, 89
82115	5, 87	84407B	23, 94	90481	27, 96	92112B	11, 89
82115B	5, 87	84410	23, 94	90510	34, 99	92115	11, 89
82120	5, 87	84412	23, 94	90512	34, 99	92115B	11, 89
82120B	5, 87	84415	23, 94	90513	34, 99	92120	11, 89
82125B	5, 46, 87, 104	84420	23, 94	90514	34, 99	92120B	11, 89
		84805B	27, 96	90570	28, 35, 97, 100	92125B	11, 47, 89, 105
82130B	5, 46, 87, 104	84807B	27, 96				
		85403NB	31, 98	90580	30, 98	92130B	11, 47, 89, 105
82135B	5, 46, 87, 104	86203B	42, 102	90661	37, 70, 101, 118	92135B	11, 47, 89, 105
		86205B	42, 102				
82140B	5, 46, 87, 104	86207B	42, 102	90662	37, 70, 101, 118	92140B	11, 47, 89, 105
		86210B	42, 102				
82305B	7, 87	86212B	42, 102	90681	41, 102	92505B	9, 88
82307B	7, 87	86215B	42, 102	90682	41, 102	92507B	9, 88
82310B	7, 87						



ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
92510B	9, 88	96142	17, 91	96925B	41, 102		
92510	9, 88	96151	16, 91	96930B	41, 102		
92512B	9, 88	96152	16, 91	96935B	41, 102		
92512	9, 88	96153	16, 91	96940B	41, 102		
92515B	9, 88	96161	17, 91	97511	33, 98		
92515	9, 88	96162	17, 91	97521	57, 110		
92520B	9, 88	96163	17, 91	97522	57, 110		
92520	9, 88	96181	51, 107	97523	57, 110		
92525B	9, 88	96182	51, 107	97524	57, 110		
92530B	9, 88	96183	51, 107	97525	57, 110		
92535B	9, 88	96184	51, 107	97526	57, 110		
92540B	9, 88	96185	51, 107	97620	44, 103		
93591	75, 120	96186	51, 107	97621	44, 103		
93592	75, 120	96191	50, 107	97622	44, 103		
94105	48, 105	96192	50, 107	97623	44, 103		
94105B	48, 105	96193	50, 107	97690	44, 104		
94107	48, 105	96194	50, 107	97691	44, 104		
94107B	48, 105	96195	50, 107	97692	44, 104		
94110	48, 105	96196	50, 107	97693	44, 104		
94205B	49, 106	96203B	40, 102	99524	58, 110		
94207B	49, 106	96205B	40, 102	99526	58, 110		
94405	18, 91	96207B	40, 102				
94407	18, 91	96210B	40, 102				
94410	18, 91	96212B	40, 102				
94505	18, 92,	96213	27, 96				
	48, 106	96215B	40, 102				
94507	18, 92,	96220B	40, 102				
	48, 106	96225B	40, 102				
94510	18, 92,	96230B	40, 102				
	48, 106	96235B	40, 102				
94705	18, 49,	96240B	40, 102				
	92, 107	96271	13, 89				
94707	18, 49,	96272	13, 89				
	92, 107	96281	14, 89				
95205B	58, 110	96282	14, 89				
95207B	58, 110	96361	46, 104				
95210B	58, 110	96362	46, 104				
95212B	58, 110	96510	36, 100				
95215B	58, 110	96560	85, 126				
95220B	58, 110	96780	85, 126				
95225	58, 110	96781	85, 126				
95225B	58, 110	96821	52, 108				
95230B	58, 110	96831	52, 108				
95235B	58, 110	96832	52, 108				
95240B	58, 110	96841	52, 108				
95403NB	31, 98	96842	52, 108				
96071	82, 124	96843	52, 108				
96072	82, 124	96851	52, 108				
96073	82, 124	96852	52, 108				
96111	49, 106	96903B	41, 102				
96112	49, 106	96905B	41, 102				
96113	49, 106	96907B	41, 102				
96121	50, 107	96910B	41, 102				
96122	50, 107	96912B	41, 102				
96123	50, 107	96915B	41, 102				
96141	17, 91	96920B	41, 102				