


**Schedule 80 PVC Industrial Products & Accessories  
PVC Schedule 80 Fittings**




Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Tee  
Soc**




801-002	1/4	50	300	080	9.32
801-003	3/8	25	150	080	9.32
801-005	1/2	25	200	080	9.32
801-007	3/4	15	120	080	9.77
801-010	1	15	0	080	12.22
801-012	1-1/4	10	0	080	33.57
801-015	1-1/2	10	0	080	33.57
801-020	2	10	0	080	41.97
801-025	2-1/2	10	0	080	45.64
801-030	3	5	0	080	57.04
801-040	4	5	0	080	66.09
801-050	5	5	0	080	161.21
801-050F	5	1	4	083	376.81
801-060	6	2	0	080	225.66
801-080	8	2	0	080	523.37
801-080F	8	1	0	083	493.67
801-100	10	1	0	081	1729.11
801-100F	10	1	0	083	877.32
801-120	12	1	0	081	2441.99
801-120F	12	1	0	083	1236.18
801-140F	14	1	0	083	2593.45
801-160F	16	1	0	083	3372.26
801-180F	18	1	0	083	4017.12
801-200F	20	1	0	083	5179.05
801-240F	24	1	0	083	6883.12

**Tee  
Soc x Fipt**




802-002	1/4	25	150	080	21.55
802-005	1/2	20	160	080	14.74
802-007	3/4	20	160	080	19.07
802-010	1	15	0	080	22.32
802-012	1-1/4	15	0	080	23.85
802-015	1-1/2	10	0	080	28.03
802-020	2	10	0	080	34.57
802-030	3	5	0	080	73.78
802-040	4	5	0	080	138.62

**Special Reinforced Tee  
Soc x SR Fipt - Stainless Steel Collar**



802-005SR	1/2	25	200	086	8.06
802-007SR	3/4	15	120	086	11.40
802-010SR	1	15	0	086	13.39
802-012SR	1-1/4	25	0	086	15.93
802-020SR	2	10	0	086	32.93
802-030SR	3	5	0	086	71.16
802-040SR	4	5	0	086	133.45


**Transition Tee  
Soc x Fipt With Brass Thread Insert**



802-005BR	1/2	20	160	086	32.92
802-007BR	3/4	20	80	086	65.97

Not intended to convey or dispense water for human consumption through drinking or cooking

**Tee  
Fipt**



805-002	1/4	25	150	080	10.77
805-003	3/8	25	150	080	10.77


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Tee (continued)**

**Fipt**

805-005	1/2	20	240	080	10.77
805-007	3/4	15	120	080	11.99
805-010	1	15	0	080	26.47
805-012	1-1/4	10	0	080	28.06
805-015	1-1/2	10	0	080	34.02
805-020	2	10	0	080	36.57
805-025	2-1/2	5	0	080	133.15
805-030	3	5	0	080	139.06
805-040	4	5	0	080	226.00
805-060F	6	1	2	083	355.13
805-080F	8	1	0	083	655.33

**Special Reinforced Tee  
SR Fipt - Stainless Steel Collar**




805-002SR	1/4	25	150	086	9.38
805-003SR	3/8	25	150	086	9.38
805-005SR	1/2	25	150	086	9.68
805-007SR	3/4	25	100	086	10.64
805-010SR	1	15	0	086	25.29
805-015SR	1-1/2	10	0	086	29.60
805-020SR	2	10	0	086	31.12

**Street Tee  
Spig x Soc x Soc**



844-005	1/2	25	200	080	11.65
844-007	3/4	15	120	080	12.22
844-010	1	15	0	080	15.27
844-012	1-1/4	10	0	080	41.97
844-015	1-1/2	10	0	080	41.97
844-020	2	10	0	080	52.45

**Reducing Tee  
Soc**



801-101	3/4X1/2	15	120	080	7.14
801-130	1X1/2	15	0	080	10.33
801-131	1X3/4	15	0	080	10.33
801-157	1-1/4X1X3/4	15	0	080	17.04
801-158	1-1/4X1X1	15	0	080	17.04
801-159	1-1/4X1X1-1/4	15	0	080	17.04
801-166 <sup>1</sup>	1-1/4X1/2	10	0	080	28.48
801-167	1-1/4X3/4	10	0	080	22.41
801-168	1-1/4X1	15	0	080	22.41
801-202	1-1/2X1-1/4X1	10	0	080	22.41
801-209	1-1/2X1/2	10	0	080	22.41
801-210	1-1/2X3/4	15	0	080	22.41
801-211	1-1/2X1	10	0	080	22.41
801-212	1-1/2X1-1/4	10	0	080	22.41
801-247	2X1/2	10	0	080	28.40
801-248	2X3/4	10	0	080	28.40
801-249	2X1	10	0	080	28.40
801-250 <sup>1</sup>	2X1-1/4	10	0	080	43.29
801-251	2X1-1/2	10	0	080	28.40
801-287	2-1/2X1/2	10	0	080	43.41
801-288	2-1/2X3/4	10	0	080	43.41
801-289	2-1/2X1	10	0	080	37.05
801-290	2-1/2X1-1/4	10	0	080	37.05
801-291	2-1/2X1-1/2	10	0	080	37.05
801-292	2-1/2X2	10	0	080	37.05
801-333 <sup>1</sup>	3X1/2	5	0	080	52.05
801-334 <sup>1</sup>	3X3/4	5	0	080	58.74
801-335	3X1	5	0	080	52.05
801-336 <sup>1</sup>	3X1-1/4	5	0	080	52.05



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducing Tee (continued)**

**Soc**

801-337	3X1-1/2	5	0	080	52.05
801-338	3X2	5	0	080	52.05
801-339	3X2-1/2	6	0	080	52.05
801-416 <sup>1</sup>	4X3/4	5	0	080	102.95
801-417 <sup>1</sup>	4X1	5	0	080	102.95
801-418 <sup>1</sup>	4X1-1/4	5	0	080	102.95
801-419	4X1-1/2	5	0	080	84.11
801-420	4X2	5	0	080	84.11
801-421 <sup>1</sup>	4X2-1/2	5	0	080	151.42
801-422	4X3	5	0	080	84.11
801-426 <sup>1</sup>	4X6	4	0	080	412.22
801-482F	5X1-1/4	1	5	083	222.99
801-484F	5X1-1/2	1	5	083	227.20
801-486F	5X2	1	5	083	227.20
801-487F	5X2-1/2	1	4	083	259.08
801-488F	5X3	1	3	083	267.56
801-490 <sup>1</sup>	5X4	4	0	080	250.94
801-490F	5X4	1	4	083	285.62
801-523 <sup>1</sup>	6X1/2	4	0	080	218.75
801-525	6X1	4	0	080	168.07
801-526 <sup>1</sup>	6X1-1/4	4	0	080	218.75
801-527 <sup>1</sup>	6X1-1/2	4	0	080	218.75
801-528	6X2	4	0	080	168.07
801-529 <sup>1</sup>	6X2-1/2	4	0	080	218.57
801-530	6X3	4	0	080	168.07
801-532	6X4	5	0	080	225.66
801-533F	6X5	1	3	083	475.01
801-537F	6X10	1	0	083	1848.89
801-539F	6X12	1	0	083	2052.88
801-573 <sup>1</sup>	8X1/2	2	0	080	642.20
801-575 <sup>1</sup>	8X1	2	0	080	642.59
801-578 <sup>1</sup>	8X2	2	0	080	611.02
801-578F	8X2	1	2	083	419.13
801-579 <sup>1</sup>	8X2-1/2	2	0	080	672.29
801-579F	8X2-1/2	1	2	083	423.02
801-580 <sup>1</sup>	8X3	2	0	080	611.02
801-580F	8X3	1	2	083	427.76
801-582 <sup>1</sup>	8X4	2	0	080	611.02
801-582F	8X4	1	2	083	449.80
801-583F	8X5	1	0	083	608.07
801-585	8X6	2	0	080	523.37
801-591 <sup>1</sup>	8X12	1	0	081	3733.67
801-621F	10X2	1	2	083	629.60
801-622F	10X2-1/2	1	0	083	657.58
801-623 <sup>1</sup>	10X3	1	0	081	1611.03
801-623F	10X3	1	0	083	675.24
801-624 <sup>1</sup>	10X4	1	0	081	1611.03
801-624F	10X4	1	0	083	699.53
801-625F	10X5	1	0	083	752.27
801-626 <sup>1</sup>	10X6	1	0	081	1521.63
801-626F	10X6	1	0	083	791.13
801-628 <sup>1</sup>	10X8	1	0	081	1790.76
801-628F	10X8	1	0	083	887.53
801-632F	10X12	1	0	083	2186.24
801-661F	12X2	1	0	083	814.14
801-662F	12X2-1/2	1	0	083	849.28
801-663F	12X3	1	0	083	876.99
801-664 <sup>1</sup>	12X4	1	0	081	2920.84
801-664F	12X4	1	0	083	930.33
801-665F	12X5	1	0	083	974.92
801-666 <sup>1</sup>	12X6	1	0	081	2755.74
801-666F	12X6	1	0	083	1027.26
801-668	12X8	1	0	081	2263.74
801-668F	12X8	1	0	083	1102.11
801-670 <sup>1</sup>	12X10	1	0	081	3031.45

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducing Tee (continued)**

**Soc**

801-670F	12X10	1	0	083	1224.68
801-678F	12X18	1	0	083	5458.97
801-691F	14X2	1	0	083	1020.11
801-692F	14X2-1/2	1	0	083	1071.69
801-693F	14X3	1	0	083	1252.40
801-694F	14X4	1	0	083	1380.16
801-696F	14X6	1	0	083	1489.88
801-698F	14X8	1	0	083	1566.69
801-700F	14X10	1	0	083	1673.75
801-702F	14X12	1	0	083	1767.38
801-706F	14X16	1	0	083	5718.92
801-751F	16X2	1	0	083	1308.13
801-752F	16X2-1/2	1	0	083	1391.37
801-753F	16X3	1	0	083	1411.31
801-754F	16X4	1	0	083	1544.03
801-756F	16X6	1	0	083	1642.60
801-758F	16X8	1	0	083	1824.44
801-760F	16X10	1	0	083	1977.71
801-762F	16X12	1	0	083	2179.49
801-764F	16X14	1	0	083	2513.14
801-781F	18X2	1	0	083	1503.78
801-783F	18X3	1	0	083	1830.92
801-784F	18X4	1	0	083	2811.82
801-786F	18X6	1	0	083	3045.48
801-788F	18X8	1	0	083	3175.88
801-790F	18X10	1	0	083	3402.34
801-792F	18X12	1	0	083	3595.58
801-794F	18X14	1	0	083	3821.21
801-796F	18X16	1	0	083	3870.03
801-814F	20X4	1	0	083	3448.54
801-816F	20X6	1	0	083	3641.28
801-818F	20X8	1	0	083	3753.20
801-820F	20X10	1	0	083	3908.31
801-822F	20X12	1	0	083	4190.71
801-824F	20X14	1	0	083	4493.97
801-826F	20X16	1	0	083	4816.71
801-828F	20X18	1	0	083	5062.75
801-904F	24X4	1	0	083	4293.87
801-906F	24X6	1	0	083	4458.31
801-908F	24X8	1	0	083	4574.25
801-910F	24X10	1	0	083	4855.74
801-912F	24X12	1	0	083	5034.93
801-914F	24X14	1	0	083	5242.69
801-916F	24X16	1	0	083	5484.55
801-918F	24X18	1	0	083	6633.87
801-920F	24X20	1	0	083	6759.89

<sup>1</sup> Sized with Bushing

**Reducing Tee**  
**Soc x Fipt**



802-101	3/4X1/2	15	120	080	13.54
802-130	1X1/2	50	0	080	14.07
802-131	1X3/4	15	0	080	18.08
802-166	1-1/4X1/2	25	0	080	23.01
802-167 <sup>1</sup>	1-1/4X3/4	15	0	080	23.01
802-168	1-1/4X1	10	0	080	45.67
802-209	1-1/2X1/2	25	0	080	28.48
802-210 <sup>1</sup>	1-1/2X3/4	20	0	080	28.48
802-211	1-1/2X1	10	0	080	28.48
802-212	1-1/2X1-1/4	10	0	080	28.48
802-247	2X1/2	10	0	080	32.54
802-248	2X3/4	10	0	080	32.54
802-249 <sup>1</sup>	2X1	10	0	080	43.29

**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducing Tee (continued)**

**Soc x Fipt**

802-250 <sup>1</sup>	2X1-1/4	10	0	080	43.29
802-251 <sup>1</sup>	2X1-1/2	10	0	080	60.36
802-287	2-1/2X1/2	10	0	080	74.92
802-288 <sup>1</sup>	2-1/2X3/4	10	0	080	74.92
802-289 <sup>1</sup>	2-1/2X1	10	0	080	74.92
802-290 <sup>1</sup>	2-1/2X1-1/4	10	0	080	74.92
802-291 <sup>1</sup>	2-1/2X1-1/2	10	0	080	74.92
802-292 <sup>1</sup>	2-1/2X2	10	0	080	83.65
802-333 <sup>1</sup>	3X1/2	5	0	080	58.74
802-334 <sup>1</sup>	3X3/4	5	0	080	58.74
802-335 <sup>1</sup>	3X1	5	0	080	70.65
802-336 <sup>1</sup>	3X1-1/4	5	0	080	70.65
802-337 <sup>1</sup>	3X1-1/2	5	0	080	70.65
802-338 <sup>1</sup>	3X2	5	0	080	90.22
802-339 <sup>1</sup>	3X2-1/2	5	0	080	126.89
802-415 <sup>1</sup>	4X1/2	5	0	080	103.37
802-416 <sup>1</sup>	4X3/4	5	0	080	103.37
802-417 <sup>1</sup>	4X1	5	0	080	103.37
802-418 <sup>1</sup>	4X1-1/4	5	0	080	103.37
802-419 <sup>1</sup>	4X1-1/2	5	0	080	103.37
802-420 <sup>1</sup>	4X2	5	0	080	154.52
802-421 <sup>1</sup>	4X2-1/2	5	0	080	154.52
802-422 <sup>1</sup>	4X3	5	0	080	172.98
802-525 <sup>1</sup>	6X1	4	0	080	240.54
802-526 <sup>1</sup>	6X1-1/4	4	0	080	240.54
802-527 <sup>1</sup>	6X1-1/2	4	0	080	240.54
802-528 <sup>1</sup>	6X2	4	0	080	240.54
802-528F <sup>1</sup>	6X2	1	3	083	438.05
802-529 <sup>1</sup>	6X2-1/2	4	0	080	240.54
802-530 <sup>1</sup>	6X3	4	0	080	335.81
802-532 <sup>1</sup>	6X4	2	0	080	351.83
802-532F <sup>1</sup>	6X4	1	4	083	542.85
802-578 <sup>1</sup>	8X2	2	0	080	655.62
802-578F	8X2	1	2	083	586.67
802-580 <sup>1</sup>	8X3	2	0	080	655.62
802-580F	8X3	1	2	083	586.67
802-582 <sup>1</sup>	8X4	2	0	080	655.62
802-582F <sup>1</sup>	8X4	1	2	083	650.24
802-621 <sup>1</sup>	10X2	1	0	081	1674.26
802-621F	10X2	1	0	083	712.39
802-623 <sup>1</sup>	10X3	1	0	080	1674.26
802-623F	10X3	1	0	083	770.05
802-624 <sup>1</sup>	10X4	1	0	081	1674.26
802-624F <sup>1</sup>	10X4	1	0	083	855.49
802-661 <sup>1</sup>	12X2	1	0	081	2652.85
802-661F	12X2	1	0	083	904.88
802-663 <sup>1</sup>	12X3	1	0	081	2652.85
802-663F	12X3	1	0	083	981.88
802-664 <sup>1</sup>	12X4	1	0	081	2652.85
802-664F	12X4	1	0	083	1083.75

<sup>1</sup> Sized with Bushing

\* An asterisk (\*) appearing after a fabricated fitting part number indicates the item is fiberglass reinforced.

**Reducing Tee**  
**Soc x Fipt x Soc**



803-095	3/4X1/2X3/4	50	0	080	12.69
---------	-------------	----	---	-----	-------

**Special Reinforced Reducing Tee**  
**Soc x SR Fipt - Stainless Steel Collar**



802-072SR	1/2X1/4	25	150	086	8.06
802-098SR	3/4X1/4	25	100	086	10.47

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


**Special Reinforced Reducing Tee (continued)**

**Soc x SR Fipt - Stainless Steel Collar**

802-101SR	3/4X1/2	50	0	086	10.47
802-128SR <sup>1</sup>	1X1/4	10	80	086	24.79
802-130SR	1X1/2	50	0	086	12.92
802-131SR	1X3/4	15	0	086	24.79
802-164SR <sup>1</sup>	1-1/4X1/4	5	0	086	26.43
802-166SR	1-1/4X1/2	25	0	086	17.52
802-168SR	1-1/4X1	10	0	086	17.87
802-207SR <sup>1</sup>	1-1/2X1/4	10	0	086	30.84
802-211SR	1-1/2X1	10	0	086	19.35
802-212SR	1-1/2X1-1/4	10	0	086	19.35
802-245SR <sup>1</sup>	2X1/4	10	0	086	35.62
802-247SR	2X1/2	10	0	086	35.62
802-248SR	2X3/4	10	0	086	35.62
802-287SR	2-1/2X1/2	10	0	086	26.25
802-331SR <sup>1</sup>	3X1/4	5	0	086	68.00
802-333SR <sup>1</sup>	3X1/2	5	0	086	69.97
802-413SR <sup>1</sup>	4X1/4	5	0	086	93.64
802-415SR <sup>1</sup>	4X1/2	5	0	086	101.77

<sup>1</sup> Sized with Bushing


**Special Reinforced Reducing Tee**  
**Soc x SR Fipt - Stainless Steel Collar x Soc**



(See also Gauge & Instrument Fittings for additional configurations)

803-095SR	3/4X1/2X3/4	15	0	086	13.19
-----------	-------------	----	---	-----	-------

**Transition Reducing Tee**  
**Soc x Fipt With Brass Thread Insert**



802-101BR	3/4X1/2	50	0	086	41.08
-----------	---------	----	---	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking

**90° Ell**  
**Soc**



806-002	1/4	25	150	080	3.31
806-003	3/8	20	120	080	3.31
806-005	1/2	20	240	080	3.31
806-007	3/4	20	160	080	4.22
806-010	1	25	0	080	6.80
806-012	1-1/4	10	0	080	9.11
806-015	1-1/2	10	0	080	9.76
806-020	2	25	0	080	11.79
806-025	2-1/2	5	0	080	27.59
806-030	3	5	0	080	31.01
806-040	4	5	0	080	47.16
806-045F	4-1/2	1	2	083	216.82
806-050	5	4	0	080	120.91
806-050F	5	1	4	083	242.08
806-060	6	4	0	080	134.19
806-080	8	2	0	080	369.86
806-100	10	1	0	081	1655.26
806-100F	10	1	0	083	660.59
806-120	12	1	0	081	2157.75
806-120F	12	1	0	083	1079.76
806-140F	14	1	0	083	1377.35
806-160F	16	1	0	083	1712.98
806-180F	18	1	0	083	2448.07
806-200F	20	1	0	083	2923.53
806-240F	24	1	0	083	4489.44
806-338 <sup>1</sup>	3X2	5	0	080	76.01
806-422 <sup>1</sup>	4X3	5	0	080	113.54

<sup>1</sup> Sized with Bushing



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**90° EII Sweep**  
Soc x Soc



806-005S	1/2	25	150	080	8.24
806-007S	3/4	25	100	080	10.67
806-010S	1	25	0	080	17.19
806-012S	1-1/4	25	0	080	22.73
806-015S	1-1/2	25	0	080	24.43
806-020S	2	25	0	080	29.60


**Long Sweep 90° EII**  
Soc



806-005LSF	1/2	1	25	083	28.57
806-007LSF	3/4	1	25	083	32.06
806-010LSF	1	1	25	083	35.84
806-012LSF	1-1/4	1	25	083	60.62
806-015LSF	1-1/2	1	25	083	61.39
806-020LSF	2	1	10	083	66.37
806-025LSF	2-1/2	1	7	083	113.97
806-030LSF	3	1	5	083	124.34
806-040LSF	4	1	4	083	139.43
806-060LSF	6	1	2	083	213.55

Not Listed for Electrical Conduit Use


**90° EII**  
Soc x Fipt



807-002	1/4	25	450	080	13.00
807-003	3/8	25	150	080	13.00
807-005	1/2	20	240	080	13.00
807-007	3/4	20	160	080	15.29
807-010	1	20	0	080	16.54
807-012	1-1/4	10	0	080	19.07
807-015	1-1/2	10	0	080	22.75
807-020	2	10	0	080	29.47
807-030	3	5	0	080	70.39
807-040	4	5	0	080	132.74
807-060 <sup>1</sup>	6	3	0	080	307.99

<sup>1</sup>Thread outlet sized with Female Adapter

**Special Reinforced 90° EII**  
Soc x SR Fipt - Stainless Steel Collar



807-005SR	1/2	20	240	086	7.72
807-007SR	3/4	75	0	086	9.18
807-010SR	1	50	0	086	9.28
807-012SR	1-1/4	25	0	086	12.47
807-015SR	1-1/2	10	0	086	15.41
807-020SR	2	10	0	086	17.68
807-030SR	3	5	0	086	44.89
807-040SR	4	5	0	086	79.32


**Transition 90° EII**  
Soc x Fipt With Brass Thread Insert



807-005BR	1/2	20	240	086	28.92
807-007BR	3/4	20	160	086	51.19

Not intended to convey or dispense water for human consumption through drinking or cooking

**90° EII**  
Fipt



808-002	1/4	25	450	080	8.20
808-003	3/8	25	150	080	8.20

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**90° EII (continued)**

**Fipt**

808-005	1/2	20	120	080	7.65
808-007	3/4	20	240	080	9.53
808-010	1	15	120	080	11.99
808-012	1-1/4	10	0	080	12.92
808-015	1-1/2	10	0	080	18.32
808-020	2	10	0	080	20.64
808-025	2-1/2	5	0	080	80.37
808-030	3	5	0	080	129.60
808-040	4	5	0	080	228.04

**90° Street EII**  
Mipt x Fipt



812-002	1/4	50	300	080	17.63
812-005 <sup>1</sup>	1/2	20	240	080	14.64
812-010 <sup>1</sup>	1	20	0	080	22.60
812-012 <sup>1</sup>	1-1/4	10	0	080	25.97
812-015 <sup>1</sup>	1-1/2	10	0	080	42.56

<sup>1</sup> Sized with Adapter

**Special Reinforced 90° EII**  
SR Fipt - Stainless Steel Collar



808-003SR	3/8	25	150	086	4.51
808-005SR	1/2	20	120	086	4.51
808-007SR	3/4	20	120	086	5.67
808-010SR	1	50	0	086	6.60
808-012SR	1-1/4	25	0	086	7.05
808-015SR	1-1/2	10	0	086	11.00
808-020SR	2	10	0	086	12.39

**90° Street EII**  
Spig x Soc



809-005	1/2	50	200	080	4.14
809-007	3/4	50	0	080	5.28
809-010	1	50	0	080	8.52
809-012	1-1/4	25	0	080	11.40
809-015	1-1/2	10	0	080	12.22
809-020	2	25	0	080	14.75
809-030	3	5	0	080	41.38
809-040	4	4	0	080	62.87
809-060	6	1	0	080	178.93
809-080	8	2	0	080	493.16
809-100	10	1	0	081	2206.41
809-120	12	1	0	081	2876.12

**Reducing 90° EII**  
Soc x Fipt



807-101	3/4X1/2	10	60	080	7.88
807-130 <sup>1</sup>	1X1/2	10	80	080	12.58
807-131 <sup>1</sup>	1X3/4	10	80	080	12.58

<sup>1</sup> Sized with Bushing

**Special Reinforced Reducing 90° EII**  
Soc x SR Fipt - Stainless Steel Collar



807-101SR	3/4X1/2	50	0	086	9.16
807-130SR	1X1/2	50	0	086	10.28




**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Transition Reducing 90° EII**  
**Soc x Fipt With Brass Thread Insert**



807-101BR	3/4X1/2	20	120	086	36.09
-----------	---------	----	-----	-----	-------


Not intended to convey or dispense water for human consumption through drinking or cooking

**60° EII**  
**Soc**




824-005F	1/2	1	7	083	74.22
824-007F	3/4	1	6	083	87.64
824-010F	1	1	25	083	95.36
824-012F	1-1/4	1	16	083	97.22
824-015F	1-1/2	1	16	083	103.85
824-020F	2	1	16	083	131.75
824-025F	2-1/2	1	10	083	155.11
824-030F	3	1	4	083	155.39
824-040F	4	1	4	083	199.67
824-060F	6	1	2	083	356.59
824-080F	8	1	2	083	432.20
824-100F	10	1	2	083	738.44
824-120F	12	1	0	083	964.51
824-140F	14	1	0	083	1201.02
824-160F	16	1	0	083	1357.04
824-180F	18	1	0	083	2403.19
824-200F	20	1	0	083	2651.38
824-240F	24	1	0	083	4421.29

**45° EII**  
**Soc**



817-002	1/4	25	450	080	11.87
817-003	3/8	25	150	080	11.87
817-005	1/2	20	240	080	6.22
817-007	3/4	20	240	080	9.51
817-010	1	15	120	080	14.25
817-012	1-1/4	10	80	080	18.15
817-015	1-1/2	10	0	080	21.46
817-020	2	10	0	080	27.83
817-025	2-1/2	5	0	080	58.42
817-030	3	5	0	080	71.11
817-040	4	5	0	080	128.05
817-045F	4-1/2	1	2	083	88.71
817-050	5	4	0	080	153.20
817-050F	5	1	4	083	121.05
817-060	6	4	0	080	161.26
817-080	8	2	0	080	349.63
817-100	10	1	0	081	1100.75
817-100F	10	1	2	083	464.54
817-120	12	1	0	081	1419.89
817-120F	12	1	0	083	653.56
817-140F	14	1	0	083	1065.27
817-160F	16	1	0	083	1304.15
817-180F	18	1	0	083	1587.37
817-200F	20	1	0	083	2180.34
817-240F	24	1	0	083	2700.68

**45° EII**  
**Fipt**



819-002	1/4	25	450	080	13.46
819-003	3/8	25	150	080	13.46
819-005	1/2	20	120	080	12.28
819-007	3/4	10	120	080	13.20
819-010	1	10	120	080	16.56

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**45° EII (continued)**

**Fipt**

819-012	1-1/4	10	80	080	25.26
819-015	1-1/2	10	0	080	31.76
819-020	2	10	0	080	47.08
819-025	2-1/2	5	0	080	93.16
819-030	3	5	0	080	149.84
819-040	4	5	0	080	215.01

**Special Reinforced 45° EII**  
**SR Fipt - Stainless Steel Collar**




819-007SR	3/4	10	120	086	7.76
-----------	-----	----	-----	-----	------

**45° Street EII**  
**Spig x Soc**




827-005	1/2	50	400	080	6.22
827-007	3/4	50	0	080	9.51
827-010	1	50	0	080	14.25
827-012	1-1/4	25	0	080	18.15
827-015	1-1/2	25	0	080	21.46
827-020	2	10	0	080	27.83
827-025	2-1/2	12	0	080	36.69
827-030	3	10	0	080	71.11
827-040	4	5	0	080	128.05
827-050F	5	1	2	083	154.92
827-060	6	4	0	080	189.69
827-080	8	2	0	080	411.35
827-100	10	1	0	081	1295.03
827-120	12	1	0	081	1670.46
827-140F	14	1	0	083	983.22
827-160F	16	1	0	083	1577.21
827-180F	18	1	0	083	1763.17
827-200F	20	1	0	083	2319.57
827-240F	24	1	0	083	3688.31

**30° EII**  
**Soc**



815-005F	1/2	1	25	083	26.75
815-007F	3/4	1	25	083	26.94
815-010F	1	1	30	083	29.47
815-012F	1-1/4	1	15	083	31.92
815-015F	1-1/2	1	25	083	32.36
815-020F	2	1	25	083	35.28
815-025F	2-1/2	1	18	083	39.09
815-030F	3	1	20	083	42.65
815-040F	4	1	6	083	55.93
815-045F	4-1/2	1	18	083	85.19
815-050F	5	1	2	083	102.17
815-060	6	5	0	080	189.69
815-080F	8	1	3	083	171.15
815-100F	10	1	2	083	303.33
815-120F	12	1	2	083	443.33
815-140F	14	1	0	083	678.69
815-160F	16	1	0	083	907.22
815-180F	18	1	0	083	1393.67
815-200F	20	1	0	083	2020.52
815-240F	24	1	0	083	2410.66

**22-1/2° EII**  
**Soc**



816-005	1/2	20	240	080	7.34
816-007	3/4	20	240	080	11.20



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>22-1/2° EII (continued)</b>					
<b>Soc</b>					
816-010	1	20	160	080	16.78
816-010F	1	1	25	083	16.18
816-015F	1-1/2	1	25	083	28.22
816-012	1-1/4	20	0	080	21.36
816-015	1-1/2	20	0	080	25.25
816-020	2	20	0	080	32.71
816-025	2-1/2	5	0	080	67.20
816-025F	2-1/2	1	18	083	39.09
816-030	3	5	0	080	83.84
816-040	4	4	0	080	150.66
816-045F	4-1/2	1	18	083	85.19
816-050F	5	1	8	083	102.17
816-060	6	4	0	080	189.69
816-060F	6	1	8	083	104.56
816-080	8	4	0	080	411.35
816-080F	8	1	4	083	171.15
816-100F	10	1	2	083	303.33
816-120F	12	1	2	083	443.33
816-140F	14	1	0	083	678.69
816-160F	16	1	0	083	907.22
816-180F	18	1	0	083	1171.17
816-200F	20	1	0	083	2020.52
816-240F	24	1	0	083	2410.66

**22-1/2° Street EII**  
**Spig x Soc**



842-005	1/2	50	400	080	7.62
842-007	3/4	50	0	080	11.71
842-010	1	50	0	080	18.40
842-012	1-1/4	20	0	080	22.91
842-015	1-1/2	25	0	080	25.97
842-020	2	20	0	080	32.71
842-025	2-1/2	5	0	080	85.38
842-030	3	5	0	080	93.73
842-040	4	4	0	080	164.84
842-040F	4	1	5	084	105.02
842-060	6	6	0	080	234.28
842-060F	6	1	6	083	131.75
842-080	8	1	2	080	506.54
842-080F	8	1	4	083	173.88
842-100F	10	1	0	083	355.36
842-120F	12	1	2	084	463.03

**15° EII**  
**Soc**



818-005F	1/2	1	25	083	26.75
818-007F	3/4	1	23	083	26.94
818-010F	1	1	20	083	29.47
818-012F	1-1/4	15	0	083	31.92
818-015F	1-1/2	1	25	083	32.36
818-020F	2	1	25	083	35.28
818-025F	2-1/2	1	18	083	115.19
818-030F	3	1	35	083	42.65
818-040F	4	1	20	083	55.93
818-045F	4-1/2	1	18	083	85.19
818-050F	5	1	2	083	102.17
818-060F	6	1	8	083	104.56
818-080F	8	1	4	083	171.15
818-100F	10	1	2	083	303.33
818-120F	12	1	2	083	443.33
818-140F	14	1	0	083	678.69
818-160F	16	1	0	083	907.22
818-180F	18	1	0	083	1171.17

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>15° EII (continued)</b>					
<b>Soc</b>					
818-200F	20	1	0	083	2020.52
818-240F	24	1	0	083	2410.66

**11-1/4° EII**  
**Soc**



811-005F	1/2	1	52	083	26.75
811-007F	3/4	1	52	083	26.94
811-010F	1	1	50	083	29.47
811-012F	1-1/4	1	26	083	31.92
811-015	1-1/2	25	0	080	26.68
811-020	2	10	0	080	32.71
811-025F	2-1/2	1	25	083	39.09
811-030	3	10	0	080	83.84
811-040	4	4	0	080	150.66
811-045F	4-1/2	1	18	083	85.19
811-050F	5	1	4	083	102.17
811-060F	6	1	10	083	104.56
811-080F	8	1	4	083	171.15
811-100F	10	1	2	083	303.33
811-120F	12	1	2	083	443.33
811-140F	14	1	0	083	678.69
811-160F	16	1	0	083	907.22
811-180F	18	1	0	083	1171.17
811-200F	20	1	0	083	2020.52
811-240F	24	1	0	083	2410.66

**Wye**  
**Soc**



1/2" - 2" - 235 psi Maximum Internal Pressure Rating @ 73°F (23°C)  
2-1/2" - 6" - 150 psi Maximum Internal Pressure Rating @ 73°F (23°C)  
8" - Larger & All Fabricated Sizes - 100 psi Maximum Internal Pressure Rating @ 73°F (23°C)

875-005	1/2	25	100	080	13.68
875-007	3/4	25	0	080	14.38
875-010	1	20	0	080	23.01
875-012	1-1/4	20	0	080	35.28
875-015	1-1/2	20	0	080	35.28
875-020	2	10	0	080	101.22
875-025 <sup>1</sup>	2-1/2	4	0	080	461.20
875-030	3	5	0	080	325.38
875-040	4	4	0	080	403.17
875-050F <sup>1</sup>	5	1	2	083	630.71
875-060	6	2	0	080	550.66
875-080	8	1	0	080	1107.40
875-080F	8	1	0	083	853.29
875-100F <sup>1</sup>	10	1	0	083	1338.99
875-120F <sup>1</sup>	12	1	0	083	1701.91
875-140F <sup>1</sup>	14	1	0	083	2842.43
875-160F <sup>1</sup>	16	1	0	083	3733.88
875-180F <sup>1</sup>	18	1	0	083	4186.18
875-200F <sup>1</sup>	20	1	0	083	5591.94
875-240F <sup>1</sup>	24	1	0	083	7442.15

<sup>1</sup> Sized with Bushing

\* An asterisk (\*) appearing after a fabricated fitting part number indicates the item is fiberglass reinforced.

**Schedule 80 PVC Industrial Products & Accessories  
PVC Schedule 80 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducing Wye Soc**



1/2" - 2" - 235 psi Maximum Internal Pressure Rating @ 73°F (23°C)  
 3" - 6" - 150 psi Maximum Internal Pressure Rating @ 73°F (23°C)  
 8" - Larger & All Fabricated Sizes - 100 psi Maximum Internal Pressure Rating @ 73°F (23°C)

875-101 <sup>1</sup>	3/4X1/2	25	0	080	16.60
875-130 <sup>1</sup>	1X1/2	20	0	080	29.11
875-131 <sup>1</sup>	1X3/4	20	0	080	29.11
875-166 <sup>1</sup>	1-1/4X1/2	20	0	080	44.84
875-167 <sup>1</sup>	1-1/4X3/4	20	0	080	44.84
875-168 <sup>1</sup>	1-1/4X1	20	0	080	44.84
875-209 <sup>1</sup>	1-1/2X1/2	20	0	080	48.03
875-210 <sup>1</sup>	1-1/2X3/4	20	0	080	48.03
875-211 <sup>1</sup>	1-1/2X1	20	0	080	48.03
875-212 <sup>1</sup>	1-1/2X1-1/4	20	0	080	48.03
875-247 <sup>1</sup>	2X1/2	10	0	080	120.41
875-248 <sup>1</sup>	2X3/4	10	0	080	120.41
875-249 <sup>1</sup>	2X1	10	0	080	120.41
875-250 <sup>1</sup>	2X1-1/4	10	0	080	120.41
875-251 <sup>1</sup>	2X1-1/2	10	0	080	120.41
875-292 <sup>1</sup>	2-1/2X2-1/2X2	4	0	080	468.76
875-335 <sup>1</sup>	3X1	5	0	080	379.27
875-336 <sup>1</sup>	3X1-1/4	5	0	080	379.27
875-337 <sup>1</sup>	3X1-1/2	5	0	080	379.27
875-338 <sup>1</sup>	3X2	4	0	080	379.27
875-339 <sup>1</sup>	3X2-1/2	5	0	080	379.27
875-420	4X2	4	0	080	476.83
875-420F <sup>2</sup>	4X2	1	5	083	397.41
875-421 <sup>1</sup>	4X2-1/2	4	0	080	528.54
875-421F <sup>2</sup>	4X2-1/2	1	4	083	444.12
875-422 <sup>1</sup>	4X3	4	0	080	476.83
875-525 <sup>1</sup>	6X1	5	0	080	584.64
875-528 <sup>1</sup>	6X2	5	0	080	519.19
875-528F <sup>2</sup>	6X2	1	3	083	408.28
875-530 <sup>1</sup>	6X3	5	0	080	519.19
875-530F <sup>2</sup>	6X3	1	2	083	443.57
875-532	6X4	5	0	080	419.66
875-578 <sup>1</sup>	8X2	1	0	080	1448.65
875-578F <sup>2</sup>	8X2	1	2	083	660.56
875-579F <sup>2</sup>	8X2-1/2	1	2	083	675.37
875-580 <sup>1</sup>	8X3	1	0	080	1448.65
875-580F <sup>2</sup>	8X3	1	2	083	670.95
875-582 <sup>1</sup>	8X4	1	0	080	1448.65
875-582F <sup>2</sup>	8X4	1	2	083	711.42
875-585 <sup>1</sup>	8X6	1	0	080	1351.33
875-585F <sup>2</sup>	8X6	1	0	083	838.92
875-621F <sup>2</sup>	10X2	1	0	083	889.24
875-622F <sup>2</sup>	10X2-1/2	1	0	083	895.43
875-623F <sup>2</sup>	10X3	1	0	083	906.56
875-624F <sup>2</sup>	10X4	1	0	083	988.04
875-625F <sup>2</sup>	10X5	1	0	083	1107.33
875-626	10X6	1	0	081	1564.51
875-626F <sup>2</sup>	10X6	1	0	083	1124.31
875-628	10X8	1	0	081	1991.86
875-628F <sup>2</sup>	10X8	1	0	083	1300.27
875-661F <sup>2</sup>	12X2	1	0	083	986.82
875-662F <sup>2</sup>	12X2-1/2	1	0	083	1075.84
875-663F <sup>2</sup>	12X3	1	0	083	1177.29
875-664F <sup>2</sup>	12X4	1	0	083	1246.79
875-666F <sup>2</sup>	12X6	1	0	083	1421.92
875-668F <sup>2</sup>	12X8	1	0	083	1557.75
875-670F <sup>2</sup>	12X10	1	0	083	1650.80
875-694F <sup>2</sup>	14X4	1	0	083	1542.98
875-696F <sup>2</sup>	14X6	1	0	083	1632.80

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducing Wye (continued)**


**Soc**

875-698F <sup>2</sup>	14X8	1	0	083	1670.46
875-700F <sup>2</sup>	14X10	1	0	083	1865.06
875-702F <sup>2</sup>	14X12	1	0	083	2113.86
875-754F <sup>2</sup>	16X4	1	0	083	1680.47
875-756F <sup>2</sup>	16X6	1	0	083	1687.76
875-758F <sup>2</sup>	16X8	1	0	083	1904.77
875-760F <sup>2</sup>	16X10	1	0	083	2144.28
875-762F <sup>2</sup>	16X12	1	0	083	2336.28
875-764F <sup>2</sup>	16X14	1	0	083	2705.55
875-784F <sup>2</sup>	18X4	1	0	083	3016.78
875-786F <sup>2</sup>	18X6	1	0	083	3406.48
875-788F <sup>2</sup>	18X8	1	0	083	3533.01
875-790F <sup>2</sup>	18X10	1	0	083	3797.31
875-792F <sup>2</sup>	18X12	1	0	083	3811.79
875-794F <sup>2</sup>	18X14	1	0	083	4116.92
875-796F <sup>2</sup>	18X16	1	0	083	4145.94
875-814F <sup>2</sup>	20X4	1	0	083	3727.95
875-816F <sup>2</sup>	20X6	1	0	083	4017.12
875-818F <sup>2</sup>	20X8	1	0	083	4245.20
875-820F <sup>2</sup>	20X10	1	0	083	4388.98
875-822F <sup>2</sup>	20X12	1	0	083	4546.60
875-824F <sup>2</sup>	20X14	1	0	083	4908.17
875-826F <sup>2</sup>	20X16	1	0	083	5314.37
875-828F <sup>2</sup>	20X18	1	0	083	5516.26
875-904F <sup>2</sup>	24X4	1	0	083	4638.11
875-906F <sup>2</sup>	24X6	1	0	083	4797.68
875-908F <sup>2</sup>	24X8	1	0	083	4920.49
875-910F <sup>2</sup>	24X10	1	0	083	5143.16
875-912F <sup>2</sup>	24X12	1	0	083	5470.07
875-914F <sup>2</sup>	24X14	1	0	083	5682.24
875-916F <sup>2</sup>	24X16	1	0	083	6062.14
875-918F <sup>2</sup>	24X18	1	0	083	6990.88
875-920F <sup>2</sup>	24X20	1	0	083	7318.35

<sup>1</sup> Sized with Bushing

\* An asterisk (\*) appearing after a fabricated fitting part number indicates the item is fiberglass reinforced.

**Double Wye Soc**



100 psi Maximum Internal Pressure Rating @ 73°F (23°C)

876-020F <sup>2</sup>	2	1	4	083	334.67
876-030F <sup>2</sup>	3	1	4	083	421.77
876-040F <sup>2</sup>	4	1	2	083	765.93
876-060F <sup>2</sup>	6	1	0	083	895.23
876-080F <sup>2</sup>	8	1	0	083	1066.61
876-100F <sup>2</sup>	10	1	0	083	1900.60
876-120F <sup>2</sup>	12	1	0	083	2676.48

For larger sizes please contact your Regional Spears® Distribution Center.

**Reducing Double Wye Soc**



Size 3" is 150 psi, all Fabricated Sizes- 100 psi Maximum Internal Pressure Rating @ 73°F (23°C)

876-338	3X2	5	0	080	406.99
876-420F <sup>2</sup>	4X2	1	2	083	531.52
876-421F <sup>2</sup>	4X2-1/2	1	2	083	601.79
876-422F <sup>2</sup>	4X3	1	2	083	622.46
876-528F <sup>2</sup>	6X2	1	2	083	625.44
876-529F <sup>2</sup>	6X2-1/2	1	2	083	653.28
876-530F <sup>2</sup>	6X3	1	2	083	657.53
876-532F <sup>2</sup>	6X4	1	0	083	783.78
876-578F <sup>2</sup>	8X2	1	2	083	806.75



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


**Reducing Double Wye (continued)**

**Soc**

876-579F*	8X2-1/2	1	2	083	844.83
876-580F*	8X3	1	0	083	849.99
876-582F*	8X4	1	0	083	877.41
876-585F*	8X6	1	0	083	990.69
876-621F*	10X2	1	0	083	1075.73
876-622F*	10X2-1/2	1	0	083	1157.96
876-623F*	10X3	1	0	083	1164.83
876-624F*	10X4	1	0	083	1209.04
876-626F*	10X6	1	0	083	1265.54
876-628F*	10X8	1	0	083	1626.46
876-661F*	12X2	1	0	083	1201.98
876-662F*	12X2-1/2	1	0	083	1273.29
876-663F*	12X3	1	0	083	1293.39
876-664F*	12X4	1	0	083	1377.71
876-666F*	12X6	1	0	083	1598.79
876-668F*	12X8	1	0	083	1909.69
876-670F*	12X10	1	0	083	2178.07


\* An asterisk (\*) appearing after a fabricated fitting part number indicates the item is fiberglass reinforced.

For larger sizes please contact your Regional Spears® Distribution Center.



**Cross Soc**

820-002	1/4	25	150	080	45.94
820-005	1/2	50	0	080	45.94
820-007	3/4	50	0	080	48.35
820-010	1	50	0	080	56.61
820-012	1-1/4	25	0	080	67.93
820-015	1-1/2	25	0	080	73.23
820-020	2	10	0	080	90.67
820-025	2-1/2	10	0	080	123.63
820-030	3	5	0	080	154.20
820-040	4	3	0	080	268.29
820-060F	6	1	0	083	644.71
820-080F	8	1	0	083	942.69
820-100F	10	1	0	083	1520.48
820-120F	12	1	0	083	2141.20
820-140F	14	1	0	083	3441.27
820-160F	16	1	0	083	3900.04
820-180F	18	1	0	083	4090.77
820-200F	20	1	0	083	5956.54
820-240F	24	1	0	083	8950.91



**Reducing Cross Soc**

820-101 <sup>1</sup>	3/4X1/2	50	0	080	53.26
820-130 <sup>1</sup>	1X1/2	25	0	080	69.00
820-131	1X3/4	20	0	080	69.00
820-166 <sup>1</sup>	1-1/4X1/2	25	0	080	66.27
820-167	1-1/4X3/4	25	0	080	61.15
820-168 <sup>1</sup>	1-1/4X1	25	0	080	87.14
820-209 <sup>1</sup>	1-1/2X1/2	20	0	080	98.83
820-210	1-1/2X3/4	15	0	080	98.83
820-211 <sup>1</sup>	1-1/2X1	25	0	080	98.83
820-212 <sup>1</sup>	1-1/2X1-1/4	25	0	080	98.83
820-247 <sup>1</sup>	2X1/2	10	0	080	126.80
820-248 <sup>1</sup>	2X3/4	10	0	080	126.80
820-249 <sup>1</sup>	2X1	10	0	080	126.80
820-250 <sup>1</sup>	2X1-1/4	10	0	080	126.80
820-251 <sup>1</sup>	2X1-1/2	10	0	080	126.80
820-289	2-1/2X1	15	0	080	126.80
820-290 <sup>1</sup>	2-1/2X1-1/4	10	0	080	185.73

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducing Cross (continued)**

**Soc**

820-291 <sup>1</sup>	2-1/2X1-1/2	10	0	080	185.73
820-292 <sup>1</sup>	2-1/2X2	4	0	080	185.73
820-335 <sup>1</sup>	3X1	4	0	080	251.86
820-336 <sup>1</sup>	3X1-1/4	4	0	080	251.86
820-337 <sup>1</sup>	3X1-1/2	4	0	080	251.86
820-338 <sup>1</sup>	3X2	4	0	080	251.86
820-339 <sup>1</sup>	3X2-1/2	4	0	080	251.86
820-420 <sup>1</sup>	4X2	3	0	080	404.64
820-420F*	4X2	1	4	083	395.17
820-422 <sup>1</sup>	4X3	3	0	080	404.64
820-528F	6X2	1	4	083	500.35
820-530F	6X3	1	2	083	526.02
820-532F	6X4	1	2	083	626.97
820-533F*	6X5	1	2	083	743.35
820-578F	8X2	1	0	083	645.65
820-580F	8X3	1	0	083	679.67
820-582F	8X4	1	0	083	701.95
820-585F	8X6	1	0	083	758.55
820-621F	10X2	1	0	083	859.47
820-622F	10X2-1/2	1	0	083	883.56
820-623F	10X3	1	0	083	931.92
820-624F	10X4	1	0	083	967.35
820-626F	10X6	1	0	083	1012.33
820-628F	10X8	1	0	083	1301.89
820-661F	12X2	1	0	083	961.58
820-663F	12X3	1	0	083	1035.99
820-664F	12X4	1	0	083	1102.59
820-666F	12X6	1	0	083	1280.39
820-668F	12X8	1	0	083	1529.51
820-670F	12X10	1	0	083	1040.24
820-691F	14X2	1	0	083	1379.79
820-693F	14X3	1	0	083	1484.94
820-694F	14X4	1	0	083	1630.41
820-696F	14X6	1	0	083	1800.81
820-698F	14X8	1	0	083	2048.53
820-700F	14X10	1	0	083	2366.88
820-702F	14X12	1	0	083	2677.14
820-751F	16X2	1	0	083	1726.16
820-753F	16X3	1	0	083	1858.93
820-754F	16X4	1	0	083	2062.17
820-756F	16X6	1	0	083	2230.31
820-758F	16X8	1	0	083	2494.58
820-760F	16X10	1	0	083	2718.33
820-762F	16X12	1	0	083	3053.15
820-764F	16X14	1	0	083	3823.62
820-784F	18X4	1	0	083	2910.95
820-786F	18X6	1	0	083	3038.26
820-788F	18X8	1	0	083	3260.62
820-790F	18X10	1	0	083	3482.81
820-792F	18X12	1	0	083	3647.03
820-794F	18X14	1	0	083	3864.17
820-796F	18X16	1	0	083	4026.45
820-814F	20X4	1	0	083	3650.09
820-816F	20X6	1	0	083	4204.38
820-818F	20X8	1	0	083	4251.60
820-820F	20X10	1	0	083	4545.29
820-822F	20X12	1	0	083	4873.76
820-824F	20X14	1	0	083	5442.01
820-826F	20X16	1	0	083	5548.12
820-828F	20X18	1	0	083	5847.82
820-904F	24X4	1	0	083	4357.68
820-906F	24X6	1	0	083	4631.88
820-908F	24X8	1	0	083	4812.75
820-910F	24X10	1	0	083	4881.51
820-912F	24X12	1	0	083	5104.49



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducing Cross (continued)**

**Soc**

820-914F	<b>24X14</b>	1	0	083	6073.65
820-916F	<b>24X16</b>	1	0	083	6486.02
820-918F	<b>24X18</b>	1	0	083	7442.09
820-920F	<b>24X20</b>	1	0	083	8898.58

<sup>1</sup> Sized with Bushing

**Coupling**

**Soc**



829-002	<b>1/4</b>	25	450	080	9.57
829-003	<b>3/8</b>	25	150	080	9.57
829-005	<b>1/2</b>	25	150	080	5.98
829-007	<b>3/4</b>	25	300	080	8.09
829-010	<b>1</b>	25	200	080	8.32
829-012	<b>1-1/4</b>	10	80	080	12.67
829-015	<b>1-1/2</b>	10	80	080	13.66
829-020	<b>2</b>	20	0	080	14.67
829-025	<b>2-1/2</b>	10	0	080	36.11
829-030	<b>3</b>	5	0	080	41.46
829-040	<b>4</b>	5	0	080	51.93
829-050	<b>5</b>	5	0	080	102.98
829-050F	<b>5</b>	1	5	083	64.27
829-060	<b>6</b>	4	0	080	111.76
829-080	<b>8</b>	4	0	080	152.09
829-100	<b>10</b>	1	0	081	522.01
829-100F	<b>10</b>	1	0	083	175.80
829-120	<b>12</b>	1	0	081	601.61
829-120F	<b>12</b>	1	0	083	202.64
829-140	<b>14</b>	1	0	081	765.42
829-140F	<b>14</b>	1	0	083	405.21
829-160F	<b>16</b>	1	0	083	481.75
829-180F	<b>18</b>	1	0	083	949.59
829-200F	<b>20</b>	1	0	083	1170.80
829-240F	<b>24</b>	1	0	083	1285.55

**Grooved Coupling Adapter**

**Groove x Soc**



833-012	<b>1-1/4</b>	10	60	080	16.60
833-015	<b>1-1/2</b>	10	80	080	18.55
833-020	<b>2</b>	10	80	080	21.58
833-025	<b>2-1/2</b>	5	0	080	46.60
833-030	<b>3</b>	5	0	080	55.55
833-040	<b>4</b>	5	0	080	63.04
833-050F	<b>5</b>	1	7	084	121.01
833-060	<b>6</b>	5	0	080	136.12
833-080F	<b>8</b>	1	4	084	156.09
833-100F	<b>10</b>	1	0	084	191.68
833-120F	<b>12</b>	1	0	084	258.95

**Coupling**

**Fipt**



830-002	<b>1/4</b>	25	450	080	7.17
830-003	<b>3/8</b>	25	150	080	7.17
830-005	<b>1/2</b>	25	150	080	6.69
830-007	<b>3/4</b>	25	300	080	9.54
830-010	<b>1</b>	15	90	080	10.24
830-012	<b>1-1/4</b>	10	120	080	12.67
830-015	<b>1-1/2</b>	10	80	080	28.20
830-020	<b>2</b>	10	0	080	29.60
830-025	<b>2-1/2</b>	5	0	080	70.66
830-030	<b>3</b>	5	0	080	82.86
830-040	<b>4</b>	5	0	080	143.48

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


**Coupling (continued)**

**Fipt**

830-060F	<b>6</b>	1	8	083	180.83
830-080F	<b>8</b>	1	6	083	265.92
830-100F	<b>10</b>	1	2	083	361.68

**Special Reinforced Coupling**


**SR Fipt - Stainless Steel Collar**



830-005SR	<b>1/2</b>	25	150	086	3.69
830-007SR	<b>3/4</b>	25	150	086	5.25
830-010SR	<b>1</b>	25	200	086	5.61
830-012SR	<b>1-1/4</b>	10	120	086	6.99
830-015SR	<b>1-1/2</b>	10	80	086	15.47
830-020SR	<b>2</b>	10	0	086	16.22

**Reducer Coupling**

**Soc**



829-101	<b>3/4X1/2</b>	50	400	080	7.32
829-130	<b>1X1/2</b>	25	200	080	10.22
829-131	<b>1X3/4</b>	25	200	080	10.67
829-166	<b>1-1/4X1/2</b>	25	0	080	21.67
829-167	<b>1-1/4X3/4</b>	25	0	080	21.67
829-168	<b>1-1/4X1</b>	25	0	080	21.67
829-209	<b>1-1/2X1/2</b>	25	0	080	22.68
829-210	<b>1-1/2X3/4</b>	25	0	080	22.68
829-211	<b>1-1/2X1</b>	25	0	080	22.68
829-212	<b>1-1/2X1-1/4</b>	25	0	080	28.03
829-247	<b>2X1/2</b>	25	0	080	25.58
829-248	<b>2X3/4</b>	10	80	080	25.58
829-249	<b>2X1</b>	16	0	080	25.58
829-250	<b>2X1-1/4</b>	10	40	080	25.58
829-251	<b>2X1-1/2</b>	10	40	080	25.58
829-291	<b>2-1/2X1-1/2</b>	10	0	080	34.12
829-292	<b>2-1/2X2</b>	10	0	080	34.12
829-335 <sup>1</sup>	<b>3X1</b>	8	0	080	78.02
829-336 <sup>1</sup>	<b>3X1-1/4</b>	6	0	080	78.02
829-337 <sup>1</sup>	<b>3X1-1/2</b>	8	0	080	78.02
829-338	<b>3X2</b>	8	0	080	62.83
829-339	<b>3X2-1/2</b>	5	0	080	89.59
829-339F	<b>3X2-1/2</b>	1	9	083	109.27
829-416 <sup>1</sup>	<b>4X3/4</b>	6	0	080	129.75
829-417 <sup>1</sup>	<b>4X1</b>	6	0	080	129.75
829-419 <sup>1</sup>	<b>4X1-1/2</b>	6	0	080	129.75
829-420	<b>4X2</b>	6	0	080	119.78
829-421	<b>4X2-1/2</b>	4	0	080	119.78
829-422	<b>4X3</b>	4	0	080	118.37
829-460F	<b>4-1/2X4</b>	1	20	083	78.36
829-487F	<b>5X2-1/2</b>	1	6	083	116.34
829-488F	<b>5X3</b>	1	6	083	112.79
829-490F	<b>5X4</b>	1	8	083	60.84
829-491F	<b>5X4-1/2</b>	1	10	083	85.89
829-528 <sup>1</sup>	<b>6X2</b>	6	0	080	296.38
829-529 <sup>1</sup>	<b>6X2-1/2</b>	4	0	080	355.41
829-530 <sup>1</sup>	<b>6X3</b>	12	0	080	299.40
829-530F	<b>6X3</b>	1	10	083	111.73
829-532	<b>6X4</b>	4	0	080	241.43
829-534F	<b>6X4-1/2</b>	1	5	083	97.68
829-533F	<b>6X5</b>	1	5	083	102.43
829-579F	<b>8X2-1/2</b>	1	6	083	309.23
829-580F	<b>8X3</b>	1	6	083	283.37
829-582F	<b>8X4</b>	1	6	083	264.44
829-583F	<b>8X5</b>	1	4	083	290.69
829-585	<b>8X6</b>	2	0	080	731.23
829-621F	<b>10X2</b>	1	2	083	456.13
829-623F	<b>10X3</b>	1	2	083	427.03



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducer Coupling (continued)**

**Soc**

829-624F	10X4	1	2	083	403.03
829-625F	10X5	1	4	083	366.45
829-626	10X6	1	0	081	856.06
829-626F	10X6	1	4	083	330.28
829-628	10X8	1	0	081	856.06
829-663F	12X3	1	2	083	658.40
829-664F	12X4	1	2	083	562.44
829-665F	12X5	1	2	083	521.81
829-666F	12X6	1	0	083	486.53
829-668	12X8	1	0	081	974.12
829-668F	12X8	1	0	083	376.71
829-670F	12X10	1	0	083	254.49
829-691F	14X2	1	0	083	981.38
829-694F	14X4	1	0	083	819.47
829-696F	14X6	1	0	083	692.18
829-698F	14X8	1	0	083	633.39
829-700F	14X10	1	0	083	619.49
829-702F	14X12	1	0	083	371.57
829-754F	16X4	1	0	083	1216.69
829-756F	16X6	1	0	083	1100.40
829-758F	16X8	1	0	083	966.45
829-760F	16X10	1	0	083	858.45
829-762F	16X12	1	0	083	723.59
829-764F	16X14	1	0	083	549.29
829-783F	18X3	1	0	083	2640.07
829-784F	18X4	1	0	083	2567.20
829-786F	18X6	1	0	083	2399.75
829-788F	18X8	1	0	083	2272.17
829-790F	18X10	1	0	083	2055.42
829-792F	18X12	1	0	083	1691.86
829-794F	18X14	1	0	083	1145.33
829-796F	18X16	1	0	083	977.80
829-814F	20X4	1	0	083	2541.55
829-816F	20X6	1	0	083	2340.06
829-818F	20X8	1	0	083	2236.65
829-820F	20X10	1	0	083	2158.20
829-822F	20X12	1	0	083	1867.04
829-824F	20X14	1	0	083	1862.11
829-826F	20X16	1	0	083	1710.54
829-828F	20X18	1	0	083	1179.55
829-904F	24X4	1	0	083	4065.45
829-906F	24X6	1	0	083	4003.55
829-908F	24X8	1	0	083	3916.79
829-910F	24X10	1	0	083	3822.32
829-912F	24X12	1	0	083	3477.16
829-914F	24X14	1	0	083	3207.22
829-916F	24X16	1	0	083	2922.93
829-918F	24X18	1	0	083	2669.89
829-920F	24X20	1	0	083	2520.93

<sup>1</sup> Sized with Bushing

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Eccentric Reducer Coupling (continued)**

**Soc**

829-291FE <sup>2</sup>	2-1/2X1-1/2	1	20	083	62.38
829-292FE	2-1/2X2	1	10	083	48.17
829-335FE <sup>2</sup>	3X1	1	10	083	63.21
829-336FE <sup>2</sup>	3X1-1/4	1	10	083	60.88
829-337FE <sup>2</sup>	3X1-1/2	1	10	083	58.49
829-338E	3X2	15	0	080	62.83
829-338FE	3X2	1	20	083	37.36
829-339FE	3X2-1/2	1	10	083	121.31
829-417FE <sup>3</sup>	4X1	1	18	083	153.63
829-418FE <sup>3</sup>	4X1-1/4	1	6	083	150.91
829-419FE <sup>3</sup>	4X1-1/2	1	6	083	146.11
829-420FE <sup>2</sup>	4X2	1	10	083	102.01
829-421FE <sup>2</sup>	4X2-1/2	1	6	083	85.06
829-422FE	4X3	1	10	083	77.15
829-490FE	5X4	1	8	083	102.66
829-528FE <sup>3</sup>	6X2	1	6	083	180.80
829-529FE <sup>3</sup>	6X2-1/2	1	2	083	165.03
829-530FE <sup>2</sup>	6X3	1	6	083	159.27
829-532FE	6X4	1	5	083	115.31
829-533FE	6X5	1	5	083	106.34
829-575FE <sup>5</sup>	8X1	1	0	083	368.84
829-577FE <sup>5</sup>	8X1-1/2	1	0	083	360.56
829-578FE <sup>4</sup>	8X2	1	0	083	320.35
829-580FE <sup>3</sup>	8X3	1	2	083	244.15
829-582FE <sup>2</sup>	8X4	1	2	083	199.43
829-583FE <sup>2</sup>	8X5	1	2	083	199.01
829-585FE	8X6	1	4	083	153.36
829-624FE <sup>3</sup>	10X4	1	0	083	337.48
829-625FE <sup>3</sup>	10X5	1	0	083	384.21
829-626FE <sup>2</sup>	10X6	1	2	083	286.43
829-628FE	10X8	1	2	083	264.67
829-664FE <sup>4</sup>	12X4	1	0	083	516.08
829-666FE <sup>3</sup>	12X6	1	0	083	424.73
829-668FE <sup>2</sup>	12X8	1	0	083	366.94
829-670FE	12X10	1	2	083	234.55
829-696FE <sup>3</sup>	14X6	1	0	083	840.68
829-698FE <sup>2</sup>	14X8	1	0	083	691.34
829-700FE	14X10	1	0	083	573.39
829-702FE	14X12	1	0	083	368.36
829-756FE <sup>4</sup>	16X6	1	0	083	1553.20
829-758FE <sup>3</sup>	16X8	1	0	083	1422.29
829-760FE <sup>2</sup>	16X10	1	0	083	1034.67
829-762FE <sup>2</sup>	16X12	1	0	083	918.62
829-764FE	16X14	1	0	083	711.53
829-786FE <sup>5</sup>	18X6	1	0	083	2144.06
829-788FE <sup>4</sup>	18X8	1	0	083	2052.44
829-790FE <sup>3</sup>	18X10	1	0	083	1917.95
829-792FE <sup>3</sup>	18X12	1	0	083	1711.92
829-794FE <sup>2</sup>	18X14	1	0	083	1411.37
829-796FE	18X16	1	0	083	1377.17

**Eccentric Reducer Coupling**

**Soc**




829-101FE	3/4X1/2	1	25	083	38.56
829-130FE	1X1/2	1	16	083	27.05
829-131FE	1X3/4	1	15	083	39.69
829-168FE	1-1/4X1	1	12	083	31.46
829-209FE	1-1/2X1/2	1	20	083	49.82
829-210FE	1-1/2X3/4	1	25	083	51.56
829-212FE	1-1/2X1-1/4	1	20	083	32.67
829-249FE	2X1	1	25	083	46.59
829-250FE	2X1-1/4	1	25	083	43.29
829-251FE	2X1-1/2	1	10	083	41.31
829-290FE <sup>2</sup>	2-1/2X1-1/4	1	10	083	64.17

**Eccentric Reducer Coupling Footnotes**

**Multi-Step Configurations**

The number after the part number denotes steps listed below.



Example: 829-582 FE<sup>2</sup> (<sup>2</sup>= 2 Step)

**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducer Coupling Fipt**



830-073 <sup>1</sup>	1/2X3/8	25	150	080	9.02
830-101	3/4X1/2	50	200	080	7.96
830-211 <sup>1</sup>	1-1/2X1	10	40	080	38.80

<sup>1</sup> Sized with Bushing

**Special Reinforced Reducer Coupling SR Fipt - Stainless Steel Collar**



830-101SR	3/4X1/2	50	200	086	4.78
830-130SR	1X1/2	50	0	086	7.09
830-131SR	1X3/4	25	200	086	7.09
830-168SR	1-1/4X1	25	0	086	15.22
830-210SR	1-1/2X3/4	25	0	086	22.59
830-211SR	1-1/2X1	10	80	086	22.59
830-212SR	1-1/2X1-1/4	10	80	086	22.59
830-249SR	2X1	25	0	086	29.94
830-251SR	2X1-1/2	10	0	086	29.94

**Fabricated Repair Coupling Gasket**



828-020F	2	1	15	083	82.17
828-030F	3	1	5	083	104.67
828-040F	4	1	4	083	130.43
828-060F	6	1	2	083	151.11
828-080F	8	1	2	083	198.66
828-100F	10	1	0	083	355.72
828-120F	12	1	0	083	453.13
828-140F	14	1	0	083	1038.74
828-160F	16	1	0	083	1239.54
828-180F	18	1	0	083	2139.17
828-200F	20	1	0	083	2310.32
828-240F	24	1	0	083	3170.72

**Female Adapter Soc x Fipt**



835-002	1/4	25	450	080	10.12
835-003	3/8	25	400	080	10.12
835-005	1/2	25	150	080	5.60
835-007	3/4	25	150	080	8.32
835-010	1	15	90	080	12.26
835-012	1-1/4	10	120	080	19.86
835-015	1-1/2	10	80	080	24.35
835-020	2	10	0	080	42.48
835-025	2-1/2	5	0	080	67.07
835-030	3	5	0	080	75.51
835-040	4	5	0	080	129.77
835-060	6	6	0	080	153.66
835-060F	6	1	8	083	201.78
835-080	8	3	0	080	288.88
835-080F	8	1	6	083	238.53
835-100F	10	1	2	083	261.45
835-120F	12	1	0	083	329.96

**Special Reinforced Female Adapter Soc x SR Fipt - Stainless Steel Collar**



835-002SR	1/4	25	450	086	5.59
835-003SR	3/8	25	300	086	5.59
835-005SR	1/2	25	300	086	3.11
835-007SR	3/4	25	300	086	4.52
835-010SR	1	25	200	086	6.72

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


**Special Reinforced Female Adapter (continued)**

**Soc x SR Fipt - Stainless Steel Collar**

835-012SR	1-1/4	10	60	086	10.86
835-015SR	1-1/2	10	80	086	13.37
835-020SR	2	10	0	086	23.32
835-025SR	2-1/2	5	0	086	36.79
835-030SR	3	15	0	086	41.45
835-040SR	4	5	0	086	71.24
835-060SR	6	6	0	086	92.56

**Encapsulated Special Reinforced Female Adapter**


**Soc x ESR Fipt**



835-002ESR	1/4	25	450	086	8.09
835-003ESR	3/8	25	300	086	8.09
835-005ESR	1/2	25	300	086	5.02
835-007ESR	3/4	25	300	086	7.41
835-010ESR	1	25	200	086	9.81
835-012ESR	1-1/4	10	80	086	15.83
835-015ESR	1-1/2	10	80	086	22.87
835-020ESR	2	10	0	086	34.00

**Transition Female Adapter**


**Soc x Fipt With Brass Thread Insert**



835-005BR	1/2	25	150	086	24.97
835-007BR	3/4	25	150	086	35.86
835-010BR	1	15	90	086	61.80
835-012BR	1-1/4	15	60	086	101.77
835-015BR	1-1/2	10	40	086	133.69
835-020BR	2	8	32	086	165.59

Not intended to convey or dispense water for human consumption through drinking or cooking


**Special Reinforced Spigot Female Adapter Spig x SR Fipt - Stainless Steel Collar**



878-005SR	1/2	50	600	086	4.08
878-007SR	3/4	25	300	086	4.81
878-010SR	1	50	0	086	7.41
878-012SR	1-1/4	25	0	086	11.80
878-015SR	1-1/2	25	0	086	14.15
878-020SR	2	15	0	086	23.55
878-030SR	3	5	0	086	43.28
878-040SR	4	5	0	086	73.48

**Encapsulated Special Reinforced Spigot Female Adapter**


**Spig x ESR Fipt**



878-005ESR	1/2	50	600	086	5.57
878-007ESR	3/4	25	300	086	7.67
878-010ESR	1	50	0	086	10.53
878-012ESR	1-1/4	25	0	086	16.20
878-015ESR	1-1/2	25	0	086	23.00
878-020ESR	2	15	0	086	34.66

**Transition Female Adapter**

**Spig x Fipt With Brass Thread Insert**



878-005BR	1/2	25	150	086	21.00
878-010BR	1	15	90	086	66.81


Not intended to convey or dispense water for human consumption through drinking or cooking



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Transition Reducing Female Adapter**  
Soc x Fipt With Brass Thread Insert



835-101BR	3/4X1/2	50	0	086	37.07
-----------	---------	----	---	-----	-------


Not intended to convey or dispense water for human consumption through drinking or cooking

**Transition Male Adapter w/ Brass Thread**  
Brass Mipt x Socket




836-005BR	1/2	40	160	086	27.48
836-007BR	3/4	40	160	086	41.44
836-010BR	1	10	60	086	67.39
836-012BR	1-1/4	10	60	086	113.52
836-015BR	1-1/2	10	40	086	150.63
836-020BR	2	8	32	086	187.13

**Transition Female Adapter**  
Soc x Fipt With 316 Stainless Steel Thread Insert



835-005SS	1/2	25	300	086	48.93
835-007SS	3/4	15	90	086	70.32
835-010SS	1	15	90	086	119.65
835-012SS	1-1/4	15	60	086	199.83
835-015SS	1-1/2	10	40	086	261.04
835-020SS	2	8	32	086	334.87

**Special Reinforced Reducing Female Adapter**  
Soc x SR Fipt - Stainless Steel Collar




835-074SR	1/2X3/4	50	400	086	4.52
835-101SR	3/4X1/2	50	400	086	4.52
835-102SR	3/4X1	50	0	086	6.72
835-130SR	1X1/2	50	0	086	6.72
835-131SR	1X3/4	25	200	086	6.72

**Special Reinforced Reducing Spigot Female Adapter**  
Spig x SR Fipt - Stainless Steel Collar



878-072SR	1/2X1/4	25	450	086	11.35
878-098SR	3/4X1/4	50	400	086	15.64
878-128SR	1X1/4	50	400	086	16.13

**Male Adapter**  
Mipt x Soc




836-053	3/8X1/2	50	900	080	6.96
836-005	1/2	25	150	080	6.99
836-007	3/4	25	300	080	7.71
836-102	3/4X1	50	0	080	16.51
836-131	1X3/4	50	400	080	16.51
836-010	1	20	120	080	13.34
836-012	1-1/4	10	120	080	15.60
836-015	1-1/2	10	120	080	22.41
836-251 <sup>1</sup>	2X1-1/2	10	0	083	12.07
836-020	2	10	80	080	32.41
836-025	2-1/2	5	0	080	36.84
836-030	3	5	0	080	40.89
836-040	4	4	0	080	72.76
836-050F	5	1	8	083	221.20
836-060	6	5	0	080	161.62
836-080F	8	1	2	083	174.26
836-100F	10	1	2	083	208.56
836-120F	12	1	0	083	309.94

1- Sized With Bushing

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reinforced Male Adapter**  
R Mipt x Soc - Stainless Steel Sleeve




836-005R	1/2	25	150	086	3.84
836-007R	3/4	25	300	086	4.21
836-010R	1	10	60	086	7.38

**Male Adapter**  
Spig x Mipt




861-005	1/2	50	300	080	7.03
861-007	3/4	25	300	080	10.37
861-010	1	50	0	080	15.32
861-131	1X3/4	50	200	080	15.80
861-012	1-1/4	25	0	080	16.60
861-015	1-1/2	25	0	080	18.55
861-020	2	25	0	080	21.58

**Reducer (T.T.) Bushing Flush Style**  
Mipt x Fipt



839-041	1/4X1/8	25	500	080	12.05
839-052	3/8X1/4	50	450	080	12.05
839-072	1/2X1/4	50	300	080	12.05
839-073	1/2X3/8	50	300	080	12.05
839-098	3/4X1/4	50	300	080	8.98
839-099	3/4X3/8	50	300	080	8.98
839-101	3/4X1/2	50	300	080	7.40
839-128	1X1/4	25	150	080	14.49
839-129	1X3/8	50	600	080	11.59
839-130	1X1/2	50	300	080	11.59
839-131	1X3/4	50	700	080	11.59
839-166	1-1/4X1/2	25	150	080	12.29
839-167	1-1/4X3/4	25	150	080	12.29
839-168	1-1/4X1	25	300	080	12.29
839-209	1-1/2X1/2	25	150	080	14.57
839-210	1-1/2X3/4	25	300	080	14.57
839-211	1-1/2X1	25	300	080	14.57
839-212	1-1/2X1-1/4	25	300	080	14.57
839-247	2X1/2	10	60	080	21.35
839-248	2X3/4	10	60	080	21.35
839-249	2X1	10	60	080	21.35
839-250	2X1-1/4	10	60	080	21.35
839-251	2X1-1/2	10	60	080	21.35
839-292	2-1/2X2	10	80	080	28.91
839-337	3X1-1/2	10	0	080	39.29
839-338	3X2	10	0	080	39.29
839-339	3X2-1/2	10	0	080	39.29
839-420	4X2	6	0	080	80.99
839-422	4X3	6	0	080	103.43
839-532	6X4	5	0	080	135.89

**Special Reinforced Reducer Bushing**  
Mipt x SR Fipt - Stainless Steel Collar



839-128SR	1X1/4	25	150	086	5.98
839-209SR	1-1/2X1/2	25	300	086	8.74
839-210SR	1-1/2X3/4	25	300	086	8.74
839-247SR	2X1/2	10	60	086	12.83
839-248SR	2X3/4	10	60	086	12.83
839-249SR	2X1	10	120	086	12.83
839-420SR	4X2	6	0	086	48.59



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducer Bushing Flush Style**  
**Spig x Soc**



837-052	3/8X1/4	50	450	080	5.28
837-072	1/2X1/4	50	300	080	5.28
837-073	1/2X3/8	50	600	080	5.28
837-101	3/4X1/2	50	600	080	1.93
837-129 <sup>1</sup>	1X3/8	50	200	080	11.01
837-130	1X1/2	50	300	080	5.52
837-131	1X3/4	50	400	080	5.52
837-166	1-1/4X1/2	25	150	080	8.65
837-167	1-1/4X3/4	25	300	080	8.65
837-168	1-1/4X1	25	200	080	8.65
837-209	1-1/2X1/2	25	200	080	11.79
837-210	1-1/2X3/4	25	200	080	11.79
837-211	1-1/2X1	25	200	080	11.79
837-212	1-1/2X1-1/4	25	200	080	11.79
837-247	2X1/2	10	120	080	16.81
837-248	2X3/4	10	120	080	16.81
837-249	2X1	10	120	080	16.81
837-250	2X1-1/4	10	120	080	16.81
837-251	2X1-1/2	10	120	080	16.81
837-287 <sup>1</sup>	2-1/2X1/2	10	40	080	39.04
837-288 <sup>1</sup>	2-1/2X3/4	10	40	080	39.04
837-289	2-1/2X1	10	40	080	39.04
837-290	2-1/2X1-1/4	10	80	080	29.19
837-291	2-1/2X1-1/2	10	40	080	29.19
837-292	2-1/2X2	15	0	080	29.19
837-333 <sup>1</sup>	3X1/2	10	0	080	53.75
837-334 <sup>1</sup>	3X3/4	10	0	080	52.04
837-335	3X1	10	0	080	46.31
837-336	3X1-1/4	10	0	080	46.31
837-337	3X1-1/2	10	0	080	46.31
837-338	3X2	10	0	080	46.31
837-339	3X2-1/2	15	0	080	46.31
837-415 <sup>1</sup>	4X1/2	6	0	080	82.32
837-416 <sup>1</sup>	4X3/4	6	0	080	82.32
837-417 <sup>1</sup>	4X1	6	0	080	82.32
837-418 <sup>1</sup>	4X1-1/4	6	0	080	82.32
837-419 <sup>1</sup>	4X1-1/2	6	0	080	82.32
837-420	4X2	6	0	080	64.12
837-421	4X2-1/2	6	0	080	64.12
837-422	4X3	6	0	080	64.12
837-486 <sup>1</sup>	5X2	3	0	080	72.17
837-488 <sup>1</sup>	5X3	5	0	080	95.05
837-490	5X4	4	0	080	84.71
837-490F	5X4	1	4	083	90.34
837-524 <sup>1</sup>	6X3/4	5	0	080	107.02
837-525 <sup>1</sup>	6X1	5	0	080	101.67
837-526 <sup>1</sup>	6X1-1/4	5	0	080	107.02
837-527 <sup>1</sup>	6X1-1/2	5	0	080	107.02
837-528	6X2	5	0	080	89.16
837-529 <sup>1</sup>	6X2-1/2	5	0	080	138.23
837-530	6X3	5	0	080	89.16
837-532	6X4	5	0	080	89.16
837-533F	6X5	1	5	083	290.07
837-534	6X5	5	0	080	89.16
837-577 <sup>1</sup>	8X1-1/2	4	0	080	329.85
837-578 <sup>1</sup>	8X2	4	0	080	312.28
837-580 <sup>1</sup>	8X3	6	0	080	312.28
837-582 <sup>1</sup>	8X4	6	0	080	216.89
837-583 <sup>1</sup>	8X5	2	0	080	315.54
837-583F	8X5	1	6	083	513.40
837-585	8X6	4	0	080	216.89
837-621 <sup>1</sup>	10X2	2	0	081	603.87
837-622 <sup>1</sup>	10X2-1/2	2	0	081	657.96

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducer Bushing Flush Style (continued)**

**Spig x Soc**

837-623 <sup>1</sup>	10X3	2	0	081	603.87
837-624 <sup>1</sup>	10X4	2	0	081	603.87
837-625F	10X5	1	4	083	786.54
837-626	10X6	4	0	081	509.51
837-628	10X8	4	0	081	509.51
837-628F	10X8	1	6	083	197.05
837-663 <sup>1</sup>	12X3	2	0	081	894.88
837-664 <sup>1</sup>	12X4	2	0	081	894.88
837-666 <sup>1</sup>	12X6	2	0	081	822.16
837-666F <sup>1</sup>	12X6	1	2	083	578.84
837-668	12X8	2	0	081	588.82
837-668F <sup>1</sup>	12X8	1	2	083	560.07
837-670	12X10	2	0	081	588.82
837-670F	12X10	1	3	083	224.34
837-694F	14X4	1	3	083	1276.08
837-696F	14X6	1	3	083	1136.21
837-698F	14X8	1	0	083	814.08
837-700F	14X10	1	3	083	508.22
837-702F	14X12	1	3	083	218.02
837-754F	16X4	1	0	083	1457.79
837-756F	16X6	1	0	083	1353.68
837-758F	16X8	1	0	083	1065.78
837-760F	16X10	1	0	083	772.51
837-762F	16X12	1	2	083	455.93
837-764F	16X14	1	2	083	445.39
837-786F	18X6	1	0	083	2294.89
837-788F	18X8	1	0	083	2102.60
837-790F	18X10	1	0	083	1725.99
837-792F	18X12	1	0	083	1099.87
837-794F	18X14	1	0	083	1089.40
837-796F	18X16	1	0	083	503.14
837-816F	20X6	1	0	083	3201.57
837-818F	20X8	1	0	083	2960.99
837-820F	20X10	1	0	083	2741.03
837-822F	20X12	1	0	083	2430.46
837-824F	20X14	1	0	083	1998.45
837-826F	20X16	1	0	083	1568.04
837-828F	20X18	1	0	083	818.56
837-906F	24X6	1	0	083	5029.45
837-908F	24X8	1	0	083	4876.32
837-910F	24X10	1	0	083	4283.33
837-912F	24X12	1	0	083	3864.53
837-914F	24X14	1	0	083	3619.45
837-916F	24X16	1	0	083	3423.78
837-918F	24X18	1	0	083	2967.67
837-920F	24X20	1	0	083	2452.61

<sup>1</sup> Sized with Bushing

**Reducer Bushing Flush Style**  
**Spig x Fipt**



838-052	3/8X1/4	50	450	080	5.28
838-071	1/2X1/8	50	600	080	5.28
838-072	1/2X1/4	50	350	080	5.28
838-073	1/2X3/8	50	500	080	5.28
838-098	3/4X1/4	50	600	080	3.49
838-099	3/4X3/8	50	600	080	3.49
838-101	3/4X1/2	50	300	080	3.49
838-127	1X1/8	25	150	080	5.52
838-129	1X3/8	50	400	080	5.52
838-130	1X1/2	50	300	080	5.52
838-131	1X3/4	50	400	080	5.52
838-166	1-1/4X1/2	25	300	080	11.21
838-167	1-1/4X3/4	25	300	080	11.21
838-168	1-1/4X1	25	300	080	11.21



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Reducer Bushing Flush Style (continued)**

**Spig x Fipt**

838-206	1-1/2X1/8	25	100	080	14.04
838-207	1-1/2X1/4	25	200	080	13.34
838-209	1-1/2X1/2	25	200	080	14.04
838-210	1-1/2X3/4	25	200	080	14.04
838-211	1-1/2X1	25	200	080	14.04
838-212	1-1/2X1-1/4	25	200	080	14.04
838-247	2X1/2	10	60	080	17.18
838-248	2X3/4	10	60	080	17.18
838-249	2X1	10	120	080	17.18
838-250	2X1-1/4	10	120	080	17.18
838-251	2X1-1/2	10	120	080	17.18
838-287	2-1/2X1/2	10	0	080	36.37
838-288	2-1/2X3/4	10	40	080	36.37
838-289	2-1/2X1	10	40	080	36.37
838-290	2-1/2X1-1/4	10	0	080	36.37
838-291	2-1/2X1-1/2	10	0	080	36.37
838-292	2-1/2X2	10	40	080	36.37
838-334	3X3/4	10	0	080	67.33
838-335	3X1	10	0	080	67.33
838-336	3X1-1/4	10	0	080	67.33
838-337	3X1-1/2	10	0	080	67.33
838-338	3X2	10	0	080	67.33
838-339	3X2-1/2	10	0	080	67.33
838-419	4X1-1/2	6	0	080	130.13
838-420	4X2	6	0	080	103.43
838-421	4X2-1/2	6	0	080	103.43
838-422	4X3	6	0	080	103.43
838-528	6X2	5	0	080	119.14
838-530	6X3	5	0	080	119.14
838-532	6X4	5	0	080	119.14

**Special Reinforced Reducer Bushing Flush Style**

**Spig x SR Fipt - Stainless Steel Collar**

838-128SR	1X1/4	25	150	086	3.31
838-207SR	1-1/2X1/4	25	200	086	8.43
838-166SR	1-1/4X1/2	25	100	086	6.04
838-209SR	1-1/2X1/2	10	60	086	8.43
838-210SR	1-1/2X3/4	25	200	086	8.43
838-247SR	2X1/2	10	80	086	10.32
838-248SR	2X3/4	10	80	086	10.32
838-249SR	2X1	10	80	086	10.32
838-334SR	3X3/4	10	0	086	40.38
838-335SR	3X1	10	0	086	40.38
838-336SR	3X1-1/4	10	0	086	40.38
838-337SR	3X1-1/2	10	0	086	40.38
838-528SR	6X2	5	0	086	71.48
838-530SR	6X3	5	0	086	64.35
838-532SR	6X4	5	0	086	71.48

**Cap Soc**

847-002	1/4	25	450	080	7.60
847-003	3/8	25	450	080	7.60
847-005	1/2	25	150	080	5.85
847-007	3/4	25	300	080	6.17
847-010	1	15	90	080	10.96
847-012	1-1/4	10	120	080	13.22
847-015	1-1/2	10	120	080	13.22
847-020	2	10	80	080	26.11
847-025	2-1/2	5	40	080	53.31
847-030	3	5	0	080	62.38
847-040	4	5	0	080	105.19
847-050F	5	1	6	083	133.59

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Cap (continued)**

**Soc**

847-060	6	4	0	080	261.68
847-080	8	3	0	080	335.98
847-100F	10	1	5	083	343.68
847-120F	12	1	4	083	515.79
847-140F	14	1	2	083	571.21
847-160F	16	1	2	083	740.00
847-180F	18	1	0	083	1080.38
847-200F	20	1	0	083	1448.29
847-240F	24	1	0	083	2694.45

**Cap Fipt**

848-002	1/4	25	450	080	7.32
848-003	3/8	25	450	080	7.32
848-005	1/2	25	300	080	7.32
848-007	3/4	25	300	080	8.20
848-010	1	15	90	080	10.33
848-012	1-1/4	10	120	080	12.29
848-015	1-1/2	10	120	080	14.04
848-020	2	10	40	080	27.59
848-025	2-1/2	5	40	080	55.19
848-030	3	5	0	080	64.97
848-040	4	5	0	080	114.40
848-060F	6	1	4	083	190.86
848-080F	8	1	3	083	248.39

**Special Reinforced Cap SR Fipt - Stainless Steel Collar**

848-002SR	1/4	25	500	086	4.03
848-003SR	3/8	25	450	086	4.03
848-005SR	1/2	50	300	086	4.41
848-007SR	3/4	25	300	086	5.65
848-030SR	3	5	0	086	34.84

**Plug Spig**

849-005	1/2	50	300	080	5.47
849-007	3/4	50	300	080	6.09
849-010	1	50	200	080	6.87
849-012	1-1/4	25	100	080	8.77
849-015	1-1/2	10	120	080	9.62
849-020	2	10	120	080	12.73
849-025F <sup>4</sup>	2-1/2	1	4	083	29.80
849-030F <sup>4</sup>	3	1	4	083	35.94
849-040F <sup>4</sup>	4	1	4	083	78.61
849-060F <sup>4</sup>	6	1	6	083	218.58
849-080F <sup>4</sup>	8	1	6	083	284.60
849-100F <sup>4</sup>	10	1	2	083	462.79
849-120F <sup>4</sup>	12	1	0	083	857.31

<sup>4</sup> Plug fabricated using Cap and pipe spigot.

**Plug Mipt**

850-002	1/4	50	900	080	6.32
850-003	3/8	50	600	080	6.32
850-005	1/2	50	500	080	5.63
850-007	3/4	50	300	080	5.85
850-010	1	15	180	080	7.17
850-012	1-1/4	10	120	080	10.57
850-015	1-1/2	10	120	080	12.85

**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Plug (continued)**


**Mipt**

850-020	2	10	120	080	13.20
850-025	2-1/2	5	60	080	36.84
850-030	3	5	40	080	42.99
850-040	4	6	0	080	83.69
850-060	6	6	0	080	99.49
850-080F <sup>4</sup>	8	1	2	083	245.58
850-100F <sup>4</sup>	10	1	3	083	359.93
850-120F <sup>4</sup>	12	1	0	083	492.98

<sup>4</sup> Plug fabricated using Cap and threaded pipe.

**Union 2000**

**Soc with FKM O-ring Seal**



235 psi Maximum Internal Pressure rating @ 73°F (23°C)

857-002	1/4	25	150	080	22.91
857-003	3/8	25	150	080	22.91
8057-005	1/2	20	120	080	12.26
8057-007	3/4	20	80	080	15.58
8057-010	1	15	90	080	17.77
8057-012	1-1/4	10	0	080	35.31
8057-015	1-1/2	10	0	080	39.99
8057-020	2	5	0	080	54.21
8057-025	2-1/2	5	0	080	86.82
8057-030	3	5	0	080	100.94
8057-040	4	4	0	080	140.59
8057-060	6	1	0	080	312.46

**Union 2000**

**Soc with EPDM O-ring Seal**




235 psi Maximum Internal Pressure rating @ 73°F (23°C)

897-002	1/4	25	150	080	22.62
897-003	3/8	25	150	080	22.62
8097-005	1/2	20	120	080	12.08
8097-007	3/4	20	80	080	15.38
8097-010	1	15	90	080	17.60
8097-012	1-1/4	10	0	080	34.89
8097-015	1-1/2	10	0	080	39.48
8097-020	2	5	0	080	53.57
8097-025	2-1/2	5	0	080	85.16
8097-030	3	5	0	080	99.68
8097-040	4	4	0	080	137.88
8097-060	6	1	0	080	306.41

**Union 2000**

**Soc x Fipt with FKM O-ring Seal**




235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

859-002	1/4	25	150	080	24.67
859-003	3/8	25	150	080	24.67
8059-005	1/2	20	120	080	14.93
8059-007	3/4	20	80	080	20.88
8059-010	1	15	90	080	27.77
8059-012	1-1/4	10	0	080	53.05
8059-015	1-1/2	10	0	080	65.66
8059-020	2	5	0	080	101.09
8059-025	2-1/2	5	0	080	179.63
8059-030	3	5	0	080	238.58
8059-040	4	4	0	080	274.19
8059-060	6	1	0	080	609.34

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Union 2000**

**Soc x Fipt with EPDM O-ring Seal**




235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

899-002	1/4	25	150	080	24.38
899-003	3/8	25	150	080	24.38
8099-005	1/2	20	120	080	14.74
8099-007	3/4	20	80	080	20.62
8099-010	1	15	90	080	27.42
8099-012	1-1/4	10	0	080	52.42
8099-015	1-1/2	10	0	080	64.88
8099-020	2	5	0	080	99.83
8099-025	2-1/2	5	0	080	141.15
8099-030	3	5	0	080	235.59
8099-040	4	4	0	080	270.51
8099-060	6	1	0	080	601.12

**Union 2000**

**Soc x Spig with FKM O-ring Seal**




235 psi Maximum Internal Pressure rating @ 73°F (23°C)

8056-005	1/2	20	120	080	12.26
8056-007	3/4	20	160	080	15.58
8056-010	1	15	90	080	17.77
8056-012	1-1/4	10	0	080	35.31
8056-015	1-1/2	10	0	080	39.99
8056-020	2	5	0	080	54.21
8056-025	2-1/2	5	0	080	86.82
8056-030	3	5	0	080	100.94
8056-040	4	4	0	080	140.59
8056-060	6	1	0	080	312.46

**Union 2000**

**Soc x Spig with EPDM O-ring Seal**




235 psi Maximum Internal Pressure rating @ 73°F (23°C)

8096-005	1/2	20	160	080	12.08
8096-007	3/4	20	80	080	15.38
8096-010	1	15	90	080	17.60
8096-012	1-1/4	10	0	080	34.89
8096-015	1-1/2	10	0	080	39.48
8096-020	2	5	0	080	53.57
8096-025	2-1/2	5	0	080	85.16
8096-030	3	5	0	080	99.68
8096-040	4	4	0	080	137.88
8096-060	6	1	0	080	306.41

**Special Reinforced Union 2000**

**Soc x SR Fipt with FKM O-ring Seal - Stainless Steel Collar**



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)


8059-005SR	1/2	20	160	086	8.32
8059-007SR	3/4	20	80	086	11.45
8059-010SR	1	15	90	086	14.88
8059-012SR	1-1/4	10	0	086	28.44
8059-015SR	1-1/2	10	0	086	35.09
8059-020SR	2	5	0	086	53.59
8059-025SR	2-1/2	5	0	086	115.19
8059-030SR	3	5	0	086	130.95
8059-040SR	4	4	0	086	150.35
8059-060SR	6	1	0	086	334.11



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


**Special Reinforced Union 2000**  
Soc x SR Fipt with EPDM O-ring Seal - Stainless Steel Collar



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8099-005SR	1/2	20	160	086	8.00
8099-007SR	3/4	20	80	086	11.40
8099-010SR	1	15	90	086	14.71
8099-012SR	1-1/4	10	0	086	25.58
8099-015SR	1-1/2	10	0	086	33.15
8099-020SR	2	5	0	086	53.35
8099-025SR	2-1/2	5	0	086	114.12
8099-030SR	3	5	0	086	127.04
8099-040SR	4	4	0	086	144.99
8099-060SR	6	1	0	086	322.21


**Union 2000**  
Fipt with FKM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

858-002	1/4	25	150	080	24.67
858-003	3/8	25	150	080	24.67
8058-005	1/2	20	120	080	14.21
8058-007	3/4	20	80	080	19.91
8058-010	1	15	90	080	26.48
8058-012	1-1/4	10	0	080	50.53
8058-015	1-1/2	10	0	080	62.57
8058-020	2	5	0	080	96.26
8058-025	2-1/2	5	0	080	162.82
8058-030	3	5	0	080	244.18
8058-040	4	4	0	080	286.98
8058-060	6	1	0	080	637.71


**Union 2000**  
Fipt with EPDM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

898-002	1/4	25	150	080	24.38
898-003	3/8	25	150	080	24.38
8098-005	1/2	20	240	080	14.04
8098-007	3/4	20	80	080	19.64
8098-010	1	15	90	080	26.16
8098-012	1-1/4	10	0	080	49.89
8098-015	1-1/2	10	0	080	61.78
8098-020	2	5	0	080	95.06
8098-025	2-1/2	5	0	080	127.31
8098-030	3	5	0	080	241.16
8098-040	4	4	0	080	282.05
8098-060	6	1	0	080	626.59

**Special Reinforced Union 2000**  
SR Fipt with FKM O-ring Seal - Stainless Steel Collar




235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8058-005SR	1/2	20	120	086	8.56
8058-007SR	3/4	20	80	086	11.59
8058-010SR	1	15	90	086	15.51
8058-012SR	1-1/4	10	0	086	29.54
8058-015SR	1-1/2	10	0	086	36.35
8058-020SR	2	5	0	086	56.44
8058-025SR	2-1/2	5	0	086	118.02
8058-030SR	3	5	0	086	134.25
8058-040SR	4	4	0	086	158.04
8058-060SR	6	1	0	086	351.19

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


**Special Reinforced Union 2000**  
SR Fipt with EPDM O-ring Seal - Stainless Steel Collar



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8098-005SR	1/2	20	120	086	8.43
8098-007SR	3/4	20	80	086	11.48
8098-010SR	1	15	90	086	15.20
8098-012SR	1-1/4	10	0	086	28.26
8098-015SR	1-1/2	10	0	086	35.55
8098-020SR	2	5	0	086	55.86
8098-025SR	2-1/2	5	0	086	112.75
8098-030SR	3	5	0	086	132.97
8098-040SR	4	4	0	086	152.65
8098-060SR	6	1	0	086	339.26


**Union (Old Style)**  
Soc with FKM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

857-005	1/2	15	90	080	12.26
857-007	3/4	10	60	080	15.58
857-010	1	10	40	080	17.77
857-012	1-1/4	5	20	080	35.31
857-015	1-1/2	5	0	080	39.99
857-020	2	5	0	080	54.21
857-025	2-1/2	5	0	080	86.82
857-030	3	5	0	080	100.94
857-040	4	4	0	080	140.59


**Union (Old Style)**  
Soc with EPDM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

897-005	1/2	15	90	080	12.08
897-007	3/4	10	60	080	15.38
897-010	1	10	40	080	17.60
897-012	1-1/4	5	20	080	34.89
897-015	1-1/2	5	0	080	39.48
897-020	2	5	0	080	53.57
897-025	2-1/2	5	0	080	85.16
897-030	3	5	0	080	99.68
897-040	4	4	0	080	137.88


**Union (Old Style)**  
Soc x Fipt with FKM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

859-005	1/2	15	90	080	14.93
859-007	3/4	10	60	080	20.88
859-010	1	10	40	080	27.77
859-012	1-1/4	5	20	080	53.05
859-015	1-1/2	5	0	080	65.66
859-020	2	5	0	080	101.09
859-025	2-1/2	5	0	080	179.63
859-030	3	5	0	080	238.58
859-040	4	4	0	080	274.19

**Union (Old Style)**  
Soc x Fipt with EPDM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

899-005	1/2	15	90	080	14.74
899-007	3/4	10	60	080	20.62
899-010	1	10	40	080	27.42
899-012	1-1/4	5	20	080	52.42



**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Union (Old Style) (continued)</b>					
<b>Soc x Fipt with EPDM O-ring Seal</b>					
899-015	1-1/2	5	0	080	64.88
899-020	2	5	0	080	99.83
899-025	2-1/2	5	0	080	141.15
899-030	3	5	0	080	235.59
899-040	4	4	0	080	270.51

**Special Reinforced Union (Old Style)**  
**Soc x SR Fipt with FKM O-ring Seal - Stainless Steel Collar**



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

859-002SR	1/4	25	150	086	15.32
859-003SR	3/8	25	100	086	15.32
859-005SR	1/2	10	60	086	8.32
859-007SR	3/4	10	40	086	11.45
859-010SR	1	10	40	086	14.88
859-012SR	1-1/4	5	20	086	28.44
859-015SR	1-1/2	5	0	086	35.09
859-020SR	2	5	0	086	53.59
859-030SR	3	5	0	086	130.95
859-040SR	4	4	0	086	150.35

**Special Reinforced Union (Old Style)**  
**Soc x SR Fipt with EPDM O-ring Seal - Stainless Steel Collar**



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

899-002SR	1/4	25	150	086	15.11
899-003SR	3/8	25	100	086	15.11
899-005SR	1/2	10	60	086	8.00
899-007SR	3/4	10	40	086	11.40
899-010SR	1	10	40	086	14.71
899-012SR	1-1/4	5	20	086	25.58
899-015SR	1-1/2	5	0	086	33.15
899-020SR	2	5	0	086	53.35
899-030SR	3	5	0	086	127.04
899-040SR	4	4	0	086	144.99

**Union**  
**Soc x Fipt with Brass Thread Insert & FKM O-ring Seal**



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

859-007BR	3/4	10	40	086	53.19
859-010BR	1	10	0	086	65.64
859-012BR	1-1/4	5	20	086	113.29
859-015BR	1-1/2	5	0	086	149.94
859-020BR	2	5	0	086	199.26

Not intended to convey or dispense water for human consumption through drinking or cooking

**Union**  
**Soc x Fipt with Brass Thread Insert & EPDM O-ring Seal**




235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

899-007BR	3/4	10	40	086	47.96
899-010BR	1	10	0	086	64.68
899-012BR	1-1/4	5	20	086	108.77
899-015BR	1-1/2	5	0	086	143.96
899-020BR	2	5	0	086	191.89

Not intended to convey or dispense water for human consumption through drinking or cooking

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


**Union (Old Style)**  
**Fipt with FKM O-ring Seal**



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

858-005	1/2	15	90	080	14.21
858-007	3/4	10	60	080	19.91
858-010	1	10	40	080	26.48
858-012	1-1/4	5	20	080	50.53
858-015	1-1/2	5	0	080	62.57
858-020	2	5	0	080	96.26
858-025	2-1/2	5	0	080	162.82
858-030	3	5	0	080	244.18
858-040	4	4	0	080	286.98


**Union (Old Style)**  
**Fipt with EPDM O-ring Seal**



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

898-005	1/2	15	90	080	14.04
898-007	3/4	10	60	080	19.64
898-010	1	10	40	080	26.16
898-012	1-1/4	5	20	080	49.89
898-015	1-1/2	5	0	080	61.78
898-020	2	5	0	080	95.06
898-025	2-1/2	5	0	080	127.31
898-030	3	5	0	080	241.16
898-040	4	4	0	080	282.05


**PVC Transition Union**  
**JIS (mm) Soc x ASTM (in.) Fipt with EPDM O-ring Seal**



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8298-016	16 DN X 1/2	20	160	197	13.26
8298-020	20 DN X 3/4	20	80	197	18.56
8298-025	25 DN X 1	15	90	197	24.69
8298-030	30 DN X 1-1/4	10	0	197	46.94
8298-040	40 DN X 1-1/2	10	0	197	58.38
8298-050	50 DN X 2	5	0	197	89.84
8298-075	75 DN X 3	5	0	197	212.03
8298-100	100 DN X 4	4	0	197	243.45


**PVC Transition Union**  
**BSP Thread (in.) x ASTM (in.) Soc with FKM O-ring Seal**



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8359-005	1/2	20	160	197	13.45
8359-007	3/4	20	80	197	18.80
8359-010	1	15	90	197	25.01
8359-012	1-1/4	10	0	197	47.76
8359-015	1-1/2	10	0	197	59.12
8359-020	2	5	0	197	90.96
8359-030	3	5	0	197	214.72
8359-040	4	4	0	197	246.77

**PVC Transition Union**  
**DIN (mm) Soc x ASTM (in.) Soc with FKM O-ring Seal**



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8657-020	20 d X 1/2	10	60	197	11.01
8657-025	25 d X 3/4	10	40	197	14.02
8657-032	32 d X 1	10	40	197	16.00
8657-040	40 d X 1-1/4	10	0	197	31.78
8657-050	50 d X 1-1/2	10	0	197	35.99
8657-063	63 d X 2	5	0	197	48.81
8657-090	90 d X 3	5	0	197	90.85




**Schedule 80 PVC Industrial Products & Accessories**  
**PVC Schedule 80 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC Transition Union (continued)**

**DIN (mm) Soc x ASTM (in.) Soc with FKM O-ring Seal**

8657-110	<b>110 d X 4</b>	4	0	197	126.54
----------	------------------	---	---	-----	--------



**PVC Transition Union**

**DIN (mm) Soc x ASTM (in.) Fipt with FKM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)


8658-020	<b>20 d X 1/2</b>	10	60	197	13.45
8658-025	<b>25 d X 3/4</b>	20	80	197	18.80
8658-032	<b>32 d X 1</b>	15	90	197	25.01
8658-040	<b>40 d X 1-1/4</b>	10	0	197	47.76
8658-050	<b>50 d X 1-1/2</b>	10	0	197	59.12
8658-063	<b>63 d X 2</b>	5	0	197	90.96
8658-090	<b>90 d X 3</b>	5	0	197	214.72
8658-110	<b>110 d X 4</b>	4	0	197	246.77

**PVC Transition Union**

**DIN (mm) Soc x ASTM (in.) Soc with EPDM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8697-020	<b>20 d X 1/2</b>	20	240	197	10.87
8697-025	<b>25 d X 3/4</b>	10	60	197	13.85
8697-032	<b>32 d X 1</b>	15	90	197	15.84
8697-040	<b>40 d X 1-1/4</b>	10	0	197	31.40
8697-050	<b>50 d X 1-1/2</b>	10	0	197	35.55
8697-063	<b>63 d X 2</b>	5	0	197	48.21
8697-090	<b>90 d X 3</b>	5	0	197	89.72
8697-110	<b>110 d X 4</b>	4	0	197	124.08




**PVC Transition Union**

**DIN (mm) Soc x ASTM (in.) Fipt with EPDM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8698-020	<b>20 d X 1/2</b>	20	160	197	13.26
8698-025	<b>25 d X 3/4</b>	20	80	197	18.56
8698-032	<b>32 d X 1</b>	15	90	197	24.69
8698-040	<b>40 d X 1-1/4</b>	10	0	197	46.94
8698-050	<b>50 d X 1-1/2</b>	10	0	197	58.38
8698-063	<b>63 d X 2</b>	5	0	197	89.84
8698-090	<b>90 d X 3</b>	5	0	197	212.03
8698-110	<b>110 d X 4</b>	4	0	197	243.45




**PVC Transition Union**

**JIS (mm) Soc x ASTM (in.) Soc with FKM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8257-016	<b>16 DN X 1/2</b>	20	160	197	11.01
8257-020	<b>20 DN X 3/4</b>	10	40	197	14.02
8257-025	<b>25 DN X 1</b>	15	90	197	16.00
8257-030	<b>30 DN X 1-1/4</b>	10	0	197	31.78
8257-040	<b>40 DN X 1-1/2</b>	10	0	197	35.99
8257-050	<b>50 DN X 2</b>	5	0	197	48.81
8257-075	<b>75 DN X 3</b>	5	0	197	90.85
8257-100	<b>100 DN X 4</b>	4	0	197	126.54




**PVC Transition Union**

**JIS (mm) Soc x ASTM (in.) Fipt with FKM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8258-016	<b>16 DN X 1/2</b>	20	160	197	13.45
8258-020	<b>20 DN X 3/4</b>	20	80	197	18.80
8258-025	<b>25 DN X 1</b>	15	90	197	25.01
8258-030	<b>30 DN X 1-1/4</b>	10	0	197	47.76
8258-040	<b>40 DN X 1-1/2</b>	10	0	197	59.12
8258-075	<b>75 DN X 3</b>	5	0	197	214.72




Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC Transition Union (continued)**

**JIS (mm) Soc x ASTM (in.) Fipt with FKM O-ring Seal**

8258-100	<b>100 DN X 4</b>	4	0	197	246.77
----------	-------------------	---	---	-----	--------



**PVC Transition Union**

**JIS (mm) Soc x ASTM (in.) Soc with EPDM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)


8297-016	<b>16 DN X 1/2</b>	20	160	197	10.87
8297-020	<b>20 DN X 3/4</b>	20	80	197	13.85
8297-025	<b>25 DN X 1</b>	15	90	197	15.84
8297-030	<b>30 DN X 1-1/4</b>	10	0	197	31.40
8297-040	<b>40 DN X 1-1/2</b>	10	0	197	35.55
8297-050	<b>50 DN X 2</b>	5	0	197	48.21
8297-075	<b>75 DN X 3</b>	5	0	197	89.72
8297-100	<b>100 DN X 4</b>	4	0	197	124.08

**PVC Transition Union**

**BSP Thread (in.) x ASTM (in.) Fipt with FKM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8358-005	<b>1/2</b>	20	160	197	12.82
8358-007	<b>3/4</b>	20	80	197	17.91
8358-010	<b>1</b>	15	90	197	23.84
8358-012	<b>1-1/4</b>	10	0	197	45.48
8358-015	<b>1-1/2</b>	10	0	197	56.31
8358-020	<b>2</b>	5	0	197	86.64
8358-030	<b>3</b>	5	0	197	219.76
8358-040	<b>4</b>	4	0	197	258.26




**PVC Transition Union**

**BSP Thread (in.) x ASTM (in.) Soc with EPDM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8399-005	<b>1/2</b>	10	60	197	13.26
8399-007	<b>3/4</b>	20	80	197	18.56
8399-010	<b>1</b>	15	90	197	24.69
8399-012	<b>1-1/4</b>	10	0	197	47.17
8399-015	<b>1-1/2</b>	10	0	197	58.38
8399-020	<b>2</b>	5	0	197	89.84
8399-030	<b>3</b>	5	0	197	212.03
8399-040	<b>4</b>	4	0	197	243.45




**PVC Transition Union**

**BSP Thread (in.) x ASTM (in.) Fipt with EPDM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8398-005	<b>1/2</b>	10	60	197	12.63
8398-007	<b>3/4</b>	10	40	197	17.68
8398-010	<b>1</b>	10	40	197	23.54
8398-012	<b>1-1/4</b>	5	20	197	44.92
8398-015	<b>1-1/2</b>	5	0	197	55.60
8398-020	<b>2</b>	5	0	197	89.33
8398-030	<b>3</b>	5	0	197	217.04
8398-040	<b>4</b>	4	0	197	253.84






Spears® Two-Piece Clamp-On Saddle Design Clamps onto Pipe for Quick and Easy Installation




Clamp-On Saddle  
Installation Instructions


1. Using a standard industrial grade hole-saw, cut specified hole in desired position on pipe according to recommended hole saw size engraved on the saddle. Note: Care must be taken to deburr hole and remove all residue from hole area to assure tight fit and avoid leakage.
2. Fully seat O-ring in groove on underside of saddle outlet component. Position over hole and fully seat saddle onto pipe. Note: Certain saddle outlets are piloted. Be sure pilot lip fully engages with hole in pipe.
3. Place strap component opposite outlet and secure with bolts (4), nuts (4) and washers (8). Important: Washers MUST be placed under each bolt head (1) and under each nut (1) to avoid damage to saddle.
4. Tighten bolts to specified torque.



O-ring seal provides positive, trouble-free sealing to pipe.




Special pilot engages with hole in pipe to prevent saddle dislocation.



Saddle Size	2	3	4	6 & up
Recommended Bolt-Torque - ft/lb	8	8	8	10

For Double Outlet Saddle Installation — Determine second outlet hole position as shown.



Spears® Hot-Tap Saddles Designed for Adding Branch Connections to Piping Systems Under Live (“Hot”) Pressure

Hot-Tap Saddle branch outlets are either 3/4" socket (with 1" Spigot O.D.) or 1-1/2" socket (with 2" Spigot O.D.) in saddle sizes 2" through 6" to fit IPS pipe using a built-in O-ring seal. Internal cutter is operated using conventional ratchet and drive extension and permanently retains coupon cut from pipe. Maximum operating pressure at 73°F (23°C) is 235 psi for saddle sizes 2" - 4", 200 psi for 6" saddles and 150 psi for 8" saddles. See packaged Installation Instructions for details.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

PVC Gray Clamp-On Saddle x Soc Single Outlet

with FKM O-ring Seal & Zinc-Plated Hardware  
2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)



866V-247	2X1/2	3/4	1	10	086	34.00
866V-248	2X3/4	7/8	1	10	086	34.00
866V-249	2X1	1-1/8	1	10	086	34.00
866V-250	2X1-1/4	1-1/2	1	10	086	34.00
866V-251	2X1-1/2	1-1/2	1	10	086	34.00
866V-291	2-1/2X1-1/2	1-3/4	1	10	086	47.08
866V-333 <sup>1</sup>	3X1/2	7/8	1	10	086	47.08
866V-334	3X3/4	7/8	1	10	086	47.08
866V-335	3X1	1-1/8	1	10	086	47.08
866V-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	47.08
866V-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	47.08
866V-338	3X2	2-1/4	1	10	086	47.08

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

PVC Gray Clamp-On Saddle x Soc Single Outlet (continued)  
with FKM O-ring Seal & Zinc-Plated Hardware

866V-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	56.44
866V-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	56.44
866V-417	4X1	1-1/8	1	8	086	56.44
866V-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	56.44
866V-419	4X1-1/2	1-3/4	1	8	086	56.44
866V-420	4X2	2-1/4	1	8	086	56.44
866V-421 <sup>1</sup>	4X2-1/2	3	1	4	086	61.56
866V-422	4X3	3	1	4	086	66.99
866V-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	94.03
866V-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	94.03
866V-525	6X1	1-1/8	1	4	086	94.03
866V-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	94.03
866V-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	94.03
866V-528	6X2	2-1/4	1	4	086	94.03



**Schedule 80 PVC Industrial Products & Accessories**  
**Clamp-On & Hot-Tap Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Single Outlet**  
**(continued)**  
**with FKM O-ring Seal & Zinc-Plated Hardware**

866V-529 <sup>1</sup>	6X2-1/2	3	1	4	086	118.31
866V-530	6X3	3	1	4	086	123.18
866V-532	6X4	4	1	4	086	129.73
866V-573 <sup>1</sup>	8X1/2	4	1	0	086	201.53
866V-574 <sup>1</sup>	8X3/4	4	1	0	086	201.53
866V-575 <sup>1</sup>	8X1	4	1	0	086	201.53
866V-576 <sup>1</sup>	8X1-1/4	4	1	0	086	201.53
866V-577 <sup>1</sup>	8X1-1/2	4	1	0	086	201.53
866V-578 <sup>1</sup>	8 X 2	4	1	0	086	201.53
866V-579 <sup>1</sup>	8X2-1/2	4	1	0	086	211.42
866V-580 <sup>1</sup>	8X3	4	1	0	086	222.07
866V-582	8X4	4	1	0	086	235.40
866V-585	8X6	6	1	0	086	261.28
866V-624	10X4	4	1	0	086	310.83
866V-626	10X6	6	1	0	086	357.43
866V-664	12X4	4	1	0	086	389.80
866V-666	12X6	6	1	0	086	452.06

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x Soc Single Outlet**

**with FKM O-ring Seal & SS Hardware**

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866SV-247	2X1/2	3/4	1	10	086	57.94
866SV-248	2X3/4	7/8	1	10	086	57.94
866SV-249	2X1	1-1/8	1	10	086	57.94
866SV-250	2X1-1/4	1-1/2	1	10	086	57.94
866SV-251	2X1-1/2	1-1/2	1	10	086	57.94
866SV-291	2-1/2X1-1/2	1-3/4	1	10	086	77.66
866SV-333 <sup>1</sup>	3X1/2	7/8	1	10	086	77.66
866SV-334	3X3/4	7/8	1	10	086	77.66
866SV-335	3X1	1-1/8	1	10	086	77.66
866SV-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	77.66
866SV-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	77.66
866SV-338	3X2	2-1/4	1	10	086	77.66
866SV-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	99.93
866SV-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	99.93
866SV-417	4X1	1-1/8	1	8	086	99.93
866SV-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	99.93
866SV-419	4X1-1/2	1-3/4	1	8	086	99.93
866SV-420	4X2	2-1/4	1	8	086	99.93
866SV-421 <sup>1</sup>	4X2-1/2	3	1	4	086	103.89
866SV-422	4X3	3	1	4	086	109.25
866SV-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	148.08
866SV-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	148.08
866SV-525	6X1	1-1/8	1	4	086	148.08
866SV-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	148.08
866SV-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	148.08
866SV-528	6X2	2-1/4	1	4	086	148.08
866SV-529 <sup>1</sup>	6X2-1/2	3	1	4	086	153.83
866SV-530	6X3	3	1	4	086	159.01
866SV-532	6X4	4	1	4	086	164.43
866SV-573 <sup>1</sup>	8X1/2	4	1	0	086	270.41
866SV-574 <sup>1</sup>	8X3/4	4	1	0	086	270.41
866SV-575 <sup>1</sup>	8 X 1	4	1	0	086	270.41
866SV-576 <sup>1</sup>	8X1-1/4	4	1	0	086	270.41
866SV-577 <sup>1</sup>	8X1-1/2	4	1	0	086	270.41
866SV-578 <sup>1</sup>	8 X 2	4	1	0	086	270.41
866SV-579 <sup>1</sup>	8X2-1/2	4	1	0	086	297.42
866SV-580 <sup>1</sup>	8X3	4	1	0	086	312.28
866SV-582	8X4	4	1	0	086	331.04
866SV-585	8X6	6	1	0	086	367.42
866SV-624	10X4	4	1	0	086	437.35
866SV-626	10X6	6	1	0	086	502.81



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Single Outlet**  
**(continued)**  
**with FKM O-ring Seal & SS Hardware**

866SV-664	12X4	4	1	0	086	548.03
866SV-666	12X6	6	1	0	086	635.77

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x Soc Single Outlet**

**with EPDM O-ring Seal & Zinc-Plated Hardware**

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866-247	2X1/2	3/4	1	10	086	32.40
866-248	2X3/4	7/8	1	10	086	32.40
866-249	2X1	1-1/8	1	10	086	32.40
866-250	2X1-1/4	1-1/2	1	10	086	32.40
866-251	2X1-1/2	1-1/2	1	10	086	32.40
866-291	2-1/2X1-1/2	1-3/4	1	10	086	43.26
866-333 <sup>1</sup>	3X1/2	7/8	1	10	086	43.26
866-334	3X3/4	7/8	1	10	086	43.26
866-335	3X1	1-1/8	1	10	086	43.26
866-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	43.26
866-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	43.26
866-338	3X2	2-1/4	1	10	086	43.26
866-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	52.58
866-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	52.58
866-417	4X1	1-1/8	1	0	086	52.58
866-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	52.58
866-419	4X1-1/2	1-3/4	1	8	086	52.58
866-420	4X2	2-1/4	1	8	086	52.58
866-421 <sup>1</sup>	4X2-1/2	3	1	4	086	57.44
866-422	4X3	3	1	4	086	62.86
866-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	87.64
866-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	87.64
866-525	6X1	1-1/8	1	4	086	87.64
866-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	87.64
866-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	87.64
866-528	6X2	2-1/4	1	4	086	87.64
866-529 <sup>1</sup>	6X2-1/2	3	1	4	086	95.66
866-530	6X3	3	1	4	086	105.19
866-532	6X4	4	1	4	086	109.63
866-573 <sup>1</sup>	8X1/2	4	1	0	086	168.58
866-574 <sup>1</sup>	8X3/4	4	1	0	086	168.58
866-575 <sup>1</sup>	8X1	4	1	0	086	168.58
866-576 <sup>1</sup>	8X1-1/4	4	1	0	086	168.58
866-577 <sup>1</sup>	8X1-1/2	4	1	0	086	168.58
866-578 <sup>1</sup>	8 X 2	4	1	0	086	168.58
866-579 <sup>1</sup>	8X2-1/2	4	1	0	086	185.44
866-580 <sup>1</sup>	8X3	4	1	0	086	194.73
866-582	8X4	4	1	0	086	206.24
866-585	8X6	6	1	0	086	229.13
866-621 <sup>1</sup>	10X2	4	1	0	086	273.17
866-624	10X4	4	1	0	086	273.17
866-626	10X6	6	1	0	086	312.57
866-664	12X4	4	1	0	086	341.62
866-666	12X6	6	1	0	086	395.12

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x Soc Single Outlet**

**with EPDM O-ring Seal & SS Hardware**

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866S-247	2X1/2	3/4	1	10	086	51.91
866S-248	2X3/4	7/8	1	10	086	51.91
866S-249	2X1	1-1/8	1	10	086	51.91
866S-250	2X1-1/4	1-1/2	1	10	086	51.91
866S-251	2X1-1/2	1-1/2	1	10	086	51.91
866S-291	2-1/2X1-1/2	1-3/4	1	10	086	69.78





**Schedule 80 PVC Industrial Products & Accessories**  
**Clamp-On & Hot-Tap Saddles**



Part Number	Size	Hole Saw Dia	Std PK	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Single Outlet**  
 (continued)  
 with EPDM O-ring Seal & SS Hardware

866S-333 <sup>1</sup>	3X1/2	7/8	1	10	086	69.78
866S-334	3X3/4	7/8	1	10	086	69.78
866S-335	3X1	1-1/8	1	10	086	69.78
866S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	69.78
866S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	69.78
866S-338	3X2	2-1/4	1	10	086	69.78
866S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	89.83
866S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	89.83
866S-417	4X1	1-1/8	1	8	086	89.83
866S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	89.83
866S-419	4X1-1/2	1-3/4	1	8	086	89.83
866S-420	4X2	2-1/4	1	8	086	89.83
866S-421 <sup>1</sup>	4X2-1/2	3	1	4	086	93.00
866S-422	4X3	3	1	4	086	98.49
866S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	135.19
866S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	135.19
866S-525	6X1	1-1/8	1	4	086	135.19
866S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	135.19
866S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	135.19
866S-528	6X2	2-1/4	1	4	086	135.19
866S-529 <sup>1</sup>	6X2-1/2	3	1	4	086	141.61
866S-530	6X3	3	1	4	086	146.44
866S-532	6X4	4	1	4	086	151.92
866S-573 <sup>1</sup>	8X1/2	4	1	0	086	254.06
866S-574 <sup>1</sup>	8X3/4	4	1	0	086	254.06
866S-575	8X1	4	1	0	086	254.06
866S-576 <sup>1</sup>	8X1-1/4	4	1	0	086	254.06
866S-577 <sup>1</sup>	8X1-1/2	4	1	0	086	254.06
866S-578 <sup>1</sup>	8 X 2	4	1	0	086	254.06
866S-579 <sup>1</sup>	8X2-1/2	4	1	0	086	279.53
866S-580 <sup>1</sup>	8X3	4	1	0	086	293.55
866S-582	8X4	4	1	0	086	309.79
866S-585	8X6	6	1	0	086	345.40
866S-624	10X4	4	1	0	086	411.13
866S-626	10X6	6	1	0	086	472.69
866S-664	12X4	4	1	0	086	515.36
866S-666	12X6	6	1	0	086	597.76

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x SR Thread Single Outlet**

with FKM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)



867V-247SR	2X1/2	3/4	1	10	086	38.02
867V-248SR	2X3/4	7/8	1	10	086	38.02
867V-249SR	2X1	1-1/8	1	10	086	38.02
867V-250SR	2X1-1/4	1-1/2	1	10	086	38.02
867V-251SR	2X1-1/2	1-1/2	1	10	086	38.02
867V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	52.98
867V-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	52.98
867V-334SR	3X3/4	7/8	1	10	086	52.98
867V-335SR	3X1	1-1/8	1	10	086	52.98
867V-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	52.98
867V-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	52.98
867V-338SR	3X2	2-1/4	1	10	086	52.98
867V-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	66.21
867V-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	66.21
867V-417SR	4X1	1-1/8	1	8	086	66.21
867V-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	66.21
867V-419SR	4X1-1/2	1-3/4	1	8	086	66.21
867V-420SR	4X2	2-1/4	1	8	086	66.21
867V-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	71.31
867V-422SR	4X3	3	1	4	086	75.48
867V-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	110.35

Part Number	Size	Hole Saw Dia	Std PK	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x SR Thread Single Outlet**  
 (continued)  
 with FKM O-ring Seal & Zinc-Plated Hardware

867V-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	110.35
867V-525SR	6X1	1-1/8	1	4	086	110.35
867V-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	110.35
867V-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	110.35
867V-528SR	6X2	2-1/4	1	4	086	110.35
867V-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	141.48
867V-530SR	6X3	3	1	4	086	147.03
867V-532SR	6X4	4	1	4	086	153.39
867V-573SR <sup>1</sup>	8X1/2	4	1	0	086	222.42
867V-574SR <sup>1</sup>	8X3/4	4	1	0	086	222.42
867V-575SR <sup>1</sup>	8X1	4	1	0	086	222.42
867V-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	222.42
867V-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	222.42
867V-578SR <sup>1</sup>	8X2	4	1	0	086	222.42
867V-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	244.61
867V-580SR <sup>1</sup>	8X3	4	1	0	086	256.88
867V-582SR	8X4	4	1	0	086	272.31
867V-585SR	8X6	4	1	0	086	303.09
867V-624SR	10X4	4	1	0	086	324.06
867V-626SR	10X6	6	1	0	086	372.60
867V-664SR	12X4	4	1	0	086	406.22
867V-666SR	12X6	6	1	0	086	471.15

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x SR Thread Single Outlet**

with FKM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)



867SV-245SR <sup>1</sup>	2X1/4	1-1/8	1	10	086	70.39
867SV-247SR	2X1/2	3/4	1	10	086	64.64
867SV-248SR	2X3/4	7/8	1	10	086	64.64
867SV-249SR	2X1	1-1/8	1	10	086	64.64
867SV-250SR	2X1-1/4	1-1/2	1	10	086	64.64
867SV-251SR	2X1-1/2	1-1/2	1	10	086	64.64
867SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	86.42
867SV-331SR <sup>1</sup>	3X1/4	1-1/8	1	10	086	86.42
867SV-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	86.42
867SV-334SR	3X3/4	7/8	1	10	086	86.42
867SV-335SR	3X1	1-1/8	1	10	086	86.42
867SV-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	86.42
867SV-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	86.42
867SV-338SR	3X2	2-1/4	1	10	086	86.42
867SV-413SR <sup>1</sup>	4X1/4	1-1/8	1	8	086	110.27
867SV-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	109.12
867SV-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	109.12
867SV-417SR	4X1	1-1/8	1	8	086	109.12
867SV-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	109.12
867SV-419SR	4X1-1/2	1-3/4	1	8	086	109.12
867SV-420SR	4X2	2-1/4	1	8	086	109.12
867SV-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	112.74
867SV-422SR	4X3	3	1	4	086	118.49
867SV-521SR <sup>1</sup>	6X1/4	1-1/8	1	8	086	163.76
867SV-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	160.27
867SV-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	160.27
867SV-525SR	6X1	1-1/8	1	4	086	160.27
867SV-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	160.27
867SV-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	160.27
867SV-528SR	6X2	2-1/4	1	4	086	160.27
867SV-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	173.64
867SV-530SR	6X3	3	1	4	086	181.65
867SV-532SR	6X4	4	1	4	086	188.06
867SV-571SR <sup>1</sup>	8X1/4	4	1	0	086	297.93
867SV-573SR <sup>1</sup>	8X1/2	4	1	0	086	286.42
867SV-574SR <sup>1</sup>	8X3/4	4	1	0	086	286.42



**Schedule 80 PVC Industrial Products & Accessories**  
**Clamp-On & Hot-Tap Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x SR Thread Single Outlet**  
(continued)  
with FKM O-ring Seal & SS Hardware

867SV-575SR <sup>1</sup>	8X1	4	1	0	086	286.42
867SV-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	286.42
867SV-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	286.42
867SV-578SR <sup>1</sup>	8X2	4	1	0	086	286.42
867SV-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	315.05
867SV-580SR <sup>1</sup>	8X3	4	1	0	086	330.80
867SV-582SR	8X4	4	1	0	086	350.65
867SV-585SR	8X6	6	1	0	086	384.27
867SV-624SR	10X4	4	1	0	086	417.13
867SV-626SR	10X6	6	1	0	086	479.95
867SV-664SR	12X4	4	1	0	086	523.11
867SV-666SR	12X6	6	1	0	086	606.72

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x SR Thread Single Outlet**



with EPDM O-ring Seal & Zinc-Plated Hardware


2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867-247SR	2X1/2	3/4	1	10	086	33.81
867-248SR	2X3/4	7/8	1	10	086	33.81
867-249SR	2X1	1-1/8	1	10	086	33.81
867-250SR	2X1-1/4	1-1/2	1	10	086	33.81
867-251SR	2X1-1/2	1-1/2	1	10	086	33.81
867-291SR	2-1/2X1-1/2	1-3/4	1	10	086	46.20
867-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	46.20
867-334SR	3X3/4	7/8	1	10	086	46.20
867-335SR	3X1	1-1/8	1	10	086	46.20
867-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	46.20
867-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	46.20
867-338SR	3X2	2-1/4	1	10	086	46.20
867-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	58.21
867-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	58.21
867-417SR	4X1	1-1/8	1	8	086	58.21
867-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	58.21
867-419SR <sup>1</sup>	4X1-1/2	1-3/4	1	8	086	58.21
867-420SR	4X2	2-1/4	1	8	086	58.21
867-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	59.58
867-422SR	4X3	3	1	4	086	68.28
867-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	96.99
867-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	96.99
867-525SR	6X1	1-1/8	1	4	086	96.99
867-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	96.99
867-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	96.99
867-528SR	6X2	2-1/4	1	4	086	96.99
867-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	120.48
867-530SR	6X3	3	1	4	086	129.71
867-532SR	6X4	4	1	4	086	135.82
867-573SR	8X1/2	4	1	0	086	205.29
867-574SR <sup>1</sup>	8X3/4	4	1	0	086	205.29
867-575SR	8X1	4	1	0	086	205.29
867-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	205.29
867-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	205.29
867-578SR <sup>1</sup>	8X2	4	1	0	086	205.29
867-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	225.85
867-580SR <sup>1</sup>	8X3	4	1	0	086	237.04
867-582SR	8X4	4	1	0	086	251.33
867-585SR	8X6	6	1	0	086	289.45
867-624SR	10X4	4	1	0	086	298.97
867-626SR	10X6	6	1	0	086	343.85
867-664SR	12X4	4	1	0	086	374.64
867-666SR	12X6	6	1	0	086	434.85

<sup>1</sup>Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x SR Thread Single Outlet**



with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867S-245SR <sup>1</sup>	2X1/4	1-1/8	1	10	086	64.64
867S-247SR	2X1/2	3/4	1	10	086	57.77
867S-248SR	2X3/4	7/8	1	10	086	57.77
867S-249SR	2X1	1-1/8	1	10	086	57.77
867S-250SR	2X1-1/4	1-1/2	1	10	086	57.77
867S-251SR	2X1-1/2	1-1/2	1	10	086	57.77
867S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	77.67
867S-331SR <sup>1</sup>	3X1/4	1-1/8	1	10	086	85.92
867S-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	77.67
867S-334SR	3X3/4	7/8	1	10	086	77.67
867S-335SR	3X1	1-1/8	1	10	086	77.67
867S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	77.67
867S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	77.67
867S-338SR	3X2	2-1/4	1	10	086	77.67
867S-413SR	4X1/4	1-1/8	1	8	086	101.09
867S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	97.79
867S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	97.79
867S-417SR	4X1	1-1/8	1	8	086	97.79
867S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	97.79
867S-419SR <sup>1</sup>	4X1-1/2	1-3/4	1	8	086	97.79
867S-420SR	4X2	2-1/4	1	8	086	97.79
867S-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	102.35
867S-422SR	4X3	3	1	4	086	110.32
867S-521SR <sup>1</sup>	6X1/4	1-1/8	1	8	086	155.12
867S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	141.37
867S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	141.37
867S-525SR	6X1	1-1/8	1	4	086	141.37
867S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	141.37
867S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	141.37
867S-528SR	6X2	2-1/4	1	4	086	141.37
867S-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	161.38
867S-530SR	6X3	3	1	4	086	166.62
867S-532SR	6X4	4	1	4	086	173.55
867S-571SR <sup>1</sup>	8X1/4	4	1	0	086	306.28
867S-573SR <sup>1</sup>	8X1/2	4	1	0	086	262.14
867S-574SR <sup>1</sup>	8X3/4	4	1	0	086	262.14
867S-575SR <sup>1</sup>	8X1	4	1	0	086	262.14
867S-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	262.14
867S-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	262.14
867S-578SR <sup>1</sup>	8X2	4	1	0	086	262.14
867S-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	292.43
867S-580SR <sup>1</sup>	8X3	4	1	0	086	309.04
867S-582SR	8X4	4	1	0	086	326.49
867S-585SR	8X6	6	1	0	086	342.75
867S-624SR	10X4	4	1	0	086	402.46
867S-626SR	10X6	6	1	0	086	423.16
867S-664SR	12X4	4	1	0	086	461.35
867S-666SR	12X6	6	1	0	086	535.14

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x Soc Double Outlet**



with FKM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868V-247	2X1/2	3/4	1	10	086	42.13
868V-248	2X3/4	7/8	1	10	086	42.13
868V-249	2X1	1-1/8	1	10	086	42.13
868V-250	2X1-1/4	1-1/2	1	10	086	42.13
868V-251	2X1-1/2	1-1/2	1	10	086	42.13
868V-291	2-1/2X1-1/2	1-3/4	1	10	086	53.97
868V-333 <sup>1</sup>	3X1/2	7/8	1	10	086	53.97
868V-334	3X3/4	7/8	1	10	086	53.97

**Schedule 80 PVC Industrial Products & Accessories**  
**Clamp-On & Hot-Tap Saddles**



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Double Outlet**  
 (continued)  
 with FKM O-ring Seal & Zinc-Plated Hardware

868V-335	3X1	1-1/8	1	10	086	53.97
868V-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	53.97
868V-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	53.97
868V-338	3X2	2-1/4	1	10	086	53.97
868V-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	72.05
868V-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	72.05
868V-417	4X1	1-1/8	1	8	086	72.05
868V-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	72.05
868V-419	4X1-1/2	1-3/4	1	8	086	72.05
868V-420	4X2	2-1/4	1	8	086	72.05
868V-421 <sup>1</sup>	4X2-1/2	3	1	4	086	78.32
868V-422	4X3	3	1	4	086	84.43
868V-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	118.29
868V-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	118.29
868V-525	6X1	1-1/8	1	4	086	118.29
868V-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	118.29
868V-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	118.29
868V-528	6X2	2-1/4	1	4	086	118.29
868V-529 <sup>1</sup>	6X2-1/2	3	1	4	086	122.82
868V-530	6X3	3	1	4	086	129.54
868V-532	6X4	4	1	4	086	138.45
868V-573 <sup>1</sup>	8X1/2	4	1	0	086	248.75
868V-574 <sup>1</sup>	8X3/4	4	1	0	086	248.75
868V-575 <sup>1</sup>	8X1	4	1	0	086	248.75
868V-576 <sup>1</sup>	8X1-1/4	4	1	0	086	248.75
868V-577 <sup>1</sup>	8X1-1/2	4	1	0	086	248.75
868V-578 <sup>1</sup>	8X2	4	1	0	086	248.75
868V-579 <sup>1</sup>	8X2-1/2	4	1	0	086	260.94
868V-580 <sup>1</sup>	8X3	4	1	0	086	274.19
868V-582	8X4	4	1	0	086	290.55
868V-585	8X6	6	1	0	086	322.52
868V-624	10X4	4	1	0	086	383.85
868V-626	10X6	6	1	0	086	405.08
868V-664	12X4	4	1	0	086	481.15
868V-666	12X6	6	1	0	086	558.02

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x Soc Double Outlet**

with FKM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868SV-247	2X1/2	3/4	1	10	086	67.76
868SV-248	2X3/4	7/8	1	10	086	67.76
868SV-249	2X1	1-1/8	1	10	086	67.76
868SV-250	2X1-1/4	1-1/2	1	10	086	67.76
868SV-251	2X1-1/2	1-1/2	1	10	086	67.76
868SV-291	2-1/2X1-1/2	1-3/4	1	10	086	90.04
868SV-333 <sup>1</sup>	3X1/2	7/8	1	10	086	90.04
868SV-334	3X3/4	7/8	1	10	086	90.04
868SV-335	3X1	1-1/8	1	10	086	90.04
868SV-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	90.04
868SV-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	90.04
868SV-338	3X2	2-1/4	1	10	086	90.04
868SV-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	115.29
868SV-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	115.29
868SV-417	4X1	1-1/8	1	8	086	115.29
868SV-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	115.29
868SV-419	4X1-1/2	1-3/4	1	8	086	115.29
868SV-420	4X2	2-1/4	1	16	086	115.29
868SV-421 <sup>1</sup>	4X2-1/2	3	1	4	086	123.80
868SV-422	4X3	3	1	4	086	128.94
868SV-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	178.60
868SV-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	178.60
868SV-525	6X1	1-1/8	1	4	086	178.60



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Double Outlet**  
 (continued)  
 with FKM O-ring Seal & SS Hardware

868SV-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	178.60
868SV-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	178.60
868SV-528	6X2	2-1/4	1	4	086	178.60
868SV-529 <sup>1</sup>	6X2-1/2	3	1	4	086	189.31
868SV-530	6X3	3	1	4	086	194.56
868SV-532	6X4	4	1	4	086	200.22
868SV-573 <sup>1</sup>	8X1/2	4	1	0	086	333.88
868SV-574 <sup>1</sup>	8X3/4	4	1	0	086	333.88
868SV-575 <sup>1</sup>	8X1	4	1	0	086	333.88
868SV-576 <sup>1</sup>	8X1-1/4	4	1	0	086	333.88
868SV-577 <sup>1</sup>	8X1-1/2	4	1	0	086	333.88
868SV-578 <sup>1</sup>	8X2	4	1	0	086	333.88
868SV-579 <sup>1</sup>	8X2-1/2	4	1	0	086	367.26
868SV-580 <sup>1</sup>	8X3	4	1	0	086	385.59
868SV-582	8X4	4	1	0	086	387.46
868SV-585	8X6	6	1	0	086	453.61
868SV-624	10X4	4	1	0	086	539.79
868SV-626	10X6	6	1	0	086	620.81
868SV-664	12X4	4	1	0	086	676.63
868SV-666	12X6	6	1	0	086	784.92

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x Soc Double Outlet**

with EPDM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868-247	2X1/2	3/4	1	10	086	38.56
868-248	2X3/4	7/8	1	10	086	38.56
868-249	2X1	1-1/8	1	10	086	38.56
868-250	2X1-1/4	1-1/2	1	10	086	38.56
868-251	2X1-1/2	1-1/2	1	10	086	38.56
868-291	2-1/2X1-1/2	1-3/4	1	10	086	52.99
868-333 <sup>1</sup>	3X1/2	7/8	1	10	086	52.99
868-334	3X3/4	7/8	1	10	086	52.99
868-335	3X1	1-1/8	1	10	086	52.99
868-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	52.99
868-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	52.99
868-338	3X2	2-1/4	1	10	086	52.99
868-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	66.85
868-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	66.85
868-417	4X1	1-1/8	1	8	086	66.85
868-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	66.85
868-419	4X1-1/2	1-3/4	1	8	086	66.85
868-420	4X2	2-1/4	1	8	086	66.85
868-421 <sup>1</sup>	4X2-1/2	3	1	4	086	71.79
868-422	4X3	3	1	4	086	75.97
868-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	111.67
868-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	111.67
868-525	6X1	1-1/8	1	4	086	111.67
868-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	111.67
868-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	111.67
868-528	6X2	2-1/4	1	4	086	111.67
868-529 <sup>1</sup>	6X2-1/2	3	1	4	086	118.02
868-530	6X3	3	1	4	086	124.73
868-532	6X4	4	1	4	086	129.72
868-573 <sup>1</sup>	8X1/2	4	1	0	086	208.83
868-574 <sup>1</sup>	8X3/4	4	1	0	086	208.83
868-575 <sup>1</sup>	8X1	4	1	0	086	208.83
868-576 <sup>1</sup>	8X1-1/4	4	1	0	086	208.83
868-577 <sup>1</sup>	8X1-1/2	4	1	0	086	208.83
868-578 <sup>1</sup>	8X2	4	1	0	086	208.83
868-579 <sup>1</sup>	8X2-1/2	4	1	0	086	228.96
868-580 <sup>1</sup>	8X3	4	1	0	086	240.31
868-582	8X4	4	1	0	086	254.57







**Schedule 80 PVC Industrial Products & Accessories**  
**Clamp-On & Hot-Tap Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x Soc Double Outlet**

(continued)

with EPDM O-ring Seal & Zinc-Plated Hardware

868-585	8X6	6	1	0	086	282.79
868-624	10X4	4	1	0	086	336.46
868-626	10X6	6	1	0	086	387.04
868-664	12X4	4	1	0	086	421.77
868-666	12X6	6	1	0	086	489.22

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x Soc Double Outlet**

with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)



868S-247	2X1/2	3/4	1	10	086	58.78
868S-248	2X3/4	7/8	1	10	086	58.78
868S-249	2X1	1-1/8	1	10	086	58.78
868S-250	2X1-1/4	1-1/2	1	10	086	58.78
868S-251	2X1-1/2	1-1/2	1	10	086	58.78
868S-291	2-1/2X1-1/2	1-3/4	1	10	086	78.99
868S-333 <sup>1</sup>	3X1/2	7/8	1	10	086	78.99
868S-334	3X3/4	7/8	1	10	086	78.99
868S-335	3X1	1-1/8	1	10	086	78.99
868S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	78.99
868S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	78.99
868S-338	3X2	2-1/4	1	10	086	78.99
868S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	101.72
868S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	101.72
868S-417	4X1	1-1/8	1	8	086	101.72
868S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	101.72
868S-419	4X1-1/2	1-3/4	1	8	086	101.72
868S-420	4X2	2-1/4	1	8	086	101.72
868S-421 <sup>1</sup>	4X2-1/2	3	1	4	086	110.38
868S-422	4X3	3	1	4	086	113.34
868S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	169.52
868S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	169.52
868S-525	6X1	1-1/8	1	4	086	169.52
868S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	169.52
868S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	169.52
868S-528	6X2	2-1/4	1	4	086	169.52
868S-529 <sup>1</sup>	6X2-1/2	3	1	4	086	175.26
868S-530	6X3	3	1	4	086	182.38
868S-532	6X4	4	1	4	086	189.64
868S-573 <sup>1</sup>	8X1/2	4	1	0	086	313.58
868S-574 <sup>1</sup>	8X3/4	4	1	0	086	313.58
868S-575 <sup>1</sup>	8X1	4	1	0	086	313.58
868S-576 <sup>1</sup>	8X1-1/4	4	1	0	086	313.58
868S-577 <sup>1</sup>	8X1-1/2	4	1	0	086	313.58
868S-578 <sup>1</sup>	8X2	4	1	0	086	313.58
868S-579 <sup>1</sup>	8X2-1/2	4	1	0	086	345.07
868S-580 <sup>1</sup>	8X3	4	1	0	086	362.43
868S-582	8X4	4	1	0	086	382.40
868S-585	8X6	6	1	0	086	456.13
868S-624	10X4	4	1	0	086	507.46
868S-626	10X6	6	1	0	086	583.57
868S-664	12X4	4	1	0	086	636.13
868S-666	12X6	6	1	0	086	737.78

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x SR Thread Double Outlet**

with FKM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)



869V-247SR	2X1/2	3/4	1	10	086	46.88
869V-248SR	2X3/4	7/8	1	10	086	46.88
869V-249SR	2X1	1-1/8	1	10	086	46.88
869V-250SR	2X1-1/4	1-1/2	1	10	086	46.88

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x SR Thread Double Outlet**

(continued)

with FKM O-ring Seal & Zinc-Plated Hardware

869V-251SR	2X1-1/2	1-1/2	1	10	086	46.88
869V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	64.45
869V-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	64.45
869V-334SR	3X3/4	7/8	1	10	086	64.45
869V-335SR	3X1	1-1/8	1	10	086	64.45
869V-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	64.45
869V-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	64.45
869V-338SR	3X2	2-1/4	1	10	086	64.45
869V-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	80.04
869V-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	80.04
869V-417SR	4X1	1-1/8	1	8	086	80.04
869V-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	80.04
869V-419SR	4X1-1/2	1-3/4	1	8	086	80.04
869V-420SR	4X2	2-1/4	1	8	086	80.04
869V-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	86.04
869V-422SR	4X3	3	1	4	086	90.91
869V-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	135.56
869V-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	135.56
869V-525SR	6X1	1-1/8	1	4	086	135.56
869V-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	135.56
869V-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	135.56
869V-528SR	6X2	2-1/4	1	4	086	135.56
869V-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	163.75
869V-530SR	6X3	3	1	4	086	173.05
869V-532SR	6X4	4	1	4	086	181.78
869V-573SR <sup>1</sup>	8X1/2	4	1	0	086	274.53
869V-574SR <sup>1</sup>	8X3/4	4	1	0	086	274.53
869V-575SR <sup>1</sup>	8X1	4	1	0	086	274.53
869V-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	274.53
869V-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	274.53
869V-578SR <sup>1</sup>	8X2	4	1	0	086	274.53
869V-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	302.06
869V-580SR <sup>1</sup>	8X3	4	1	0	086	317.20
869V-582SR	8X4	4	1	0	086	336.29
869V-585SR	8X6	6	1	0	086	391.45
869V-624SR	10X4	4	1	0	086	400.12
869V-626SR	10X6	6	1	0	086	460.13
869V-664SR	12X4	4	1	0	086	501.58
869V-666SR	12X6	6	1	0	086	583.64

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x SR Thread Double Outlet**

with FKM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)



869SV-247SR	2X1/2	3/4	1	10	086	75.37
869SV-248SR	2X3/4	7/8	1	10	086	75.37
869SV-249SR	2X1	1-1/8	1	10	086	75.37
869SV-250SR	2X1-1/4	1-1/2	1	10	086	75.37
869SV-251SR	2X1-1/2	1-1/2	1	10	086	75.37
869SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	99.99
869SV-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	99.99
869SV-335SR	3X1	1-1/8	1	10	086	99.99
869SV-334SR	3X3/4	7/8	1	10	086	99.99
869SV-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	99.99
869SV-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	99.99
869SV-338SR	3X2	2-1/4	1	10	086	99.99
869SV-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	125.72
869SV-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	125.72
869SV-417SR	4X1	1-1/8	1	8	086	125.72
869SV-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	125.72
869SV-419SR	4X1-1/2	1-3/4	1	8	086	125.72
869SV-420SR	4X2	2-1/4	1	8	086	125.72
869SV-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	132.40



**Schedule 80 PVC Industrial Products & Accessories**  
**Clamp-On & Hot-Tap Saddles**



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x SR Thread Double Outlet**  
 (continued)  
 with FKM O-ring Seal & SS Hardware

869SV-422SR	4X3	3	1	4	086	139.16
869SV-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	209.45
869SV-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	209.45
869SV-525SR	6X1	1-1/8	1	4	086	209.45
869SV-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	209.45
869SV-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	209.45
869SV-528SR	6X2	2-1/4	1	4	086	209.45
869SV-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	224.25
869SV-530SR	6X3	3	1	4	086	238.53
869SV-532SR	6X4	4	1	4	086	244.73
869SV-573SR <sup>1</sup>	8X1/2	4	1	0	086	353.66
869SV-574SR <sup>1</sup>	8X3/4	4	1	0	086	353.66
869SV-575SR <sup>1</sup>	8X1	4	1	0	086	353.66
869SV-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	353.66
869SV-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	353.66
869SV-578SR <sup>1</sup>	8X2	4	1	0	086	353.66
869SV-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	388.93
869SV-580SR <sup>1</sup>	8X3	4	1	0	086	408.37
869SV-582SR	8X4	4	1	0	086	432.97
869SV-585SR	8X6	6	1	0	086	472.79
869SV-624SR	10X4	4	1	0	086	515.19
869SV-626SR	10X6	4	1	0	086	592.51
869SV-664SR	12X4	4	1	0	086	645.74
869SV-666SR	12X6	6	1	0	086	749.14

<sup>1</sup>Outlet-sized with Bushing

**PVC Gray Clamp-On Saddle x SR Thread Double Outlet**

with EPDM O-ring Seal & Zinc-Plated Hardware

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869-247SR	2X1/2	3/4	1	10	086	42.00
869-248SR	2X3/4	7/8	1	10	086	42.00
869-249SR	2X1	1-1/8	1	10	086	42.00
869-250SR	2X1-1/4	1-1/2	1	10	086	42.00
869-251SR	2X1-1/2	1-1/2	1	10	086	42.00
869-291SR	2-1/2X1-1/2	1-3/4	1	10	086	56.56
869-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	56.56
869-334SR	3X3/4	7/8	1	10	086	56.56
869-335SR	3X1	1-1/8	1	10	086	56.56
869-336SR <sup>1</sup>	3X1-1/4	1-1/8	1	10	086	56.56
869-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	56.56
869-338SR	3X2	2-1/4	1	10	086	56.56
869-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	70.72
869-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	70.72
869-417SR	4X1	1-1/8	1	8	086	70.72
869-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	70.72
869-419SR	4X1-1/2	1-3/4	1	8	086	70.72
869-420SR	4X2	2-1/4	1	8	086	70.72
869-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	77.34
869-422SR	4X3	3	1	4	086	82.09
869-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	117.85
869-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	117.85
869-525SR	6X1	1-1/8	1	4	086	117.85
869-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	117.85
869-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	117.85
869-528SR	6X2	2-1/4	1	4	086	117.85
869-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	146.16
869-530SR	6X3	3	1	4	086	154.78
869-532SR	6X4	4	1	4	086	172.47
869-573SR <sup>1</sup>	8X1/2	4	1	0	086	253.38
869-574SR <sup>1</sup>	8X3/4	4	1	0	086	253.38
869-575SR <sup>1</sup>	8X1	4	1	0	086	253.38
869-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	253.38
869-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	253.38



Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------------	--------	----------	-----------	------------

**PVC Gray Clamp-On Saddle x SR Thread Double Outlet**  
 (continued)  
 with EPDM O-ring Seal & Zinc-Plated Hardware

869-578SR <sup>1</sup>	8X2	4	1	0	086	253.38
869-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	278.84
869-580SR <sup>1</sup>	8X3	4	1	0	086	292.43
869-582SR	8X4	4	1	0	086	310.14
869-585SR	8X6	6	1	0	086	350.38
869-624SR	10X4	4	1	0	086	368.96
869-626SR	10X6	6	1	0	086	424.37
869-664SR	12X4	4	1	0	086	462.73
869-666SR	12X6	6	1	0	086	536.71

<sup>1</sup>Outlet-sized with Bushing


**PVC Gray Clamp-On Saddle x SR Thread Double Outlet**

with EPDM O-ring Seal & SS Hardware

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869S-247SR	2X1/2	3/4	1	10	086	67.59
869S-248SR	2X3/4	7/8	1	10	086	67.59
869S-249SR	2X1	1-1/8	1	10	086	67.59
869S-250SR	2X1-1/4	1-1/2	1	10	086	67.59
869S-251SR	2X1-1/2	1-1/2	1	10	086	67.59
869S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	90.11
869S-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	90.11
869S-334SR	3X3/4	7/8	1	10	086	90.11
869S-335SR	3X1	1-1/8	1	10	086	90.11
869S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	90.11
869S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	90.11
869S-338SR	3X2	2-1/4	1	10	086	90.11
869S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	112.88
869S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	112.88
869S-417SR	4X1	1-1/8	1	8	086	112.88
869S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	112.88
869S-419SR	4X1-1/2	1-3/4	1	8	086	112.88
869S-420SR	4X2	2-1/4	1	8	086	112.88
869S-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	120.59
869S-422SR	4X3	3	1	4	086	125.99
869S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	188.06
869S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	188.06
869S-525SR	6X1	1-1/8	1	4	086	188.06
869S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	188.06
869S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	188.06
869S-528SR	6X2	2-1/4	1	4	086	188.06
869S-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	197.35
869S-530SR	6X3	3	1	4	086	205.45
869S-532SR	6X4	4	1	4	086	211.97
869S-573SR <sup>1</sup>	8X1/2	4	1	0	086	323.65
869S-574SR <sup>1</sup>	8X3/4	4	1	0	086	323.65
869S-575SR <sup>1</sup>	8X1	4	1	0	086	323.65
869S-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	323.65
869S-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	323.65
869S-578SR <sup>1</sup>	8X2	4	1	0	086	323.65
869S-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	339.73
869S-580SR <sup>1</sup>	8X3	4	1	0	086	360.21
869S-582SR	8X4	4	1	0	086	381.88
869S-585SR	8X6	6	1	0	086	419.20
869S-624SR	10X4	4	1	0	086	368.96
869S-626SR	10X6	6	1	0	086	522.60
869S-664SR	12X4	4	1	0	086	569.72
869S-666SR	12X6	6	1	0	086	660.80

<sup>1</sup>Outlet-sized with Bushing





**Schedule 80 PVC Industrial Products & Accessories**  
**Clamp-On & Hot-Tap Saddles**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC Gray Hot-Tap Saddle**  
EPDM Saddle x Soc (Spigot) Zinc Plated Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248	2X3/4 (1)	1	5	049	51.19
HT2-251	2X1-1/2 (2)	1	5	049	105.76
HT2-288	2-1/2X3/4 (1)	1	5	049	54.71
HT2-291	2-1/2X1-1/2 (2)	1	5	049	109.28
HT2-334	3X3/4 (1)	1	5	049	62.65
HT2-337	3X1-1/2 (2)	1	5	049	120.45
HT2-416	4X3/4 (1)	1	5	049	72.36
HT2-419	4X1-1/2 (2)	1	0	049	127.36
HT2-524	6X3/4 (1)	1	5	049	81.34
HT2-527	6X1-1/2 (2)	1	0	049	135.60
HT2-574	8X3/4 (1)	1	0	049	90.01
HT2-577	8X1-1/2 (2)	1	0	049	144.58

**PVC Gray Hot-Tap Saddle**  
EPDM Saddle x Soc (Spigot) SS316 Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248	2X3/4 (1)	1	5	049	79.71
HT2S-251	2X1-1/2 (2)	1	5	049	164.57
HT2S-288	2-1/2X3/4 (1)	1	5	049	85.15
HT2S-291	2-1/2X1-1/2 (2)	1	5	049	170.01
HT2S-334	3X3/4 (1)	1	5	049	97.53
HT2S-337	3X1-1/2 (2)	1	5	049	187.53
HT2S-416	4X3/4 (1)	1	5	049	112.66
HT2S-419	4X1-1/2 (2)	1	0	049	198.25
HT2S-524	6X3/4 (1)	1	5	049	126.49
HT2S-527	6X1-1/2 (2)	1	0	049	210.89
HT2S-574	8X3/4 (1)	1	0	049	139.42
HT2S-577	8X1-1/2 (2)	1	0	049	224.14

**PVC Gray Hot-Tap Saddle**  
FKM Saddle x Soc (Spigot) Zinc Plated Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3-248	2X3/4 (1)	1	5	049	55.60
HT3-251	2X1-1/2 (2)	1	5	049	114.73
HT3-288	2-1/2X3/4 (1)	1	5	049	59.42
HT3-291	2-1/2X1-1/2 (2)	1	5	049	118.55
HT3-334	3X3/4 (1)	1	5	049	67.94
HT3-337	3X1-1/2 (2)	1	5	049	130.89
HT3-416	4X3/4 (1)	1	5	049	78.54
HT3-419	4X1-1/2 (2)	1	0	049	136.54
HT3-524	6X3/4 (1)	1	5	049	88.25
HT3-527	6X1-1/2 (2)	1	0	049	146.78
HT3-574	8X3/4 (1)	1	0	049	98.09
HT3-577	8X1-1/2 (2)	1	0	049	173.83

**PVC Gray Hot-Tap Saddle**  
FKM Saddle x Soc (Spigot) SS316 Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3S-248	2X3/4 (1)	1	5	049	86.47
HT3S-251	2X1-1/2 (2)	1	5	049	178.56
HT3S-288	2-1/2X3/4 (1)	1	5	049	92.65
HT3S-291	2-1/2X1-1/2 (2)	1	5	049	184.57
HT3S-334	3X3/4 (1)	1	5	049	105.76
HT3S-337	3X1-1/2 (2)	1	5	049	203.69
HT3S-416	4X3/4 (1)	1	5	049	122.07
HT3S-419	4X1-1/2 (2)	1	0	049	215.17
HT3S-524	6X3/4 (1)	1	5	049	137.37
HT3S-527	6X1-1/2 (2)	1	0	049	228.57
HT3S-574	8X3/4 (1)	1	0	049	151.93

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC Gray Hot-Tap Saddle (continued)**  
FKM Saddle x Soc (Spigot) SS316 Bolts

HT3S-577	8X1-1/2 (2)	1	0	049	242.26
----------	-------------	---	---	-----	--------



**PVC Gray Hot-Tap Saddle**  
EPDM with Stainless Steel Cutter & Bolts

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS2S-248	2X3/4 (1)	1	5	049	381.86
HTS2S-251	2X1-1/2 (2)	1	5	049	575.51
HTS2S-288	2-1/2X3/4 (1)	1	5	049	408.59
HTS2S-291	2-1/2X1-1/2 (2)	1	5	049	577.61
HTS2S-334	3X3/4 (1)	1	5	049	386.73
HTS2S-337	3X1-1/2 (2)	1	5	049	586.62
HTS2S-416	4X3/4 (1)	1	5	049	418.89
HTS2S-419	4X1-1/2 (2)	1	0	049	603.47
HTS2S-524	6X3/4 (1)	1	5	049	462.78
HTS2S-527	6X1-1/2 (2)	1	0	049	663.61
HTS2S-574	8X3/4 (1)	1	0	049	660.20
HTS2S-577	8X1-1/2 (2)	1	0	049	784.00

**PVC Gray Hot-Tap Saddle**  
FKM with Stainless Steel Cutter & Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS3S-248	2X3/4 (1)	1	5	049	387.91
HTS3S-251	2X1-1/2 (2)	1	5	049	586.21
HTS3S-288	2-1/2X3/4 (1)	1	5	049	415.09
HTS3S-291	2-1/2X1-1/2 (2)	1	5	049	588.25
HTS3S-334	3X3/4 (1)	1	5	049	391.44
HTS3S-337	3X1-1/2 (2)	1	5	049	600.25
HTS3S-416	4X3/4 (1)	1	5	049	427.23
HTS3S-419	4X1-1/2 (2)	1	0	049	620.16
HTS3S-524	6X3/4 (1)	1	5	049	471.08
HTS3S-527	6X1-1/2 (2)	1	0	049	679.57
HTS3S-574	8X3/4 (1)	1	0	049	666.89
HTS3S-577	8X1-1/2 (2)	1	0	049	798.79



### Mechanical Clamp-On Transition Saddles


Designed for HDPE-to-PVC pipe transition to provide HDPE mainline take-off for PVC irrigation laterals and irrigation extensions, but fully suitable for any IPS pipe (metal or plastic) transition to PVC. Eliminates costly and cumbersome HDPE fusion process, which is generally cost prohibitive. Depending on the region and location, it has been found that the installed cost of HDPE laterals can be 25% higher than PVC laterals!

Pilot on lateral connector prevents saddle movement on pipe. Exceptionally strong Special Reinforced (SR) outlet on both Saddle outlet and Pilot Connector socket provide unparalleled strength. Injection molded in distinct blue EverTUFF® PVC proprietary material. Pilot Connectors are replaceable and interchangeable with any size EverTUFF® Mechanical Saddle for greater versatility.

Easy Installation - Clamp saddle to pipe, drill hole, install screw-in Pilot Connector with socket outlet. Available for a variety of mainline sizes and can be easily bushed for reduced lateral take-off sizes or special connections.



- Socket Outlet
- 315 psi Pressure Rating @ 73° F
- Stainless Steel Mechanical Clamp
- Elastomer Gasket & O-ring Seals
- Interchangeable 1-1/2" & 2" Lateral Connector Sizes
- Stainless Steel Reinforcing Rings for Extra Strength



Note: Mechanical Clamp Not Shown

#### Mechanical Clamp-on Transition Saddles

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

##### Pipe O.D. x Socket

For Polyethylene (or any IPS pipe, metal or plastic) - To - PVC Transitions

865-419	<b>4X1-1/2</b>	2	0	086	733.37
865-420	<b>4X2</b>	1	0	086	743.42
865-527	<b>6X1-1/2</b>	1	0	086	804.53
865-528	<b>6X2</b>	1	0	086	838.42

#### Mechanical Clamp-on Transition Saddles (continued)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

##### Pipe O.D. x Socket

865-577	<b>8X1-1/2</b>	1	0	086	941.68
865-578	<b>8X2</b>	1	0	086	978.32

### Glue-on Saddles

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

#### Saddle

##### IPS O.D. x Socket Schedule 80



Non Pressure Rated

3963-528	<b>6X2</b>	1	5	400	60.22
3963-530	<b>6X3</b>	1	5	400	60.76
3963-532	<b>6X4</b>	1	5	400	61.28
3963-578	<b>8X2</b>	1	4	400	85.07
3963-580	<b>8X3</b>	1	8	400	86.11
3963-582	<b>8X4</b>	1	5	400	87.03
3963-585	<b>8X6</b>	1	5	400	89.06
3963-621	<b>10X2</b>	1	5	400	78.77
3963-623	<b>10X3</b>	1	5	400	79.88
3963-624	<b>10X4</b>	1	8	400	80.22
3963-626	<b>10X6</b>	1	5	400	93.28
3963-628	<b>10X8</b>	1	5	400	149.49
3963-661	<b>12X2</b>	1	10	400	93.06
3963-663	<b>12X3</b>	1	8	400	93.61
3963-664	<b>12X4</b>	1	5	400	94.40
3963-666	<b>12X6</b>	1	6	400	109.48
3963-668	<b>12X8</b>	1	2	400	172.28
3963-670	<b>12X10</b>	1	4	400	210.86
3963-691	<b>14X2</b>	1	5	400	114.61

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

#### Saddle (continued)

##### IPS O.D. x Socket Schedule 80

3963-693	<b>14X3</b>	1	8	400	115.68
3963-694	<b>14X4</b>	1	5	400	116.24
3963-696	<b>14X6</b>	1	2	400	132.32
3963-698	<b>14X8</b>	1	4	400	202.85
3963-700	<b>14X10</b>	1	3	400	259.77
3963-702	<b>14X12</b>	1	4	400	286.83
3963-751	<b>16X2</b>	1	8	400	120.69
3963-753	<b>16X3</b>	1	8	400	121.74
3963-754	<b>16X4</b>	1	5	400	122.43
3963-756	<b>16X6</b>	1	10	400	139.54
3963-758	<b>16X8</b>	1	3	400	208.08
3963-760	<b>16X10</b>	1	0	400	264.96
3963-762	<b>16X12</b>	1	0	400	294.28
3963-764	<b>16X14</b>	1	0	400	306.66
3963-781	<b>18X2</b>	1	8	400	177.31
3963-783	<b>18X3</b>	1	4	400	178.38
3963-784	<b>18X4</b>	1	0	400	179.19
3963-786	<b>18X6</b>	1	5	400	189.65
3963-788	<b>18X8</b>	1	5	400	278.65
3963-790	<b>18X10</b>	1	0	400	308.91
3963-792	<b>18X12</b>	1	0	400	440.55
3963-794	<b>18X14</b>	1	0	400	479.48



**Schedule 80 PVC Industrial Products & Accessories  
Glue-on Saddles**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Saddle (continued)</b>					
<b>IPS O.D. x Socket Schedule 80</b>					
3963-796	18X16	1	0	400	627.41
3963-811	20X2	1	0	400	179.33
3963-813	20X3	1	4	400	179.75
3963-814	20X4	1	4	400	181.91
3963-816	20X6	1	0	400	190.82
3963-818	20X8	1	0	400	275.64
3963-820	20X10	1	5	400	305.68
3963-822	20X12	1	0	400	436.02
3963-824	20X14	1	0	400	475.54
3963-826	20X16	1	0	400	623.04
3963-828	20X18	1	0	400	707.43
3963-901	24X2	1	5	400	182.47
3963-903	24X3	1	5	400	183.44
3963-904	24X4	1	5	400	184.28
3963-906	24X6	1	5	400	192.29
3963-908	24X8	1	5	409	259.52
3963-910	24X10	1	5	400	307.00
3963-912	24X12	1	0	409	407.26
3963-914	24X14	1	0	400	473.88
3963-916	24X16	1	0	400	648.61
3963-918	24X18	1	0	400	731.41
3963-920	24X20	1	0	400	823.20

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Stub Saddle (continued)</b>					
<b>IPS O.D. x Socket Schedule 80</b>					
3965-792	18X12	1	0	400	473.71
3965-794	18X14	1	0	400	515.58
3965-796	18X16	1	0	400	674.63
3965-811	20X2	1	0	400	192.82
3965-813	20X3	1	2	400	193.27
3965-814	20X4	1	0	400	195.59
3965-816	20X6	1	0	400	205.17
3965-818	20X8	1	0	400	296.39
3965-820	20X10	1	0	400	328.69
3965-822	20X12	1	0	400	468.84
3965-824	20X14	1	0	400	511.33
3965-826	20X16	1	0	400	669.96
3965-828	20X18	1	0	400	760.68
3965-901	24X2	1	5	400	196.20
3965-903	24X3	1	5	400	197.24
3965-904	24X4	1	5	400	198.15
3965-906	24X6	1	3	400	206.78
3965-908	24X8	1	0	400	296.86
3965-910	24X10	1	0	400	330.12
3965-912	24X12	1	0	409	437.93
3965-914	24X14	1	0	400	509.55
3965-916	24X16	1	0	400	697.43
3965-918	24X18	1	0	400	786.46
3965-920	24X20	1	0	400	885.16

**Stub Saddle**

IPS O.D. x Socket Schedule 80



Non Pressure Rated

3965-528	6X2	1	10	400	64.76
3965-530	6X3	1	3	400	65.32
3965-532	6X4	1	10	400	65.91
3965-578	8X2	1	5	409	85.99
3965-580	8X3	1	4	400	92.59
3965-582	8X4	1	6	400	93.58
3965-585	8X6	1	4	400	95.77
3965-621	10X2	1	6	400	84.71
3965-623	10X3	1	6	409	80.75
3965-624	10X4	1	4	400	86.26
3965-626	10X6	1	4	400	100.29
3965-628	10X8	1	4	400	160.74
3965-661	12X2	1	2	400	100.06
3965-663	12X3	1	2	400	101.13
3965-664	12X4	1	2	400	101.51
3965-666	12X6	1	2	400	117.73
3965-668	12X8	1	2	400	185.25
3965-670	12X10	1	2	400	271.75
3965-691	14X2	1	4	400	123.25
3965-693	14X3	1	0	400	124.40
3965-694	14X4	1	5	400	124.98
3965-696	14X6	1	2	400	142.27
3965-700	14X10	1	0	400	279.33
3965-702	14X12	1	0	400	308.41
3965-751	16X2	1	5	400	129.77
3965-753	16X3	1	4	400	130.89
3965-754	16X4	1	3	400	131.63
3965-756	16X6	1	2	400	150.03
3965-758	16X8	1	3	400	223.75
3965-760	16X10	1	3	400	284.92
3965-762	16X12	1	0	400	316.43
3965-764	16X14	1	0	400	329.76
3965-781	18X2	1	2	400	190.64
3965-783	18X3	1	0	400	191.80
3965-784	18X4	1	0	400	192.67
3965-786	18X6	1	2	400	203.93
3965-788	18X8	1	0	400	299.62
3965-790	18X10	1	0	400	332.16




**Schedule 80 PVC Industrial Products & Accessories  
Tank Adapters**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC Spigot Tank Adapter with EPDM Gasket Spig**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8173E-005	1/2	25	0	100	35.39
8173E-007	3/4	25	0	100	39.93
8173E-010	1	25	0	100	48.14
8173E-015	1-1/2	20	0	100	62.33
8173E-020	2	15	0	100	91.72

Install with threaded end, gasket and one nut inside tank. Use thread sealant on internal nut.

**PVC Self Aligning Tank Adapter with Neoprene Gasket**



Fipt

75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172SA-010	1	5	0	100	147.85
8172SA-020	2	4	0	100	229.91
8172SA-030	3	2	0	100	347.87

**PVC Self Aligning Tank Adapter with EPDM Gasket**



Fipt

75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172ESA-010	1	5	0	100	155.59
8172ESA-020	2	4	0	100	236.11
8172ESA-030	3	2	0	100	366.29

**PVC Self Aligning Tank Adapter with FKM Gasket**




Fipt

75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172VSA-010	1	5	0	100	403.15
8172VSA-020	2	4	0	100	572.35
8172VSA-030	3	2	0	100	899.32

**PVC New Style Standard Tank Adapters with Neoprene Gaskets**




Soc

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8170-002	1/4	25	150	100	34.34
8170-003	3/8	25	150	100	34.34
8170-005	1/2	25	0	100	34.34
8170-007	3/4	25	0	100	39.15
8170-010	1	25	0	100	43.49
8170-012	1-1/4	20	0	100	52.40
8170-015	1-1/2	20	0	100	57.49
8170-020	2	15	0	100	85.22
8170-025	2-1/2	4	0	100	131.69
8170-030	3	4	0	100	156.77
8170-040	4	2	0	100	308.81
8170-060	6	1	0	100	599.42
8170-080	8	1	0	100	1330.24

**PVC New Style Standard Tank Adapters with EPDM Gaskets**



Soc

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8170E-002	1/4	25	150	100	35.39
8170E-003	3/8	25	150	100	35.39
8170E-005	1/2	25	0	100	35.39
8170E-007	3/4	25	0	100	39.93
8170E-010	1	25	0	100	48.14
8170E-012	1-1/4	20	0	100	57.22
8170E-015	1-1/2	20	0	100	62.33


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC New Style Standard Tank Adapters with EPDM Gaskets (continued)**

Soc

8170E-020	2	15	0	100	91.72
8170E-025	2-1/2	4	0	100	152.86
8170E-030	3	4	0	100	162.62
8170E-040	4	2	0	100	316.61
8170E-060	6	1	0	100	620.94
8170E-080	8	1	0	100	1379.57

**PVC New Style Standard Tank Adapters with FKM Gaskets**




Soc

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8170V-002	1/4	25	150	100	58.35
8170V-003	3/8	25	150	100	58.35
8170V-005	1/2	25	0	100	58.35
8170V-007	3/4	25	0	100	63.97
8170V-010	1	25	0	100	76.60
8170V-012	1-1/4	20	0	100	80.77
8170V-015	1-1/2	20	0	100	88.96
8170V-020	2	15	0	100	145.96
8170V-025	2-1/2	4	0	100	220.01
8170V-030	3	4	0	100	261.92
8170V-040	4	2	0	100	655.21
8170V-060	6	1	0	100	1178.46
8170V-080	8	1	0	100	2193.73

**PVC New Style Standard Tank Adapters with Neoprene Gasket**




Soc x Fipt

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171-002	1/4	25	150	100	34.34
8171-003	3/8	25	200	100	34.34
8171-005	1/2	25	0	100	34.34
8171-007	3/4	25	0	100	39.15
8171-010	1	25	0	100	43.49
8171-012	1-1/4	20	0	100	52.40
8171-015	1-1/2	20	0	100	57.49
8171-020	2	15	0	100	85.22
8171-025	2-1/2	4	0	100	131.69
8171-030	3	4	0	100	156.77
8171-040	4	2	0	100	308.81
8171-060	6	1	0	100	599.42

**PVC New Style Standard Tank Adapters with EPDM Gaskets**



Soc x Fipt

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171E-002	1/4	25	150	100	35.39
8171E-003	3/8	25	200	100	35.39
8171E-005	1/2	25	0	100	35.39
8171E-007	3/4	25	0	100	39.93
8171E-010	1	25	0	100	48.14
8171E-012	1-1/4	20	0	100	57.22
8171E-015	1-1/2	20	0	100	62.33
8171E-020	2	15	0	100	91.72
8171E-025	2-1/2	4	0	100	152.86
8171E-030	3	4	0	100	162.62
8171E-040	4	2	0	100	316.61
8171E-060	6	1	0	100	620.94



**Schedule 80 PVC Industrial Products & Accessories  
Tank Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC New Style Standard Tank Adapters with FKM Gaskets**

**Soc x Fipt**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171V-002	1/4	25	150	100	58.35
8171V-003	3/8	25	200	100	58.35
8171V-005	1/2	25	0	100	58.35
8171V-007	3/4	25	0	100	63.97
8171V-010	1	25	0	100	76.60
8171V-012	1-1/4	20	0	100	80.77
8171V-015	1-1/2	20	0	100	88.96
8171V-020	2	15	0	100	145.96
8171V-025	2-1/2	4	0	100	220.01
8171V-030	3	4	0	100	261.92
8171V-040	4	2	0	100	655.21
8171V-060	6	1	0	100	1178.46



**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with Neoprene Gaskets**

**Soc x SR Fipt - Stainless Steel Collar**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171-002SR	1/4	25	150	100	35.58
8171-003SR	3/8	25	200	100	35.58
8171-005SR	1/2	25	0	100	35.58
8171-007SR	3/4	25	0	100	41.22
8171-010SR	1	25	0	100	46.42
8171-012SR	1-1/4	20	0	100	57.06
8171-015SR	1-1/2	20	0	100	65.49
8171-020SR	2	15	0	100	93.86
8171-025SR	2-1/2	4	0	100	151.13
8171-030SR	3	4	0	100	179.89
8171-040SR	4	2	0	100	332.76
8171-060SR	6	1	0	100	622.77



**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with EPDM Gaskets**

**Soc x SR Fipt - Stainless Steel Collar**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171E-002SR	1/4	25	150	100	36.83
8171E-003SR	3/8	25	200	100	36.83
8171E-005SR	1/2	25	0	100	36.83
8171E-007SR	3/4	25	0	100	42.00
8171E-010SR	1	25	0	100	51.06
8171E-012SR	1-1/4	20	0	100	61.86
8171E-015SR	1-1/2	20	0	100	70.31
8171E-020SR	2	15	0	100	100.36
8171E-025SR	2-1/2	4	0	100	156.03
8171E-030SR	3	4	0	100	185.76
8171E-040SR	4	2	0	100	340.58
8171E-060SR	6	1	0	100	644.19



**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with FKM Gaskets**

**Soc x SR Fipt - Stainless Steel Collar**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171V-002SR	1/4	25	150	100	59.79
8171V-003SR	3/8	25	200	100	59.79
8171V-005SR	1/2	25	0	100	59.79
8171V-007SR	3/4	25	0	100	65.61
8171V-010SR	1	25	0	100	80.87
8171V-012SR	1-1/4	20	0	100	90.56
8171V-015SR	1-1/2	20	0	100	102.08
8171V-020SR	2	15	0	100	156.33
8171V-025SR	2-1/2	4	0	100	238.00
8171V-030SR	3	4	0	100	283.32



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with FKM Gaskets (continued)**

**Soc x SR Fipt - Stainless Steel Collar**

8171V-040SR	4	2	0	100	680.71
8171V-060SR	6	2	0	100	1206.42

**PVC New Style Standard Tank Adapters with Neoprene Gaskets**

**Fipt**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172-002	1/4	25	150	100	46.12
8172-003	3/8	25	200	100	46.12
8172-005	1/2	25	0	100	46.12
8172-007	3/4	25	0	100	50.58
8172-010	1	25	0	100	55.32
8172-012	1-1/4	20	0	100	73.75
8172-015	1-1/2	20	0	100	80.39
8172-020	2	15	0	100	105.86
8172-025	2-1/2	4	0	100	154.95
8172-030	3	4	0	100	184.43
8172-040	4	2	0	100	345.61
8172-060	6	1	0	100	691.64



**PVC New Style Standard Tank Adapters with EPDM Gaskets**

**Fipt**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172E-002	1/4	25	150	100	47.48
8172E-003	3/8	25	200	100	47.48
8172E-005	1/2	25	0	100	47.48
8172E-007	3/4	25	0	100	51.57
8172E-010	1	25	0	100	61.26
8172E-012	1-1/4	20	0	100	80.53
8172E-015	1-1/2	20	0	100	87.09
8172E-020	2	15	0	100	113.93
8172E-025	2-1/2	4	0	100	160.72
8172E-030	3	4	0	100	191.36
8172E-040	4	2	0	100	354.42
8172E-060	6	1	0	100	716.49



**PVC New Style Standard Tank Adapters with FKM Gaskets**

**Fipt**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172V-002	1/4	25	150	100	71.35
8172V-003	3/8	25	200	100	71.35
8172V-005	1/2	25	0	100	71.35
8172V-007	3/4	25	0	100	76.04
8172V-010	1	25	0	100	86.85
8172V-012	1-1/4	20	0	100	98.56
8172V-015	1-1/2	20	0	100	112.49
8172V-020	2	15	0	100	166.68
8172V-025	2-1/2	4	0	100	238.07
8172V-030	3	4	0	100	283.49
8172V-040	4	2	0	100	690.93
8172V-060	6	1	0	100	1321.96



**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with Neoprene Gaskets**

**Fipt x SR Fipt - Stainless Steel Collar**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172-002SR	1/4	25	150	100	47.57
8172-003SR	3/8	25	200	100	47.57
8172-005SR	1/2	25	0	100	47.57
8172-007SR	3/4	25	0	100	52.66




**Schedule 80 PVC Industrial Products & Accessories**  
**Tank Adapters**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
8172-010SR	1	25	0	100	58.24
8172-012SR	1-1/4	20	0	100	78.43
8172-015SR	1-1/2	20	0	100	88.39
8172-020SR	2	15	0	100	114.53
8172-025SR	2-1/2	4	0	100	174.37
8172-030SR	3	4	0	100	207.59
8172-040SR	4	2	0	100	369.57
8172-060SR	6	1	0	100	714.88


**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with EPDM Gaskets**  
**Fipt x SR Fipt - Stainless Steel Collar**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
8172E-002SR	1/4	25	150	100	48.94
8172E-003SR	3/8	25	200	100	48.94
8172E-005SR	1/2	25	0	100	48.94
8172E-007SR	3/4	25	0	100	53.65
8172E-010SR	1	25	0	100	64.19
8172E-012SR	1-1/4	20	0	100	85.21
8172E-015SR	1-1/2	20	0	100	95.06
8172E-020SR	2	15	0	100	122.60
8172E-025SR	2-1/2	4	0	100	180.17
8172E-030SR	3	4	0	100	214.46
8172E-040SR	4	2	0	100	378.38
8172E-060SR	6	1	0	100	739.66


**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with FKM Gaskets**  
**Fipt x SR Fipt - Stainless Steel Collar**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
8172V-002SR	1/4	25	150	100	72.79
8172V-003SR	3/8	25	200	100	72.79
8172V-005SR	1/2	25	0	100	72.79
8172V-007SR	3/4	25	0	100	78.15
8172V-010SR	1	25	0	100	89.78
8172V-012SR	1-1/4	20	0	100	103.21
8172V-015SR	1-1/2	20	0	100	120.48
8172V-020SR	2	15	0	100	175.36
8172V-025SR	2-1/2	4	0	100	257.49
8172V-030SR	3	4	0	100	306.62
8172V-040SR	4	2	0	100	714.88
8172V-060SR	6	2	0	100	1349.89


**Tank Adapter with Neoprene Gasket (Old Style)**  
**Soc x Fipt**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
871-005	1/2	25	0	100	34.34
871-007	3/4	25	0	100	39.15
871-010	1	25	0	100	43.49
871-012	1-1/4	20	0	100	52.40
871-015	1-1/2	20	0	100	57.49
871-020	2	15	0	100	85.22
871-030	3	4	0	100	156.77
871-040	4	2	0	100	308.81

**Tank Adapter with Neoprene Gasket (Old Style)**  
**Fipt**




150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
872-005	1/2	25	0	100	46.12
872-007	3/4	25	0	100	50.58

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
872-010	1	25	0	100	55.32
872-012	1-1/4	20	0	100	73.75
872-015	1-1/2	20	0	100	80.39
872-020	2	15	0	100	105.86
872-030	3	4	0	100	184.43
872-040	4	2	0	100	345.61

**Tank Adapter with EPDM Gasket (Old Style)**  
**Soc x Fipt**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
871E-005	1/2	25	0	100	35.39
871E-007	3/4	25	0	100	39.93
871E-010	1	25	0	100	48.14
871E-012	1-1/4	20	0	100	57.22
871E-015	1-1/2	20	0	100	62.33
871E-020	2	15	0	100	91.72
871E-030	3	4	0	100	162.62
871E-040	4	2	0	100	316.61

**Tank Adapter with EPDM Gasket (Old Style)**  
**Fipt**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
872E-005	1/2	25	0	100	47.48
872E-007	3/4	25	0	100	51.57
872E-010	1	25	0	100	61.26
872E-012	1-1/4	20	0	100	80.53
872E-015	1-1/2	20	0	100	87.09
872E-020	2	15	0	100	113.93
872E-030	3	4	0	100	191.36
872E-040	4	2	0	100	354.42

**Neoprene Tank Adapter Gasket Only (New Style)**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
3N-002	1/4	100	0	901	2.71
3N-003	3/8	50	0	901	2.71
3N-005	1/2	10	0	901	2.71
3N-007	3/4	10	0	901	2.91
3N-010	1	10	0	901	3.09
3N-012	1-1/4	10	0	901	4.27
3N-015	1-1/2	10	0	901	5.01
3N-020	2	10	0	901	6.56
3N-025	2-1/2	10	0	901	6.84
3N-030	3	10	0	901	7.14
3N-040	4	10	0	901	19.75
2N-060	6	10	0	901	24.67
3N-080	8	10	0	901	113.14

**EPDM Tank Adapter Gasket Only (New Style)**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
3E-002	1/4	10	0	901	3.15
3E-003	3/8	10	0	901	3.15
3E-005	1/2	10	0	901	3.15
3E-007	3/4	10	0	901	3.25
3E-010	1	10	0	901	5.64
3E-012	1-1/4	10	0	901	8.26
3E-015	1-1/2	10	0	901	8.48
3E-020	2	10	0	901	9.71
3E-025	2-1/2	10	0	901	13.76
3E-030	3	10	0	901	14.79



## Schedule 80 PVC Industrial Products & Accessories Tank Adapters & Expansion Joints

### Tank Adapters

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>EPDM Tank Adapter Gasket Only (New Style) (continued)</b>					
3E-040	4	10	0	901	22.28
2E-060	6	10	0	901	40.22
3E-080	8	10	0	901	145.99



### FKM Tank Adapter Gasket Only (New Style)

3V-002	1/4	10	0	901	11.53
3V-003	3/8	10	0	901	13.59
3V-005	1/2	10	0	901	20.28
3V-007	3/4	10	0	901	25.12
3V-010	1	10	0	901	34.34
3V-012	1-1/4	10	0	901	54.61
3V-015	1-1/2	10	0	901	58.99
3V-020	2	10	0	901	94.48
3V-025	2-1/2	10	0	901	104.38
3V-030	3	10	0	901	108.76
3V-040	4	10	0	901	246.09
2V-060	6	10	0	901	616.03
3V-080	8	10	0	901	1033.18



### Neoprene Tank Adapter Gasket Only (Old Style)

2N-005	1/2	10	0	901	2.71
2N-007	3/4	10	0	901	2.91
2N-010	1	10	0	901	3.09
2N-015	1-1/4 OR 1-1/2	10	0	901	5.01
2N-020	2	10	0	901	6.56
2N-030	3	10	0	901	7.14
2N-040	4	10	0	901	19.75



### EPDM Tank Adapter Gasket Only (Old Style)

2E-005	1/2	10	0	901	3.15
2E-007	3/4	10	0	901	3.25
2E-010	1	10	0	901	5.64
2E-015	1-1/4 OR 1-1/2	10	0	901	8.48
2E-020	2	10	0	901	9.71
2E-030	3	10	0	901	14.79
2E-040	4	10	0	901	22.28

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### Wrench Sets (New Style) Body Wrench & Nut Wrench



TAW-002	1/4	1	25	299	21.89
TAW-003	3/8	1	25	299	21.89
TAW-005	1/2	1	25	299	21.89
TAW-007	3/4	1	25	299	22.32
TAW-010	1	1	25	299	23.21
TAW-012	1-1/4	1	20	299	26.18
TAW-015	1-1/2	1	20	299	28.40
TAW-020	2	1	10	299	32.35
TAW-025	2-1/2	1	10	299	35.79
TAW-030	3	1	10	299	39.44
TAW-040	4	1	10	299	42.26

### Individual Body Wrench (New Style)



TAW1-002	1/4	500	0	299	12.28
TAW1-003	3/8	400	0	299	12.28
TAW1-005	1/2	250	0	299	12.28
TAW1-007	3/4	220	0	299	12.52
TAW1-010	1	200	0	299	13.03
TAW1-012	1-1/4	300	0	299	14.76
TAW1-015	1-1/2	150	0	299	15.89
TAW1-020	2	100	0	299	17.25
TAW1-025	2-1/2	80	0	299	18.03
TAW1-030	3	74	0	299	22.61
TAW1-040	4	35	0	299	23.26

### Individual Nut Wrench (New Style)



TAW2-002	1/4	300	0	299	12.28
TAW2-003	3/8	250	0	299	12.28
TAW2-005	1/2	200	0	299	12.28
TAW2-007	3/4	160	0	299	12.52
TAW2-010	1	110	0	299	13.03
TAW2-012	1-1/4	200	0	299	14.76
TAW2-015	1-1/2	120	0	299	15.89
TAW2-020	2	100	0	299	17.25
TAW2-025	2-1/2	50	0	299	18.03
TAW2-030	3	40	0	299	22.61
TAW2-040	4	35	0	299	23.26

### Expansion Joints

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### PVC Fabricated Expansion Joints

6" Travel with EPDM O-rings



1/2" - 2" 235 psi @ 73°F (23°C)  
2-1/2" - 12" 150 psi @ 73°F (23°C)  
14" 100 psi @ 73°F (23°C)

826-005X6	1/2	10	0	085	313.03
826-007X6	3/4	6	0	085	336.52
826-010X6	1	5	0	085	340.31
826-012X6	1-1/4	4	0	085	395.55
826-015X6	1-1/2	4	0	085	419.43
826-020X6	2	2	0	085	469.18
826-025X6	2-1/2	1	0	085	535.15

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### PVC Fabricated Expansion Joints (continued)

6" Travel with EPDM O-rings

826-030X6	3	1	0	085	555.51
826-040X6	4	1	0	085	596.17
826-060X6	6	1	0	085	982.20
826-080X6	8	1	0	085	1352.21
826-100X6	10	1	0	085	1587.88
826-120X6	12	1	0	085	2813.54
826-140X6	14	1	0	085	3213.82

FKM O-rings available on special order. Add a "V" preceding the dash (-) separator, e.g. 826V-005X6.



**Schedule 80 PVC Industrial Products & Accessories  
Expansion Joints & Pipe Flanges**



**Expansion Joints**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC Fabricated Expansion Joints**  
12" Travel with EPDM O-rings



1/2" - 2" 235 psi @ 73°F (23°C)  
2-1/2" - 12" 150 psi @ 73°F (23°C)  
14" 100 psi @ 73°F (23°C)

826-005X12	1/2	10	0	085	352.11
826-007X12	3/4	6	0	085	372.39
826-010X12	1	5	0	085	446.24
826-012X12	1-1/4	4	0	085	568.92
826-015X12	1-1/2	4	0	085	451.77
826-020X12	2	2	0	085	532.92
826-025X12	2-1/2	1	0	085	895.29
826-030X12	3	1	0	085	688.48
826-040X12	4	1	0	085	773.44
826-060X12	6	1	0	085	1126.68
826-080X12	8	1	0	085	1510.54
826-100X12	10	1	0	085	1846.74
826-120X12	12	1	0	085	2957.95
826-140X12	14	1	0	085	3283.27

FKM O-rings available on special order. Add a "V" preceding the dash (-) separator, e.g. 826V-005X12

**PVC Elastomer Expansion Joint**  
with Neoprene Bellows Soc



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

EJ02-007	3/4	10	0	085	197.85
EJ02-010	1	10	0	085	224.34
EJ02-012	1-1/4	15	0	085	239.02
EJ02-015	1-1/2	10	0	085	294.26
EJ02-020	2	8	0	085	360.58
EJ02-025	2-1/2	4	0	085	510.09
EJ02-030	3	2	0	085	701.17

**PVC Elastomer Expansion Joint**  
with EPDM Bellows Soc



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

EJ22-007	3/4	10	0	085	201.88
EJ22-010	1	10	0	085	228.89
EJ22-012	1-1/4	15	0	085	246.41
EJ22-015	1-1/2	10	0	085	299.36
EJ22-020	2	8	0	085	367.94
EJ22-025	2-1/2	4	0	085	520.48
EJ22-030	3	2	0	085	715.45

**PVC Elastomer Expansion Joint**  
with Neoprene Bellows SR Fipt - Stainless Steel Collar



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

EJ01-007SR	3/4	10	0	085	200.62
EJ01-010SR	1	10	0	085	228.47
EJ01-012SR	1-1/4	15	0	085	248.49
EJ01-015SR	1-1/2	10	0	085	317.23
EJ01-020SR	2	8	0	085	381.13
EJ01-025SR	2-1/2	4	0	085	555.41
EJ01-030SR	3	2	0	085	746.94

**PVC Elastomer Expansion Joint**  
with EPDM Bellows SR Fipt - Stainless Steel Collar



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

EJ21-007SR	3/4	10	0	085	204.69
EJ21-010SR	1	10	0	085	233.14
EJ21-012SR	1-1/4	15	0	085	253.59
EJ21-015SR	1-1/2	10	0	085	323.68
EJ21-020SR	2	8	0	085	388.92
EJ21-025SR	2-1/2	4	0	085	563.59
EJ21-030SR	3	2	0	085	762.18

**Pipe Flanges**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Flange Van Stone Style**  
Flange x PIP Soc



125 psi Maximum Internal Pressure Rating @ 73°F (23°C)

354-060F	6X6.140	1	4	320	133.67
354-080F	8X8.160	1	2	320	202.42
354-100F	10X10.200	1	2	320	284.61
354-120F	12X12.240	1	2	320	412.21
354-150F	14X15.300	1	0	320	1098.76
354-151F	16X15.300	1	0	320	1253.46
354-181F	18X18.701	1	0	320	1904.21
354-182F	18X18.360	1	0	320	1904.21
354-201F	20X22.047	1	0	320	2900.51
354-241F	24X24.803	1	0	320	4247.72

For more information, refer to 80, 100 & 125 psi PIP Fabrication Fittings.

PIP = Plastic Irrigation Pipe (dimensions are NOT the same as IPS dimensions)

Sizes 6" - 16" are furnished with plastic ring.  
Sizes 18" - 24" are furnished with steel ring.

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Flange One Piece Soc**



1/2" - 16" 150 psi Maximum Internal Pressure Rating @73°F (23°C)

18" - 24" 50 psi Maximum Internal Pressure Rating @73°F (23°C)

851-005	1/2	25	0	080	18.11
851-007	3/4	25	0	080	19.35
851-010	1	15	0	080	21.55
851-012	1-1/4	15	0	080	22.20
851-015	1-1/2	20	0	080	22.68
851-020	2	10	0	080	30.19
851-025	2-1/2	10	0	080	46.60
851-030	3	10	0	080	51.46
851-040	4	5	0	080	65.16
851-050	5	5	0	080	102.45
851-060	6	5	0	080	102.45
851-080	8	2	0	080	183.33
851-100F	10	1	2	083	498.18
851-120F	12	1	0	083	604.96
851-140F	14	1	0	083	1112.65
851-160F	16	1	0	083	1526.99
851-180F	18	1	0	083	3230.20
851-200F	20	1	0	083	3955.61



**Schedule 80 PVC Industrial Products & Accessories  
Pipe Flanges**

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Flange One Piece (continued)**

**Soc**

851-240F	24	1	0	083	5253.52
----------	----	---	---	-----	---------

**Flange One Piece**

**Fipt**

150 psi Maximum Internal Pressure Rating @73°F (23°C)

852-005	1/2	25	0	080	21.67
852-007	3/4	25	0	080	25.39
852-010	1	15	0	080	27.80
852-012	1-1/4	15	0	080	38.33
852-015	1-1/2	20	0	080	41.83
852-020	2	10	0	080	42.78
852-025	2-1/2	10	0	080	98.36
852-030	3	10	0	080	101.24
852-040	4	5	0	080	190.22
852-060F	6	1	5	083	228.52
852-080F	8	1	2	083	573.52

**Special Reinforced Flange One Piece  
Threaded**

**SR Fipt - Stainless Steel Collar**

150 psi Maximum Internal Pressure Rating @73°F (23°C)

852-005SR	1/2	25	0	086	11.91
852-007SR	3/4	25	0	086	13.99
852-010SR	1	15	0	086	15.29
852-012SR	1-1/4	15	0	086	21.07
852-015SR	1-1/2	15	0	086	23.06
852-020SR	2	10	0	086	23.62
852-025SR	2-1/2	10	0	086	54.09
852-030SR	3	10	0	086	55.69
852-040SR	4	5	0	086	104.69

**Blind Flange**

1/2" - 12" Molded - 150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

14" - 24" Fabricated - 50 psi Maximum Internal Pressure Rating @ 73°F (23°C)

853-005	1/2	25	0	080	25.38
853-007	3/4	25	0	080	30.23
853-010	1	15	0	080	41.29
853-012	1-1/4	20	0	080	50.68
853-015	1-1/2	15	0	080	50.68
853-020	2	10	0	080	75.73
853-025	2-1/2	10	0	080	123.38
853-030	3	10	0	080	148.89
853-040	4	8	0	080	185.48
853-050F	5	1	5	083	464.95
853-060	6	5	0	080	225.40
853-080	8	5	0	080	282.13
853-100	10	3	0	081	471.77
853-120	12	2	0	081	734.75
853-140F	14	1	0	083	1397.79
853-160F	16	1	0	083	1657.51
853-180F	18	1	0	083	1864.09
853-200F	20	1	0	083	3013.01
853-240F	24	1	0	083	4016.97

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Flange Van Stone Style with PVC Ring**

**Soc**

1/2" - 18" molded - 150 psi = maximum internal pressure rating @ 73°F (23°C)  
18" - 24" fabricated - 50 psi = maximum internal pressure rating @ 73°F (23°C)

854-005	1/2	25	0	080	18.08
854-007	3/4	25	0	080	19.34
854-010	1	15	0	080	21.54
854-012	1-1/4	15	0	080	22.18
854-015	1-1/2	20	0	080	22.63
854-020	2	10	0	080	30.14
854-025	2-1/2	10	0	080	46.55
854P-030	3	10	0	080	51.44
854P-040	4	5	0	080	65.07
854P-050	5	5	0	080	102.36
854P-060	6	5	0	080	102.36
854P-080	8	2	0	080	166.68
854P-100	10	2	0	081	215.79
854P-120	12	2	0	081	232.66
854P-140	14	1	0	081	898.21
854P-160	16	1	0	081	1201.40
854P-180	18	1	0	081	1937.69
854-180FP	18	1	0	083	3065.76
854-200FP	20	1	0	083	3749.88
854-240FP	24	1	0	083	5101.07

**Flange Van Stone Style with Glass Filled PVC Ring**

**Soc**

3" - 18" molded - 150 psi = maximum internal pressure rating @ 73°F (23°C)

854-030	3	10	0	080	51.44
854-040	4	5	0	080	65.07
854-050	5	5	0	080	102.36
854-060	6	5	0	080	102.36
854-080	8	2	0	080	166.68
854-100	10	2	0	081	215.79
854-120	12	2	0	081	232.66
854-140	14	1	0	081	898.21
854-160	16	1	0	081	1201.40
854-180	18	1	0	081	1937.69

18" flange has 4-section ring

**Flange Van Stone Style Class 300 Bolt Pattern  
Fabricated with PVC Ring**

**Soc**

1/2" - 16" molded with fab ring - 150 psi = maximum internal pressure rating @ 73°F (23°C)

18" - 24" fabricated - 50 psi = maximum internal pressure rating @ 73°F (23°C)

854-005CL300	1/2	1	25	083	148.64
854-007CL300	3/4	1	25	083	172.71
854-010CL300	1	1	15	083	271.37
854-012CL300	1-1/4	1	15	083	277.09
854-015CL300	1-1/2	1	20	083	287.83
854-020CL300	2	10	0	083	303.05
854-025CL300	2-1/2	1	10	083	332.76
854-030CL300	3	1	10	083	365.45
854-040CL300	4	1	3	083	619.67
854-060CL300	6	1	4	083	1180.24
854-080CL300	8	1	3	083	1343.43
854-100CL300	10	1	2	083	1581.60
854-120CL300	12	1	0	083	2026.35
854-140CL300	14	1	0	083	2234.24
854-160CL300	16	1	0	083	2326.72
854-180CL300	18	1	0	083	3253.11

**Schedule 80 PVC Industrial Products & Accessories  
Pipe Flanges**



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Flange Van Stone Style Class 300 Bolt Pattern**

**Fabricated with PVC Ring (continued)**

**Soc**

854-200CL300	20	1	0	083	4224.02
854-240CL300	24	1	0	083	5354.88

**Flange Van Stone Style with PVC Ring**

**Spig**



1/2" - 12" molded - 150 psi = maximum internal pressure rating @ 73°F (23°C)  
20" - 24" fabricated - 50 psi = maximum internal pressure rating @ 73°F (23°C)

856-005	1/2	25	0	080	18.18
856-007	3/4	25	0	080	19.48
856-010	1	15	0	080	21.72
856-012	1-1/4	15	0	080	22.40
856-015	1-1/2	15	0	080	22.85
856-020	2	10	0	080	30.37
856-025	2-1/2	10	0	080	46.94
856P-030	3	10	0	080	51.85
856P-040	4	5	0	080	65.61
856P-060	6	4	0	080	103.20
856P-080	8	2	0	080	184.61
856P-100	10	2	0	081	215.79
856P-120	12	2	0	081	232.66
856-200FP	20	1	0	083	3749.88
856-240FP	24	1	0	083	5101.07

**Flange Van Stone Style with Glass Filled PVC Ring**

**Spig**



3" - 12" molded, 14" - 18" molded/fabricated - 150 psi = maximum internal pressure rating @ 73°F (23°C)

856-030	3	10	0	080	51.85
856-040	4	5	0	080	65.61
856-060	6	4	0	080	103.20
856-080	8	2	0	080	184.61
856-100	10	2	0	081	215.79
856-120	12	2	0	081	232.66
856-140FP**	14	1	0	083	1926.95
856-160FP**	16	1	0	083	2337.92
856-180FP**	18	1	0	083	3065.76

\*\* Fabricated from molded socket flanges with pipe spigot.  
18" flange uses 4-piece ring

**Flange Van Stone Style with Steel Ring**

**Soc**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

854-180FS	18	1	0	083	1809.89
854-200FS	20	1	0	083	2193.19
854-240FS	24	1	0	083	2951.69

**Flange Van Stone Style with Steel Ring**

**Spig**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

856-140FS	14	1	0	083	975.22
856-160FS	16	1	0	083	1192.01
856-180FS	18	1	0	083	1350.67
856-200FS	20	1	0	083	1626.87
856-240FS	24	1	0	083	2209.11

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**Flange Van Stone Style PVC with Solid Ring**

**Soc**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

S854-020	2	10	0	080	37.68
S854-030	3	10	0	080	64.32
S854-040	4	5	0	080	81.36

**Flange Van Stone Style PVC with Glass Filled PVC Solid Ring**

**Soc**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

S854-060	6	5	0	080	127.97
S854-080	8	2	0	080	208.35
S854-100	10	2	0	081	269.73
S854-120	12	2	0	081	290.80

**Flange Van Stone Style with PVC Ring**

**ASTM Soc x Multi-bolt Pattern Ring**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

M854-020	2	10	0	080	30.14
----------	---	----	---	-----	-------

\* Hubs fit 2", 6" and 8" ASTM IPS pipe. Rings are manufactured to accept bolt patterns in size 2", 6" and 8" in ANSI Class 150, B.S. 4504 NP10 B.S. 4504 NP16 (except 8"), B.S. 10 Table D and B.S. 10 Table E. Consult Spears® Manufacturing Company Technical Services for additional information. Not for use with wafer valves.

**Flange Van Stone Style with Glass Filled PVC Ring**

**ASTM Soc x Multi-bolt Pattern Ring**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

M854-060	6	5	0	080	102.36
M854-080	8	2	0	080	166.68

\* Hubs fit 2", 6" and 8" ASTM IPS pipe. Rings are manufactured to accept bolt patterns in size 2", 6" and 8" in ANSI Class 150, B.S. 4504 NP10 B.S. 4504 NP16 (except 8"), B.S. 10 Table D and B.S. 10 Table E. Consult Spears® Manufacturing Company Technical Services for additional information. Not for use with wafer valves.

**Flange Van Stone Style with PVC Ring**

**ASTM Spig x Multi-bolt Pattern Ring**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

M856-020	2	10	0	080	30.37
----------	---	----	---	-----	-------

\* Spigots fit 2", 6" and 8" ASTM IPS fitting socket. Rings are manufactured to accept bolt patterns in size 2", 6" and 8" in ANSI Class 150, B.S. 4504 NP10 B.S. 4504 NP16 (except 8"), B.S. 10 Table D and B.S. 10 Table E. Consult Spears® Manufacturing Company Technical Services for additional information. Not for use with wafer valves.

**Flange Van Stone Style with Glass Filled PVC Ring**

**ASTM Spig x Multi-bolt Pattern Ring**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

M856-060	6	4	0	080	103.20
M856-080	8	2	0	080	167.94

\* Spigots fit 2", 6" and 8" ASTM IPS fitting socket. Rings are manufactured to accept bolt patterns in size 2", 6" and 8" in ANSI Class 150, B.S. 4504 NP10 B.S. 4504 NP16 (except 8"), B.S. 10 Table D and B.S. 10 Table E. Consult Spears® Manufacturing Company Technical Services for additional information. Not for use with wafer valves.

**Flange Van Stone Style with PVC Ring**

**Fipt**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

855-005	1/2	25	0	080	21.63
855-007	3/4	25	0	080	25.38
855-010	1	15	0	080	27.76
855-012	1-1/4	15	0	080	38.26



## Schedule 80 PVC Industrial Products & Accessories Pipe Flanges & Van Stone Style Flange Replacement Split Rings

### Pipe Flanges

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Flange Van Stone Style with PVC Ring (continued)</b>					
<b>Fipt</b>					
855-015	1-1/2	20	0	080	41.79
855-020	2	10	0	080	42.76
855-025	2-1/2	10	0	080	98.29

### Flange Van Stone Style with Glass Filled PVC Ring

**Fipt**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

855-030	3	10	0	080	101.11
---------	---	----	---	-----	--------



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Flange Van Stone Style with Glass Filled PVC Ring (continued)</b>					
<b>Fipt</b>					
855-040	4	5	0	080	183.83
855-060	6	1	4	080	289.09
855-060F	6	1	4	083	256.97
855-080	8	2	0	080	358.24
855-080F	8	1	2	083	318.82
855-100F	10	1	2	083	359.19

### Van Stone Style Flange Replacement Split Rings

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### Application & Use of Van Stone Style Flange Replacement Split Rings

Designed for easy Van Stone style flange ring replacement in the event of system modification, repair, or improper assembly without having to remove existing flange hub. Split rings are made as a direct replacement of existing one-piece rings used on Spears® brand only of Van Stone style flanges with ANSI Class 150 bolt pattern plastic rings. Remove old ring to be replaced then simply place the split ring sections around hub and install flange bolts (not included) through special designed section overlap to hold in position. Install appropriate user supplied bolts, washers and gasket (see Flange Gasket and Bolt Hardware Kits in this catalog); torque to specifications according to normal flange assembly. Split rings are a set of either 2-pieces or 4-pieces (illustrated) sections depending on size, in regular PVC, Glass Filled PVC, or CPVC for flange type and sizes listed.



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### Glass Filled PVC Flange Replacement Split Rings (continued)

For Spears® flanges with Glass Filled PVC Rings

854-140-1S	14	2	0	081	488.20
854-160-1S	16	1	0	081	606.48
854-180-1S	18	1	0	081	658.69

Fits 854-xxx Socket, 855-xxx Threaded, and 856-xxx Spigot hub configurations

### PVC Flange Replacement Split Rings

For Spears® flanges with regular PVC Rings

854P-005-1S	1/2	10	0	080	54.98
854P-007-1S	3/4	10	0	080	58.37
854P-010-1S	1	15	0	080	65.27
854P-012-1S	1-1/4	15	0	080	66.55
854P-015-1S	1-1/2	10	0	080	68.18
854P-020-1S	2	10	0	080	90.49
854P-025-1S	2-1/2	10	0	080	104.68
854P-030-1S	3	10	0	080	116.06
854P-040-1S	4	10	0	080	124.42
854P-050-1S	5	10	0	080	168.49
854P-060-1S	6	5	0	080	199.38
854P-080-1S	8	4	0	080	227.80
854P-100-1S	10	4	0	081	287.57
854P-120-1S	12	2	0	081	356.43
854P-140-1S	14	2	0	081	488.20
854P-160-1S	16	1	0	081	606.48
854P-180-1S	18	1	0	081	658.69
854P-200-1S	20	1	0	083	3496.06
854P-240-1S	24	1	0	083	4283.55

Fits 854-xxx Socket, 855-xxx Threaded, and 856-xxx Spigot hub configurations

### Glass Filled PVC Flange Replacement Split Rings

For Spears® flanges with Glass Filled PVC Rings

854-030-1S	3	10	0	080	116.06
854-040-1S	4	10	0	080	124.42
854-050-1S	5	5	0	080	168.49
854-060-1S	6	5	0	080	199.38
854-080-1S	8	4	0	080	227.80
854-100-1S	10	4	0	081	287.57
854-120-1S	12	2	0	081	356.43





**Schedule 80 PVC Industrial Products & Accessories  
Flange Insulating Joints & Flange Bolt Kits**



**Flange Insulating Joints**


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Flange Insulating Joints - Class 150 Bolt Pattern</b>					
<b>PP Flange Spacer with PVC Bolt Isolators</b>					
Size = Nominal Flange Diameter x Thickness (in.) For Dielectric Insulation Between Dissimilar Metal Flanges 300 psi Maximum Internal Pressure Rating @ 73°F (23°C)					
IJ-030-010P	<b>3X1</b>	1	0	016	460.69
IJ-040-010P	<b>4X1</b>	1	0	016	514.74
IJ-060-010P	<b>6X1</b>	1	0	016	611.82
IJ-080-010P	<b>8X1</b>	1	0	016	710.06
IJ-100-010P	<b>10X1</b>	1	0	016	1443.20
IJ-120-010P	<b>12X1</b>	1	0	016	1563.13
IJ-140-010P	<b>14X1</b>	1	0	016	2025.46
IJ-160-010P	<b>16X1</b>	1	0	016	2573.78
IJ-180-010P	<b>18X1</b>	1	0	016	3445.23
IJ-200-010P	<b>20X1</b>	1	0	016	4447.74
IJ-240-010P	<b>24X1</b>	1	0	016	6177.09



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Flange Insulating Joints - Class 300 Bolt Pattern</b>					
<b>PP Flange Spacer with PVC Bolt Isolators</b>					
Size = Nominal Flange Diameter x Thickness (in.) For Dielectric Insulation Between Dissimilar Metal Flanges 300 psi Maximum Internal Pressure Rating @ 73°F (23°C)					
IJ300-030-010P	<b>3X1</b>	1	0	016	678.67
IJ300-040-010P	<b>4X1</b>	1	0	016	754.83
IJ300-060-010P	<b>6X1</b>	1	0	016	1156.18
IJ300-080-010P	<b>8X1</b>	1	0	016	1442.38
IJ300-100-010P	<b>10X1</b>	1	0	016	2392.84
IJ300-120-010P	<b>12X1</b>	1	0	016	3144.45
IJ300-140-010P	<b>14X1</b>	1	0	016	3961.23
IJ300-160-010P	<b>16X1</b>	1	0	016	4223.97
IJ300-180-010P	<b>18X1</b>	1	0	016	5278.95
IJ300-200-010P	<b>20X1</b>	1	0	016	6116.11
IJ300-240-010P	<b>24X1</b>	1	0	016	7509.49



**Flange Bolt Kits  
Bolt Kit Selection Guide**




Order Gaskets & Bolt Kits Separately

- Kit Contains All Bolts, Nuts, & Flat Washers for Specified Flange Size
- For Connecting Two (2) Mating Spears® Flanges
- Pre-coated, Anti-seize Lubricated Bolts
- Available in Zinc Coated Steel, Type 304 Stainless Steel or Type 316 Stainless Steel

Flange Size	Bolts <sup>1</sup> Per Kit	Diameter (in.-TPI)	Length (in.)	Hardware Kit Part Number		
				Zinc	316 SS	304 SS
1/2 & 3/4	4	1/2-13	2	HK-005	HK1-005	HK2-005
1 & 1-1/4	4	1/2-13	2-1/4	HK-010	HK1-010	HK2-010
1-1/2	4	1/2-13	2-1/2	HK-015	HK1-015	HK2-015
2	4	5/8-11	3	HK-020	HK1-020	HK2-020
2-1/2	4	5/8-11	3-1/4	HK-025	HK1-025	HK2-025
3	4	5/8-11	3-1/2	HK-030	HK1-030	HK2-030
4	8	5/8-11	3-1/2	HK-040	HK1-040	HK2-040
5 & 6	8	3/4-10	4	HK-060	HK1-060	HK2-060
8	8	3/4-10	4-1/2	HK-080	HK1-080	HK2-080
10 & 12	12	7/8-9	5	HK-120	HK1-120	HK2-120

1 - Each Bolt includes Nut & two (2) Flat Washers

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Zinc Plated Steel Flange Bolt Hardware Kits</b>					
For Connection of 2-Spears® Flanges Includes Bolts, Nuts & Flat Washers					
HK-005	<b>1/2</b>	1	10	017	10.03
HK-010	<b>3/4 &amp; 1</b>	1	10	017	12.54
HK-015	<b>1-1/4 &amp; 1-1/2</b>	1	10	017	18.85
HK-020	<b>2</b>	1	10	017	25.23
HK-025	<b>2-1/2</b>	1	10	017	30.25
HK-030	<b>3</b>	1	10	017	34.81
HK-040	<b>4</b>	1	5	017	72.12
HK-060	<b>5 &amp; 6</b>	1	5	017	80.21
HK-080	<b>8</b>	1	0	017	94.00
HK-120	<b>10 &amp; 12</b>	1	0	017	127.18



**Type 316 Stainless Steel Flange Bolt Hardware Kits**

For Connection of 2-Spears® Flanges Includes Bolts, Nuts & Flat Washers

HK1-005	<b>1/2</b>	1	10	017	30.11
---------	------------	---	----	-----	-------



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Type 316 Stainless Steel Flange Bolt Hardware Kits (continued)</b>					
For Connection of 2-Spears® Flanges Includes Bolts, Nuts & Flat Washers					
HK1-010	<b>3/4 &amp; 1</b>	1	10	017	43.37
HK1-015	<b>1-1/4 &amp; 1-1/2</b>	1	10	017	47.78
HK1-020	<b>2</b>	1	10	017	57.46
HK1-025	<b>2-1/2</b>	1	10	017	61.59
HK1-030	<b>3</b>	1	10	017	81.26
HK1-040	<b>4</b>	1	5	017	162.96
HK1-060	<b>5 &amp; 6</b>	1	5	017	212.54
HK1-080	<b>8</b>	1	0	017	266.69
HK1-120	<b>10 &amp; 12</b>	1	0	017	542.58

**Type 304 Stainless Steel Flange Bolt Hardware Kits**

For Connection of 2-Spears® Flanges Includes Bolts, Nuts & Flat Washers

HK2-005	<b>1/2</b>	1	10	017	26.34
HK2-010	<b>3/4 &amp; 1</b>	1	10	017	37.57
HK2-015	<b>1-1/4 &amp; 1-1/2</b>	1	10	017	44.26






## Schedule 80 PVC Industrial Products & Accessories Flange Bolt Kits & Full-Faced Flange Gaskets

### Flange Bolt Kits

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Type 304 Stainless Steel Flange Bolt Hardware Kits (continued)</b>					
<b>For Connection of 2-Spears® Flanges Includes Bolts, Nuts &amp; Flat Washers</b>					
HK2-020	2	1	10	017	52.06
HK2-025	2-1/2	1	10	017	55.20
HK2-030	3	1	10	017	68.55
HK2-040	4	1	5	017	137.09
HK2-060	5 & 6	1	5	017	144.51

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
<b>Type 304 Stainless Steel Flange Bolt Hardware Kits (continued)</b>					
<b>For Connection of 2-Spears® Flanges Includes Bolts, Nuts &amp; Flat Washers</b>					
HK2-080	8	1	0	017	190.02
HK2-120	10 & 12	1	0	017	336.78

### Full-Faced Flange Gaskets Gasket Selection Guide



Order Gaskets & Bolt Kits Separately

- 1/8" Full-Face design with ANSI Class 150 Bolt Patterns
- Pressure rated to 150 psi @ 73°F
- Available in Buna-N, EPDM, or FKM

Flange Size	Bolt Holes	Gasket Part Number		
		Buna-N	EPDM	FKM
1/2	4	GK1-005	GK2-005	GK3-005
3/4	4	GK1-007	GK2-007	GK3-007
1	4	GK1-010	GK2-010	GK3-010
1-1/4	4	GK1-012	GK2-012	GK3-012
1-1/2	4	GK1-015	GK2-015	GK3-015
2	4	GK1-020	GK2-020	GK3-020
2-1/2	4	GK1-025	GK2-025	GK3-025
3	4	GK1-030	GK2-030	GK3-030
4	8	GK1-040	GK2-040	GK3-040
5	8	GK1-050	GK2-050	GK3-050
6	8	GK1-060	GK2-060	GK3-060
8	8	GK1-080	GK2-080	GK3-080
10	12	GK1-100	GK2-100	GK3-100
12	12	GK1-120	GK2-120	GK3-120

#### Buna-N Full-Faced Flange Gaskets

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
GK1-005	1/2	1	25	017	3.22
GK1-007	3/4	1	25	017	3.69
GK1-010	1	1	25	017	3.80
GK1-012	1-1/4	1	25	017	3.89
GK1-015	1-1/2	1	25	017	4.18
GK1-020	2	1	25	017	4.67
GK1-025	2-1/2	1	25	017	5.14
GK1-030	3	1	25	017	7.91
GK1-040	4	1	25	017	8.84
GK1-050	5	1	25	017	10.48
GK1-060	6	1	25	017	10.77
GK1-080	8	1	25	017	14.20
GK1-100	10	1	25	017	18.02
GK1-120	12	1	25	017	24.31
GK1-140	14	1	25	017	47.02
GK1-160	16	1	25	017	226.21
GK1-180	18	1	25	017	257.63
GK1-240	24	1	25	017	311.31

#### EPDM Full-Faced Flange Gaskets

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
GK2-005	1/2	1	25	017	4.27
GK2-007	3/4	1	25	017	4.55
GK2-010	1	1	25	017	4.75
GK2-012	1-1/4	1	25	017	4.99
GK2-015	1-1/2	1	25	017	5.36
GK2-020	2	1	25	017	6.54
GK2-025	2-1/2	1	25	017	7.85
GK2-030	3	1	25	017	11.54
GK2-040	4	1	25	017	13.14
GK2-050	5	1	25	017	16.43
GK2-060	6	1	25	017	17.24

#### EPDM Full-Faced Flange Gaskets (continued)

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
GK2-080	8	1	25	017	22.97
GK2-100	10	1	25	017	29.93
GK2-120	12	1	25	017	41.18
GK2-140	14	1	25	017	100.45
GK2-160	16	1	25	017	178.22
GK2-180	18	1	25	017	208.16
GK2-200	20	1	25	017	241.60
GK2-240	24	1	25	017	364.73

#### FKM Full-Faced Flange Gaskets

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
GK3-005	1/2	1	25	017	15.25
GK3-007	3/4	1	25	017	18.11
GK3-010	1	1	25	017	20.01
GK3-012	1-1/4	1	5	017	22.59
GK3-015	1-1/2	1	25	017	28.49
GK3-020	2	1	25	017	39.83
GK3-025	2-1/2	1	25	017	53.27
GK3-030	3	1	25	017	119.04
GK3-040	4	1	25	017	137.42
GK3-050	5	1	25	017	160.20
GK3-060	6	1	25	017	181.75
GK3-160	16	1	25	017	810.63
GK3-180	18	1	25	017	912.00
GK3-080	8	1	25	017	258.94
GK3-100	10	1	25	017	344.42
GK3-120	12	1	25	017	485.28
GK3-140	14	1	25	017	711.26
GK3-240	24	1	25	017	1160.91